NIGHTINGALE SUPPLY
12a HUNGERFORD ST, NORTHGATE QLD 4013
PHONE: 3260.6544
Email: admin@nightingalesupply.com.au

WB FLOOR & GRASS ADHESIVE

- **DESCRIPTION:**

WB Floor & Grass Adhesive is a flexible water based adhesive formulated for the installation of particle board, plywood, fibre cement, skirting boards, polystyrene, synthetic grass and is also suitable for most mosaic and 19mm block parquetry to common sub floors and waterproofing compounds.

- **SPECIFICATION:**

APPEARANCE:	BROWN PASTE.
VISCOSITY:	110,000 cps ± 10% at 25°C
SPECIFIC GRAVITY:	1.38
DRYING TIME:	20 – 40 minutes
COVERAGE:	1.5M2 / Litre approx. using 3mm notched Trowel. 0.8 m2 / Litre approx using a 5mm notched trowel.
SOLIDS CONTENT:	85% ± 2%
CLEAN UP:	SOAPY WATER ON WET ADHESIVE
SHELF LIFE:	24 months in un opened drum at 20°C
CURE TIME	90% full bond strength in 24 hours, depending on conditions.

- **DIRECTIONS FOR USE:**

Surfaces must be clean, dry, smooth and sound; free from dirt, wax, grease, oil and any loose material. Uneven wood float finished or damaged concrete floors should be repaired with leveling compounds. Levelled areas and porous surfaces may need sealing and/or priming.
Porous surfaces should be sealed with WB Grass Adhesive broken down with 3-4 parts water to one part of WB Grass Adhesive.

Non porous surfaces should be sealed with a neo-prene primer and allowed to dry then apply a cementious leveling compound. New concrete surfaces must be completely cured. Always make sure that the moisture content of the concrete is below 5%.

Apply **WB FLOOR & GRASS ADHESIVE** onto the surface using a 3mm or 5mm v-notched spreader. Cover approx. 1 square metre, or as much area to lay in approx. 5-15 minutes.

Remove excess adhesive from the surface before it dries, using a damp cloth or sponge. If dry, remove surplus with a scraper. Allow to 'cure' for 48 hours.

Note: This adhesive should not be used in excessively hot or cold conditions ie below 8°C or above 35°C. The adhesive will not stand up to hydrostatic pressure or capillary action.
STIR WELL BEFORE USE.

The information presented is believed to be accurate, however, no guarantee is implied or given. User should conduct their own testing to determine the suitability of any product for a particular purpose.