

Chip Inductors - 0604HQ (1610)

- Combines the exceptionally high Q of an air core inductor with the rugged construction of a ceramic body component.
- Provides intermediate inductance values not available in Coilcraft's 0603, 0402 or 0906 product families

Request free evaluation samples by contacting Coilcraft or visiting www.coilcraft.com.

| Part number ¹ | Inductance ² (nH) | Percent tolerance ³ | Q min ⁴ | 900 L typ | MHz Q typ | 1.7 L tvp | GHz Q typ | SRF min ⁵ (GHz) | DCR max ⁶ (Ohms) | Irms ⁷ | Color code8 |
|--------------------------|------------------------------|-----------------------------------|-----------------------|--------------|--------------|--------------|--------------|----------------------------------|-----------------------------------|-------------------|-------------|
| 0604HQ-1N1XJR | 1.15 | 5 | 25 | 1.2 | | 1.2 | | 12.3 | 0.021 | . , | Black |
| | 1.15 | 5 | 25 | 1.2 | 40 | 1.2 | 136 | 12.3 | 0.021 | 3.0 | DIACK |
| 0604HQ-2N6XJR_ | 2.6 | 5 | 45 | 2.6 | 78 | 2.6 | 163 | 9.3 | 0.026 | 2.0 | Brown |
| 0604HQ-4N5XJR_ | 4.5 | 5 | 50 | 4.5 | 103 | 4.7 | 155 | 5.8 | 0.032 | 1.8 | Red |
| 0604HQ-5N0XJR_ | 5.0 | 5 | 60 | 4.9 | 106 | 5.2 | 178 | 5.3 | 0.032 | 1.6 | Orange |
| 0604HQ-6N8XJR_ | 6.8 | 5 | 60 | 6.9 | 101 | 7.4 | 172 | 4.7 | 0.035 | 1.8 | Yellow |
| 0604HQ-7N6XJR_ | 7.6 | 5 | 60 | 7.4 | 109 | 7.9 | 137 | 4.4 | 0.035 | 1.5 | Green |
| 0604HQ-10NXJR_ | 10.4 | 5 | 60 | 10.6 | 103 | 11.5 | 160 | 4.1 | 0.037 | 1.5 | Blue |

1. When ordering, please specify termination and packaging codes:

0604HQ-10NXJRC

Termination: R = RoHS matte Sn over Ni over Ag-Pt-glass frit.

Special order: T = RoHS Sn/Ag/Cu (95.5/4.0/0.5)

S = Not RoHS Sn/Pb (63/37).

- Packaging: C = 7" machine-ready reel. EIA-481 embossed plastic tape (2000 parts per full reel). Quantities less than full reel available: in tape (not machine ready) or with leader and trailer (\$25 charge).
 - B = Less than full reel. In an effort to simplify our part numbering system, Coilcraft is eliminating the need for multiple packaging codes. When ordering, simply change the last letter of your part number from B to C.
- 2. Inductance measured at 500 MHz using a Coilcraft SMD-A fixture in an Agilent/HP 4286 impedance analyzer with Coilcraft-provided
- 3. Tolerances in bold are stocked for immediate shipment.
- 4. Q measured at 500 MHz using an Agilent/HP 4291A with an Agilent/ HP 16193 test fixture.
- $5. \ \ For SRF less than 6 \ GHz, measured using an Agilent/HP 8753D \ network$ analyzer and a Coilcraft SMD-D test fixture. For SRF greater than 6 GHz, measured using an Agilent/HP 8722ES network analyzer and a Coilcraft SMD-D test fixture.
- 6. DCR measured on a Cambridge Technology micro-ohmmeter and a Coilcraft CCF858 test fixture.
- 7. Current that causes a 15°C temperature rise from 25°C ambient. This information is for reference only and does not represent absolute maximum ratings.
- 8. Each part is marked with a single dot. The color dots are not unique identifiers and correspond to multiple inductance values.
- 9. Electrical specifications at 25°C.
- 10. Temperature coefficient of inductance: +25 to +125 ppm/°C. Refer to Doc 362 "Soldering Surface Mount Components" before soldering.

Designer's Kit C351 contains 10 each of all values

Core material Ceramic

Terminations RoHS matte Sn over Ni over Ag-Pt-glass frit. Other terminations available at additional cost.

Weight 4.6 – 5.6 mg

Ambient temperature -40°C to +125°C with Irms current

Maximum part temperature +140°C (ambient + temp rise).

Storage temperature Component: -40°C to +140°C.

Tape and reel packaging: -40°C to +80°C

Resistance to soldering heat Max three 40 second reflows at +260°C, parts cooled to room temperature between cycles


Temperature Coefficient of Inductance (TCL) +25 to +126 ppm/°C

Moisture Sensitivity Level (MSL) 1 (unlimited floor life at <30°C / 85% relative humidity)

Packaging 2000 per 7"reel; Plastic tape: 8 mm wide, 0.23 mm thick, 4 mm pocket spacing, 1.27 mm pocket depth

PCB washing Tested to MIL-STD-202 Method 215 plus an additional aqueous wash. See Doc787_PCB_Washing.pdf.






This product may not be used in medical or high risk applications without prior Coilcraft approval Specification subject to change without notice Please check web site for latest information






0604HQ Series (1610)

Typical Q vs Frequency





| Α | В | С | D | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| max | max | max | ref | Е | F | G | Н | I | J | |
| 0.073 | 0.054 | 0.047 | 0.025 | 0.040 | 0.013 | 0.034 | 0.053 | 0.025 | 0.025 ir | nches |
| 1,85 | 1,37 | 1,19 | 0,64 | 1,02 | 0,33 | 0,86 | 1,35 | 0,63 | 0,63 m | nm |

Note: Height dimension (C) is before optional solder application. For maximum height dimension including solder, add 0.006 in / 0,152 mm.

S-Parameter files ON OUR WEB SITE SPICE models ON OUR WEB SITE

Typical L vs Frequency

