



# EFFLORESCENCE TREATMENT

## TREATMENT FOR REDUCING THE RECURRENCE OF EFFLORESCENCE SALTS

FOR MASONRY, STONE, GROUT,  
MORTAR JOINTS, CONCRETE &  
CEMENT-BASED PRODUCTS

**AVAILABLE SIZES:**  
750ml Spray Bottle  
& 4L Bottle

### COVERAGE

**3.75 - 40m<sup>2</sup>\***

\*Coverage varies based on use and surfaces.

**Dricon® Efflorescence Treatment (ET)** is a ready-to-use, advanced water-based solution engineered with nano-fusion technology. Designed as a specialised surface treatment for existing concrete and masonry, Dricon ET offers dual functionality - it acts as a preventative measure to minimise the risk of future efflorescence while also serving as a mild cleaner. Versatile in application, it is suitable for all cement types and components, including lime, calcium, alpha and beta gypsum, fly ash, volcanic ash and hydraulic cement.

#### BENEFITS

- Use on existing masonry, stone, grout, mortar joints, concrete & cement-based products.
- Helps control water and moisture exposure, minimising the likelihood of new or recurring efflorescence.
- Units treated with Dricon® ET can be painted or sealed.
- Gently cleans and reduces existing efflorescence.
- Ready-to-use formula, dilutable for lighter cleaning.

#### TYPICAL USES

Mortar joints in brickwork, concrete block, stone, tile grout, poured-in-place, pre-cast and any other cement-based products such as masonry blocks and pavers.

#### PREPARATION

- Thoroughly clean the surface if necessary.
- Remove all contaminants or foreign materials that can prevent Dricon® ET from penetrating (e.g. dirt, grease, oil, paint, etc).
- Shake Dricon® ET to ensure a consistent suspension of nano-particles.
- Patch test recommended in an inconspicuous area.

#### PRECAUTIONS

- **DO NOT** mix with any other additives with Dricon® ET.
- Use separately and in sequence, if needed to clean, prevent reoccurrence and seal.

#### APPLICATION

1. Apply liberally to the surface with a low-pressure sprayer or pump sprayer.
2. For general use on a wall start from the bottom of the area and work upwards.
3. Allow at least 15 minute dwell time to ensure deep penetration.
4. Keep the surface wet.
5. Stop spraying when the surface begins to reject Dricon® ET and stops absorbing.
6. Repeated applications may be necessary when efflorescence is excessive.
7. After contaminants have purged, flush contaminants away.
8. After efflorescence has been mitigated to satisfaction, it is recommended to seal the surface for improved protection.
9. Regular monitoring and maintenance recommended. Reapplication of product may be necessary to maintain desired results.



| PRODUCT INFORMATION |   |
|---------------------|---|
| PACKAGING           | 100% recyclable plastic bottles   |
| SIZE                | 750ml/4L  |
| SHELF LIFE          | 24 Months from date of production   |
| STORAGE             | Store indoors, away from heat, moisture and direct sunlight - <b>DO NOT</b> allow to freeze |
| COLOUR              | Clear   |
| SAFETY INFORMATION  | Refer to the Safety Data Sheet on our website   |

FOR MORE PRODUCT INFORMATION,  
SCAN QR CODE:

