Rocol Sapphire Ultraplex Grease ITW POLYMERS & FLUIDS

Chemwatch: 4901-78

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 01/11/2019
Print Date: 19/07/2021
Initial Date: 01/11/2009

S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

| Product name | Rocol Sapphire Ultraplex Grease | |
|-------------------------------|---------------------------------|--|
| Chemical Name | Applicable | |
| Synonyms | lubricant | |
| Chemical formula | Not Applicable | |
| Other means of identification | Not Available | |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Lubricant. |
|--------------------------|------------|
| | |

Details of the supplier of the safety data sheet

| Registered company name | ITW POLYMERS & FLUIDS | |
|-------------------------|---|--|
| Address | 100 Hassall Street, Wetherill Park Not Available 2164 NSW Australia | |
| Telephone | 2 9757 8800 | |
| Fax | Not Available | |
| Website | www.itwpf.com.au | |
| Email | Not Available | |

Emergency telephone number

| Association / Organisation | CHEMWATCH EMERGENCY RESPONSE | |
|-----------------------------------|------------------------------|--|
| Emergency telephone numbers | +61 2 9186 1132 | |
| Other emergency telephone numbers | +61 1800 951 288 | |

CHEMWATCH EMERGENCY RESPONSE

| Primary Number | Alternative Number 1 | Alternative Number 2 |
|-----------------|----------------------|----------------------|
| +61 2 9186 1132 | +61 1800 951 288 | Not Available |

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| Poisons Schedule | Not Applicable |
|--------------------|----------------|
| Classification [1] | Not Applicable |

Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|

Issue Date: 01/11/2019 Print Date: 19/07/2021

Signal word

Not Applicable

Hazard statement(s)

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|---------------|-----------|------------------------|
| Not Available | >60 | mineral oil |
| | | (solvent refined) |
| | 10-30 | lithium soap thickener |
| | <1 | dye |
| | <10 | performance additives |

SECTION 4 First aid measures

Description of first aid measures

| General | | |
|--|---|--|
| If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by a lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. | | |
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. If failure/misuse of high pressure/hydraulic equipment results in injection of grease/oil through the skin seek urgent medical attention. Treat as surgical emergency. | |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. | |
| Ingestion | If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. | |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

- Heavy and persistent skin contamination over many years may lead to dysplastic changes. Pre-existing skin disorders may be aggravated by exposure to this product
- In general, emesis induction is unnecessary with high viscosity, low volatility products, i.e. most oils and greases.
- High pressure accidental injection through the skin should be assessed for possible incision, irrigation and/or debridement.

NOTE: Injuries may not seem serious at first, but within a few hours tissue may become swollen, discoloured and extremely painful with extensive subcutaneous

Issue Date: 01/11/2019 Print Date: 19/07/2021

necrosis. Product may be forced through considerable distances along tissue planes.

SECTION 5 Firefighting measures

Extinguishing media

- ▶ Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility

Avoid contamination with strong oxidising agents as ignition may result

Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- Use water delivered as a fine spray to control fire and cool adjacent area.

- Combustible.
- Slight fire hazard when exposed to heat or flame.
- Heating may cause expansion or decomposition leading to violent rupture of containers.
- ▶ On combustion, may emit toxic fumes of carbon monoxide (CO).

Fire/Explosion Hazard

Combustion products include:

carbon dioxide (CO2)

other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minor Spills

Slippery when spilt.

- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Wear impervious gloves and safety goggles.
- ► Trowel up/scrape up.

Major Spills

Slippery when spilt.

- Minor hazard. Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- ▶ Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

Remove all ignition sources.

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.

Other information

- ► Store in original containers.
- Keep containers securely sealed.
- ▶ No smoking, naked lights or ignition sources.
- ▶ Store in a cool, dry, well-ventilated area.

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ Metal can or drum
- Packaging as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks.

Avoid storage with oxidisers

Storage incompatibility

Continued...

Issue Date: **01/11/2019**Print Date: **19/07/2021**

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------------------------|-------------|---------------------------|---------|---------------|---------------|---------------|
| Australia Exposure Standards | mineral oil | Oil mist, refined mineral | 5 mg/m3 | Not Available | Not Available | Not Available |

Emergency Limits

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 | |
|-------------|---------------|-----------|--------------|---------------|--|
| mineral oil | Not Available | 140 mg/m3 | 1,500 mg/m3 | 8,900 mg/m3 | |
| Ingredient | Original IDLH | | Revised IDLH | | |
| mineral oil | 2,500 mg/m3 | | | Not Available | |

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection









Eye and face protection

- ► Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

- Hands/feet protection
- ► Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber
- Body protection
- See Other protection below
- Other protection
- Overalls.P.V.C apron.
- Barrier cream.
- Skin cleansing cream.
- Thermal hazards
- Not Available

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Green grease; does not mix with water. | | | |
|---|--|---|---------------|--|
| Physical state Non Slump Paste Relative density (Water = 1) 0.9 approx. | | | | |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available | |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available | |

Chemwatch: **4901-78**Version No: **5.1.9.1**

Rocol Sapphire Ultraplex Grease

Issue Date: **01/11/2019**Print Date: **19/07/2021**

| pH (as supplied) | Not Applicable | Decomposition temperature | Not Available |
|--|----------------|----------------------------------|----------------|
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | >204 | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | 0.7 | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | 0.4 | Volatile Component (%vol) | Negligible. |
| Vapour pressure (kPa) | Negligible. | Gas group | Not Available |
| Solubility in water | Immiscible | pH as a solution (%) | Not Applicable |
| Vapour density (Air = 1) | >1 | VOC g/L | Not Available |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|---|
| Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Information on toxicological effects

Acute Toxicity

Skin Irritation/Corrosion

×

| Inhaled | Not normally a hazard due to non-volatile nature of product | | |
|------------------------------------|---|---|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. | | |
| Еуе | Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). | | |
| Chronic | Oil may contact the skin or be inhaled. Extended exposure can lead to eczema, inflammation of hair follicles, pigmentation of the face and warts on the soles of the feet. | | |
| Rocol Sapphire Ultraplex | TOWOTH | | |
| Grease | TOXICITY | IRRITATION | |
| Rocol Sapphire Ultraplex Grease | TOXICITY | IRRITATION | |
| Legend: | | Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. RTECS - Register of Toxic Effect of chemical Substances | |
| Rocol Sapphire Ultraplex | composition and source of the original crude. A small but definite risk of occupational skin car | mineral oils are related to chemical components and vary as does the ncer occurs in workers exposed to persistent skin contamination by oils over a the presence of certain polycyclic aromatic hydrocarbons (PAH) (typified by | |

Carcinogenicity

Reproductivity

×

Rocol Sapphire Ultraplex Grease

Issue Date: **01/11/2019**Print Date: **19/07/2021**

| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
|-----------------------------------|---|--------------------------|---|
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

✓ – Data available to make classification

★ - Data available but does not fill the criteria for classification

Data Not Available to make classification

SECTION 12 Ecological information

Toxicity

Not Available

| Ingredient | Endpoint | Test Duration (hr) | Effect | Value | Species | BCF |
|---------------------------------|---------------|--------------------|---------------|---------------|---------------|---------------|
| Rocol Sapphire Ultraplex Grease | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| Rocol Sapphire Ultraplex Grease | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

SECTION 13 Disposal considerations

Waste treatment methods

| | ► Containers may still present a chemical hazard/ danger when empty. | |
|---------------------|--|--|
| | Return to supplier for reuse/ recycling if possible. | |
| Product / Packaging | Otherwise: | |
| disposal | If container can not be cleaned sufficiently well to ensure that residuals do no | |

If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.

▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| | Not Applicable |
| HAZCHEM | Not Applicable |

Land transport (Not Applicable)

Air transport (ICAO-IATA / DGR)

Sea transport (IMDG-Code / GGVSee)

 Chemwatch: 4901-78
 Page 7 of 7
 Issue Date: 01/11/2019

 Version No: 5.1.9.1
 Rocol Sapphire Ultraplex Grease
 Print Date: 19/07/2021

Transport in bulk according to Annex II of MARPOL and the IBC code

| Source | Ingredient | Pollution Category |
|---------------|---------------------------------|--------------------|
| Not Available | Rocol Sapphire Ultraplex Grease | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

mineral oil(Not Available) is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

| National Inventory | Status |
|----------------------------------|--|
| Australia - AIIC | |
| Canada - DSL | Yes |
| Canada - NDSL | Yes |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | Yes |
| Japan - ENCS | Yes |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | Yes |
| Legend: | Y = All ingredients are on the inventory |

SECTION 16 Other information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.