AUTOMOTIVE ACCESSORY
MANUFACTURE & DISTRIBUTION

AIRPLEX INDUSTRIES LTD
21 Saleyards Road, Otahuhu, Auckland 1062, New Zealand
PO Box 11286, Ellerslie, Auckland 1542 New Zealand
PH +64 (9) 276-9826
info@airplex.co.nz www.airplex.co.nz


# FITTING INSTRUCTIONS FIT053_1

PLEASE READ INSTRUCTIONS COMPLETELY BEFORE INSTALLATION

## 3M DOUBLE SIDED WEATHER SHIELDS — P4

Temperature Requirements Optimal Range: Apply within 21°C to 38°C. (Absolute Minimum: 16°C.)
Do not attempt installation below this threshold. Warm, dry conditions are best.

**Step 1:**
Position and align carefully. Offer the weather shield up to the door frame to match the exact profile and curvature of the vehicle. Position to match the natural shape of the car and take note of where the weathershield best fits. Do this for the front and rear doors.
DO NOT force or bend the weather shields.




AUTOMOTIVE ACCESSORY
MANUFACTURE & DISTRIBUTION


AIRPLEX INDUSTRIES LTD
21 Saleyards Road, Otahuhu, Auckland 1062, New Zealand
PO Box 11286, Ellerslie, Auckland 1542 New Zealand
PH +64 (9) 276-9826
info@airplex.co.nz www.airplex.co.nz

**Step 2:**
Surface Clean Prep Thoroughly clean the vehicle door frame molding area using the provided **Alcohol Prep Wipe**. Ensure the surface is completely dry and free of dirt, wax, or grease residue before proceeding.



**Step 3:**Find the red backing tape on the back of the weather shield. Peel back the ends only about 30mm. Fold these peeled tabs outward so they hang out past the edges.




AUTOMOTIVE ACCESSORY
MANUFACTURE & DISTRIBUTION

AIRPLEX INDUSTRIES LTD
21 Saleyards Road, Otahuhu, Auckland 1062, New Zealand
PO Box 11286, Ellerslie, Auckland 1542 New Zealand
PH +64 (9) 276-9826
info@airplex.co.nz www.airplex.co.nz

**Step 4:**
While holding the Weathershield in place, slowly pull the tape backing completely off while pressing down firmly.

Rub with moderate pressure and evenly along all taped edges to ensure a strong bond.




WAIT 4 HOURS after fitting for washing to guarantee a secure cure.