



2.2 - TYPICAL CHEMICAL 2.2 - TYPICAL MECHANICAL

PRODUCT INFORMATION

Product/Tradename	Satincraft 13	Certificate No.	26306
Standard / Classification	AS/NZS 4855: B E4313A AWS/ASME-SFA A5.1: E6013	Date	19/10/22
	AWS/ASIVIE-SFA AS.1. E0013	Batch No.	
		Part Number	611183
		Consumable Type	Electrode
Size	3.2 mm	Country of Origin	Indonesia

[2.2] - TYPICAL CHEMICAL ANALYSIS

TYPICAL DATA: ACC TO EN 10204 2.2

С	Mn	Si	Р	S	Ni	Cr	Мо	V	Cu	Nb	Ti	Al	В	Zr
0.04	0.39	0.27	0.021	0.017	0.1	0.037	0.037	0.068						

Notes

[2.2] - TYPICAL MECHANICAL PROPERTIES

TYPICAL DATA: ACC TO EN 10204 2.2

TENSILE PROPERTIES

Condition	As Welded	Shielding	
Test Temp	R _p 0.2% 0.2% Yield	R _m UTS	$A_{\scriptscriptstyle{5}}$ Elongation
Ambient	460 MPa	520 MPa	28%

IMPACT PROPERTIES

TYPICAL DATA: ACC TO EN 10204 2.2

Temp	Impact Value	Lateral Expansion
0	60 J avg.	

OTHER MECHANICAL PROPERTIES - TYPICAL AVG.

Hardness		
----------	--	--

OTHER PROPERTIES / INFORMATION

Diffusible Hydrogen (typical) ml H/100g weld metal	Radiographic Soundness	
---	------------------------	--

COMPLIANCE

Cigweld Pty. Ltd. certifies that the material listed in the certificate conforms to the listed specifications and this product is supplied under a QA Program fulfilling the EN ISO 9001 standard

 $This \ certificate \ is \ produced \ electronically \ and \ is \ valid \ without \ signature.$

 Issued by
 Reviewed by

 Vida Mokhtar
 Damian Bibby

 Quality Manager
 Senior Brand Manager - Consumables

Cigurald Dtyl

Cigweld Pty Ltd 71 Gower Street, Preston Victoria, Australia, 3072 Tel: (03) 94747400 Fax: (03) 94747391

Company Details