

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Trade name Betaweld Cleaner

#### **Registration no.**

EC No.:	231-633-2
REACH-Registration no.	01-2119485924-24-XXXX
CAS No.	7664-38-2
Index no.	015-011-00-6

#### **UFI**

UFI: 493C-S0MG-400W-D66T

#### **Use of the substance/mixture**

Intermediate, Laboratory chemicals, Descaling compound/ Scale solvent, Corrosion inhibitors, pH-corrective agent, Processing aid, Degreasing agent, Metal surface treatment, Industrial use

### **1.3. Details of the supplier of the safety data sheet**

#### **Address**

Betaweld  
PO Box 1498  
Canning Vale DC 6970 AUSTRALIA  
Telephone no. 1300 120 130

E-mail address: [info@betaweld.com.au](mailto:info@betaweld.com.au) Website: [betaweld.com.au](http://betaweld.com.au)

### **1.4. Emergency telephone number**

1300 120 130

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

#### **Classification (Regulation (EC) No. 1272/2008)**

Met. Corr. 1	H290
Acute Tox. 4	H302
Skin Corr. 1B	H314

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

##### **Precautionary statements**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

**\* Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Further supplemental information**

Restricted to professional users

**2.3. Other hazards**

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous ingredients (Regulation (EC) No. 1272/2008)****phosphoric acid ... %**

CAS No.	7664-38-2		
EINECS no.	231-633-2		
Registration no.	01-2119485924-24-XXXX		
Concentration		appr.	60-65 %
Met. Corr. 1	H290		
Acute Tox. 4	H302		
Skin Corr. 1B	H314		
Eye Dam. 1	H318		
Concentration limits (Regulation (EC) No. 1272/2008)			
	Eye Irrit. 2	H319	>= 10 < 25 %
	Skin Corr. 1B	H314	>= 25 %
	Skin Irrit. 2	H315	>= 10 < 25 %
cATpE	oral	500	mg/kg
Additional remarks:			
CLP	Regulation (EC) No 1272/2008, Annex VI		

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove affected person from danger area, lay him down. Remove contaminated, soaked clothing immediately and dispose of safely. Irregular breathing/no breathing: artificial respiration. If the patient is likely to become unconscious, place and transport in stable sideways position.

**After inhalation**

Remove the casualty into fresh air and keep him calm. Summon a doctor immediately.

**After skin contact**

Wash immediately with plenty of water for several minutes. Summon a doctor immediately.

**After eye contact**

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Summon a doctor

**\* Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / treatment**

Keep under medical supervision for at least 48 hours.

**Hints for the physician / hazards**

Risk of pneumonia; Risk of stomach perforation

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, Water spray jet, Dry powder, Foam, Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**Reactions with metals, with evolution of hydrogen. In the event of fire the following can be released: Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>); Phosphorus trihydride (phosphine)**5.3. Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit.

Cool endangered containers with water spray jet. Collect contaminated fire-fighting water separately, must not be discharged into the drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Neutralization agent use. When picked up, treat material as prescribed under Section 13 "Disposal".

**6.4. Reference to other sections**

Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Keep container tightly closed. Handle and open container with care. Avoid formation of aerosols. Provide good ventilation of working area (local exhaust ventilation if necessary). When diluting, always stir product into water.

**Advice on protection against fire and explosion**

No special measures required.

**7.2. Conditions for safe storage, including any incompatibilities**

Provide acid-resistant floor. Keep only in original packaging.

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

Do not store together with: Alkalis, Reducing agents, Metals

Storage class according to TRGS 510 8B

Non-combustible corrosive hazardous substances

Keep container tightly closed and in a well-ventilated place. Protect from heat/overheating.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection \*\*\*****8.1. Control parameters****Exposure limit values****phosphoric acid ... %**

List	TRGS 900
Type	AGW
Long term exposure limit	2 mg/m <sup>3</sup>
Maximum limit value: 2(l)	
Pregnancy group: Y	
Remarks: DFG, EU, AGS	

**phosphoric acid ... %**

List	IOELV
Type	IOELV
Long term exposure limit	1 mg/m <sup>3</sup>
Short term exposure limit	2 mg/m <sup>3</sup>

**Derived No/Minimal Effect Levels (DNEL/DMEL) \*\*\*****phosphoric acid ... %**

<b>DNEL</b>				
Conditions	Worker	Long term	inhalative	Local effects
Concentration	1	mg/m <sup>3</sup>		
<b>DNEL</b>				
Conditions	General Population	Long term	inhalative	Local effects
Concentration	0,36	mg/m <sup>3</sup>		
<b>DNEL</b>				
Conditions	Worker	Acute	inhalative	Local effects
Concentration	2	mg/m <sup>3</sup>		
<b>DNEL</b>				
Conditions	Worker	Long term	inhalative	Systemic effects
Concentration	10,7	mg/m <sup>3</sup>		
<b>DNEL</b>				
Conditions	General Population	Long term	oral	Systemic effects
Concentration	0,1	mg/kg/d		
<b>DNEL</b>				
Conditions	General Population	Long term	inhalative	Systemic effects
Concentration	4,57	mg/m <sup>3</sup>		

**8.2. Exposure controls****General protective and hygiene measures**

Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Keep separated from

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

food-stuffs and feed-stocks. At work do not eat, drink, smoke or take drugs. Wash hands before breaks and after work. Do not inhale gases/vapours/aerosols. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

**Respiratory protection**

Breathing apparatus in the event of aerosol or mist formation. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Short term: filter apparatus, combination filter E-P2; Short term: filter apparatus, combination filter B-P2

**Hand protection**

Appropriate Material	Chloroprene		
Material thickness	>=	0,6	mm
Breakthrough time	>=	480	min

**Eye protection**

Tightly fitting safety glasses

**Body protection**

Acid-resistant protective clothing

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

Physical state	liquid
Colour	colourless
Odour	odourless

**Melting point/freezing point**

Value	appr.	-18	°C
-------	-------	-----	----

**Initial boiling point and boiling range**

Value	appr.	135	°C
-------	-------	-----	----

**Flammability (solid, gas)**

Not ignitable

**Upper/lower flammability or explosive limits**

Remarks	Not applicable
---------	----------------

**Flash point**

Remarks	Not applicable
---------	----------------

**Ignition temperature**

Remarks	Not applicable
---------	----------------

**Decomposition temperature**

Remarks	No data available
---------	-------------------

**pH value**

Value	<	1	
Concentration/H <sub>2</sub> O		23	g/l
Temperature		20	°C

**Viscosity**

Remarks	No data available
---------	-------------------

**Solubility(ies)**

Medium	Water
Remarks	Completely miscible

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

**Partition coefficient: n-octanol/water**

Remarks Not applicable

**Vapour pressure**Value 0,04 hPa  
Temperature 20 °C**Density**Value 1,58 g/cm<sup>3</sup>  
Temperature 20 °C**Vapour density**

Value 3,4

**9.2. Other information****Odour threshold**

Remarks No data available

**Evaporation rate**

Remarks No data available

**Explosive properties**

Remarks This product is not potentially explosive.

**Oxidising properties**

evaluation not oxidizing

**SECTION 10: Stability and reactivity****10.1. Reactivity**

see Possibility of hazardous reactions

**10.2. Chemical stability**

No decomposition if used as prescribed.

**10.3. Possibility of hazardous reactions**

Corrosive to metals. Reactions with reducing agents. Reactions with alkalis. Reactions with metals, with evolution of hydrogen.

**10.4. Conditions to avoid**

To avoid thermal decomposition do not overheat. Protect from light.

**10.5. Incompatible materials**

Reducing agents, metals, Alkalis

**10.6. Hazardous decomposition products**Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>), Hydrogen**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity (Components)****phosphoric acid ... %**

Species	rat			
LD50	>=	300	2000	mg/kg
Method	OECD 423			
Species	rat			
NOAEL		250		mg/kg

**Acute dermal toxicity (Components)****phosphoric acid ... %**

Species	rabbit			
LD50		2740		mg/kg

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

**Acute inhalative toxicity (Components)****phosphoric acid ... %****Skin corrosion/irritation**
 evaluation corrosive  
 Corrosive action on the skin and mucous membrane.
**Serious eye damage/irritation**

evaluation strongly corrosive

**Sensitization (Components)****phosphoric acid ... %**

not investigated - substance is corrosive

**Mutagenicity (Components)****phosphoric acid ... %**

Based on available data, the classification criteria are not met.

**Reproduction toxicity (Components)****phosphoric acid ... %**

Based on available data, the classification criteria are not met.

**Carcinogenicity (Components)****phosphoric acid ... %**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

May cause respiratory irritation.

**Repeated exposure**

No data available

**Aspiration hazard**

No information available.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Experience in practice**

Strong caustic effect in the mouth and throat and danger of perforation of the esophagus and stomach.

**SECTION 12: Ecological information****12.1. Toxicity****Fish toxicity (Components)****phosphoric acid ... %**

Species	Gambusia affinis		
LC50	138		mg/l
Duration of exposure	96	h	

**Daphnia toxicity (Components)****phosphoric acid ... %**

Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	
Method	OECD 202		
Remarks	Static system		
Species	Daphnia magna		
NOEC	56		mg/l
Duration of exposure	48	h	

**\*Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

Method OECD 202

**Algae toxicity (Components)****phosphoric acid ... %**

Species	Desmodesmus subspicatus	
EC50	> 100	mg/l
Duration of exposure	72	h

Method OECD 201

Remarks Static system

Species Desmodesmus subspicatus

NOEC 100 mg/l

Duration of exposure 72 h

Method OECD 201

**Bacteria toxicity (Components)****phosphoric acid ... %**

Species	activated sludge	
EC50	270	mg/l

**12.2. Persistence and degradability****Biodegradability (Components)****phosphoric acid ... %**

Inorganic product, cannot be eliminated from the water by biological purification processes.

**12.3. Bioaccumulative potential****Partition coefficient: n-octanol/water**

Remarks Not applicable

**12.4. Mobility in soil**

Will not adsorb on soil.

**12.5. Results of PBT and vPvB assessment****General information**

No valuation for anorganic substances necessary.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****Behaviour in environment compartments**

Harmful effect due to pH shift. Can contribute to eutrophication of waters.

**Behaviour in sewers [waste treatment plants]**

The product is an acid. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Do not allow to enter drains or water courses.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

**\*Betaweld Cleaner**

Date revised: 19.12.2025




# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

**SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GVSee	Air transport ICAO/IATA
14.1. UN number	1805	1805	1805
14.2. UN proper shipping name	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es)	8	8	8
14.4. Packing group	III	III	III
Label			
14.5. Environmental hazards	-	-	-
Limited Quantity	5 l	5 l	
Transport category	3		
Tunnel restriction code	E		
Hazard id. no.	80		
EmS		F-A, S-B	

**Information for all modes of transport****14.6. Special precautions for user**

No information available.

**Other information****14.7 Maritime transport in bulk according to IMO instruments**

No data available

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Water Hazard Class (Germany)**Water Hazard Class WGK 1  
(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

**VOC-Content according to directive 2010/75/EU**

VOC (EU) 0 %

**Classification according to Betriebssicherheitsverordnung (BetrSichV)**

not applicable

**Other information**

**\* Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

**Registration status****phosphoric acid ... %**

AICS (Australian Inventory of Chemical Substances)	listed
DSL (Canada)	listed
IECSC (China)	listed
EINECS	listed
ENCS (Japan)	listed
ECL (Korea)	listed
PICCS (Philippines)	listed
TSCA (USA)	listed
POPs	not listed

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has been carried out.

**SECTION 16: Other information****Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Met. Corr. 1	H290	On basis of test data
Acute Tox. 4	H302	Calculation method
Skin Corr. 1B	H314	Calculation method

**Hazard statements listed in Chapter 2/3**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

**CLP categories listed in Chapter 2/3**

Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B

**Abbreviations**

AC: Article Category  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ADN: Accord européen relatif au transport international des marchandises dangereuses par navigation sur le Rhin  
 ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
 AGW: Arbeitsplatzgrenzwert  
 AICS: Australian Inventory of Chemical Substances  
 AOX: adsorbable organically bound halogens  
 ARW: Arbeitsplatzrichtwert (Germany)  
 ASTM: American Society for Testing And Materials  
 ATE: acute toxicity estimates  
 ATP: Adaptation to technical and scientific progress  
 AWsV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Germany)  
 BAR: Biologischer Arbeitsstoff-Referenzwert  
 BCF: bioconcentration factor  
 BetrSichV: Betriebssicherheitsverordnung (Germany)  
 BG: Berufsgenossenschaft (Germany)  
 BGW: Biologischer Grenzwert  
 BLW: Biologischer Leitwert  
 BOD: biochemical oxygen demand

\* **Betaweld Cleaner**

Date revised 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

CAS: Chemical Abstracts Service  
 cATpE: converted acute toxicity point estimate  
 CEA: Comité Européen des Assurances  
 CEFIC: European Chemical Industry Council  
 CESIO: Comité Européen des Agents de Surface et leurs Intermédiaires Organiques  
 ChemG: Chemikaliengesetz (Germany)  
 CMR: Cancerogen Mutagen Reprotoxic  
 COD: chemical oxygen demand  
 DFG: Deutsche Forschungsgemeinschaft  
 DIN: german industry standard  
 DMEL: Derived minimal effect level  
 DNEL: Derived no effect level  
 DOC: dissolved organic carbon  
 DSL: Canada Domestic Substances List  
 EAK: Europäischer Abfallkatalog  
 EbC: inhibitory concentration of growth  
 EC: effective concentration  
 EC: European Community  
 ECETOC: European Centre For Ecotoxicology and toxicology of Chemicals  
 ECHA: European Chemicals Agency  
 EEC: European Economic Community  
 EG: Europäische Gemeinschaft  
 EH40: List of approved workplace exposure limits  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 EKA: Expositionsäquivalente für krebserzeugende Arbeitsstoffe  
 EL: effect level  
 ELINCS: European List of Notified Chemical Substances  
 EmS: Emergency Schedules  
 EN: european standards  
 ENCS: Japanese Existing and New Chemical Substances Inventory  
 ERC: Environmental Release Category  
 ErC: inhibitory concentration of the growth rate  
 EU: European Union  
 EWG: Europäische Wirtschaftsgemeinschaft  
 FDA: Food and Drug Administration  
 FMVSS: National Highway Traffic Safety Administration  
 GefStoffV: Gefahrstoffverordnung  
 GGVSee: Gefahrgutverordnung See  
 GHS: Globally Harmonized System of classification and Labelling of Chemicals  
 IARC: International Agency for Research on Cancer  
 IATA: International Air Transport Association  
 IBC: Intermediate Bulk Container  
 IC: inhibitory concentration  
 ICAO: International Civil Aviation Organization  
 IECSC: Chinese Chemical Inventory of Existing Chemical Substances  
 IMDG: International Maritime Code for Dangerous Goods  
 IMO: International Maritime Organization  
 INCI: International Nomenclature of Cosmetic Ingredients  
 IRPTC: International Register of Potentially Toxic Chemicals  
 ISO: International Organization for Standardization  
 IUCLID: International Uniform Chemical Information Database  
 Cat: category  
 KBwS: Kommission zur Bewertung wassergefährdender Stoffe (Germany)  
 KECl: Korea Existing Chemicals Inventory  
 LC: Lethal concentration  
 LD: Lethal dose  
 LDLo: lethal dose low  
 LGK: storage category  
 LL: Lethal level

**\* Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

LLC: Lowest lethal concentration  
NCI: National Chemicals Inventory  
LOAEL: Lowest observed adverse effect level  
LOEC: Lowest observed effect concentration  
LOEL: Lowest observed effect level  
Log pow: logarithm of the distribution coefficient n-octanol / water  
LQ: limited quantity  
MAC: Maximale aanvaarde concentratie (Netherlands)  
MAK: Maximale Arbeitsplatz-Konzentration  
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)  
MEL: Maximum exposure limits  
MITI: Ministry of International Trade and Industry (Japan)  
n.a.g.: nicht anders genannt  
NATEC: Naval Air Technical Data and Engineering Service Command  
NCI: National Chemicals Inventory  
NLP: No-longer Polymer  
NOAEC: No observed adverse effect concentration  
NOAEL: no observable adverse effect level  
NOEC: No observable effect concentration  
NOEL: No observable effect level  
NOELR: no observable effect loading rate  
NZIOC: New Zealand Inventory of Chemicals  
OECD: Organisation for Economic Co-operation and Development  
OEL: Occupational exposure limit  
OELV: Occupational exposure limit value  
OES: Occupational exposure standards  
PBT: Persistent, Bioaccumulative and Toxic  
PC: Product Category  
PEC: Predicted environmental concentration  
PICCS: Philippine Inventory of Chemicals and Chemical Substances  
PNEC: predicted no effect concentration  
PNEC: Predicted no effect concentration  
POPs: Persistent organic pollutants  
pOW: Octanol-water partition coefficient  
PROC: Process Category  
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
RTECS: Registry of Toxic Effects of Chemical Substances  
SAE: Society of Automotive Engineers  
STP: Sewage treatment plant  
SU: Sector of Use  
SUVA: Schweizerische Unfallversicherungsanstalt  
SVHC: Substances of very high concern  
TA Luft: Technische Anleitung zur Reinhaltung der Luft  
TCCL: Toxic Chemical Control Law  
ThOD: theoretical oxygen demand  
TRA: targeted risk assessment  
TRG: Technische Regeln Druckgase (Germany)  
TRgA: Technische Regeln für gefährliche Arbeitsstoffe(Germany)  
TRGS: Technische Regeln für Gefahrstoffe  
TRK: Technische Richtkonzentration  
TSCA: Toxic Substances Control Act (USA)  
UN: United Nations  
VbF: Verordnung über brennbare Flüssigkeiten  
VCI: Verband der Chemischen Industrie e.V.  
VDE: Verband der Elektrotechnik, Elektronik und Informtaionstechnik e.V.  
VDI: Verein Deutscher Ingenieure  
VLEP: Valeurs Limites d'exposition Professionnelle

---

\* **Betaweld Cleaner**

Date revised: 19.12.2025

# 31001702227

Version: 15 / EN

Master No. M-035

Print date: 19.12.2025

---

VOC: Volatile Organic Compound

vPvB: Very persistent and very bioaccumulative

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

WEL: Workplace exposure limit

WGK: water hazard class (Germany)

WHO: World Health Organization

WoE: Weight of Evidence

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*

The information contained in this safety data sheet is based on our current knowledge and experience and describes the product in terms of safety requirements only. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and must not be confused with a specification agreement and does not have the meaning of warranties of characteristics.

Uses mentioned in this safety data sheet are for general information and do not constitute a contractual agreement on a corresponding nature of the product or on a suitability for intended uses.

It is the responsibility of the recipient of the product to ensure that any property rights and existing laws and regulations are observed.