



## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

x = Percentage of alloy in paste

Y = Particle size (0, 1, 2)

Registration number (REACH) not relevant (mixture)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector(s) of use

Product category/ies laboratory chemicals

Process category use as laboratory reagent

Environmental release category/ies industrial use resulting in manufacture of anoth-

er substance (use of intermediates)

## 1.3 Details of the supplier of the safety data sheet

C. HAFNER & HILDERBRAND SA Route de la Galaise 11b 1228 Plan-les-Ouates Genève

PO Box: Switzerland

Telephone: +41 22 349 00 24 Telefax: +41 22 349 02 81 e-Mail: Info@hilderbrand.ch Website: www.hilderbrand.ch

Additional information

Manufacturer								
Country	Name	Postal code/ city	Telephone	Telefax	Website	Opening hours		
Switzerland	C. HAFNER & HILDERBRAND SA	1228 Plan-les- Ouates, Geneve	+41-22-349- 0024	+41-22-349- 0281	www.hilder- brand.ch	Mon - Thu 08:00 - 17:00 Fri 08:00 - 16:00		

e-mail (competent person) ls@hilderbrand.ch (Starrenberger Laurent)

## 1.4 Emergency telephone number

Emergency information service This number is only for medical emergencies

Opening hours 24h/24h 7/7

Pois	con	COL	ntro
1 01.	3011	CCI	יטו כ

Country	Name	Postal code/ city	Telephone	Website
Switzerland	Tox Info Suisse	8032 Zürich	145	http://toxinfo.ch/start- seite_de

1.5 Additional relevant and available information there is no additional information

**1.6 Remarks** there is no additional information



PPLIES EMERGENCY PHONE: 1300 852 999



## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard state- ment
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS09



- Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to industrial combustion plant.

#### 2.3 Other hazards

Material intended for fusion. During melting, it can produce noxious fumes if inhaled. May produce: pulmonary edema, irritation of the mucous membranes of the nose and throat.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Switzerland: en

Description of the mixture

Hazardous ingredient	Hazardous ingredients acc. to GHS							
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms				
Copper	CAS No 7440-50-8 EC No 231-159-6 REACH Reg. No 01-2119480154-42- xxxx	10 - < 25	Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	***************************************				



## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

## Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dipotassium tetraborate	CAS No 12045-78-2 1332-77-0	10-<25	Acute Tox. 4 / H332 Aquatic Chronic 3 / H412	<u>(1)</u>
	EC No 215-575-5			
	REACH Reg. No 01-2119970730-37- xxxx			
Zinc	CAS No 7440-66-6	5 – < 10	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	*
	EC No 231-175-3			<b>~</b>
	Index No 030-001-00-1			
	REACH Reg. No 01-2119467174-37- xxxx			
Silver (< 1 mm)	CAS No 7440-22-4	1-<5	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	*
	EC No 231-131-3			•
	REACH Reg. No 01-2119555669-21- 0024			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Dipotassium tetraborate	-	-	>2.04 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: dust/mist
Silver (< 1 mm)	-	M-factor (chronic) = 10.0	-	

For full text of abbreviations: see SECTION 16.

# **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In case of accident or if you feel unwell, seek medical advice immediately (show the label or safety data sheet where possible). In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water. Take off immediately all contaminated clothing.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.







## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder, Sand

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

none

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Wear self-contained breathing apparatus

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provision of sufficient ventilation. Remove persons to safety. Remove unequipped persons.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Switzerland: en

Personal protective equipment: see section 8. Disposal considerations: see section 13.





## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Prevent from heating up above 50 °C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits. Store at temperatures not exceeding 30 °C.

Consideration of other advice

- Packaging compatibilities

Keep only in original container. Only packagings which are approved (e.g. acc. to ADR) may be used. Plastic packaging.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Switzerland: en

#### **National limit values**

This information is not available.

#### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Copper	7440-50-8	DNEL	20 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects
Copper	7440-50-8	DNEL	137 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Copper	7440-50-8	DNEL	273 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Dipotassium tetrab- orate	12045-78-2 1332-77-0	DNEL	7.8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
Dipotassium tetrab- orate	12045-78-2 1332-77-0	DNEL	7.8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects
Dipotassium tetrab- orate	12045-78-2 1332-77-0	DNEL	13.6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects

Page: 5 / 15





# **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dipotassium tetrab- orate	12045-78-2 1332-77-0	DNEL	13.6 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Dipotassium tetrab- orate	12045-78-2 1332-77-0	DNEL	367.7 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Zinc	7440-66-6	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - local ef- fects
Zinc	7440-66-6	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Zinc	7440-66-6	DNEL	5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Silver (< 1 mm)	7440-22-4	DNEL	0.1 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Copper	7440-50-8	PNEC	7.8 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Copper	7440-50-8	PNEC	5.2 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Copper	7440-50-8	PNEC	230 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Copper	7440-50-8	PNEC	87 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Copper	7440-50-8	PNEC	676 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Copper	7440-50-8	PNEC	65 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Dipotassium tetrab- orate	12045-78-2 1332-77-0	PNEC	13.7 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Dipotassium tetrab- orate	12045-78-2 1332-77-0	PNEC	2.02 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Dipotassium tetrab- orate	12045-78-2 1332-77-0	PNEC	2.02 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Dipotassium tetrab- orate	12045-78-2 1332-77-0	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dipotassium tetrab- orate	12045-78-2 1332-77-0	PNEC	5.4 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Zinc	7440-66-6	PNEC	20.6 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Zinc	7440-66-6	PNEC	6.1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Zinc	7440-66-6	PNEC	100 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Zinc	7440-66-6	PNEC	117.8 <sup>mg</sup> /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)





## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Zinc	7440-66-6	PNEC	56.5 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Zinc	7440-66-6	PNEC	35.6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	0.04 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	0.86 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	marine water	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	0.025 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	438.1 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	438.1 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Silver (< 1 mm)	7440-22-4	PNEC	1.41 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 **Exposure controls**

## Appropriate engineering controls

Provision of sufficient ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection. Folow norm EN 166.

#### Skin protection

Preventive skin protection (barrier creams/ointments) is recommended.

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374 and regulation (EU) Nr. 2016/425.

#### - Type of material

CR: chloroprene (chlorobutadiene) rubber, NBR: acrylonitrile-butadiene rubber

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection. P3 (filters at least 99,95 % of airborne particles, colour code: White). Type: B (against inorganic gases and vapours, colour code: Grey).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.







# **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	solid (waxy)
Colour	not determined
Odour	characteristic
Melting point/freezing point	51 °C at 101.3 hPa
Boiling point or initial boiling point and boiling range	
Flammability	not combustible but contains combustible materials
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not relevant

Vapour pressure	<1 Pa at 25 °C

## Density and/or relative density

Density	See technical data sheet
---------	--------------------------

Particle characteristics no data available
--

#### 9.2 Other information

may intensify fire; oxidiser

Data are conclusive but not sufficient for classification.

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information





## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### **Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### Information on hazard classes as defined in Regulation (EC) No 1272/2008

Data apply to the technically active substance. Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Dipotassium tetraborate	12045-78-2 1332-77-0	inhalation: dust/mist	>2.04 <sup>mg</sup> / <sub>l</sub> /4h

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.



Page: 9 / 15

DENTAL BRANDS AUSTRALIAN EMERGENCY PHONE: 1300 852 999





## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Zinc	7440-66-6	LC50	330 <sup>µg</sup> / <sub>l</sub>	fish	95 h
Zinc	7440-66-6	EC50	7.1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Silver (< 1 mm)	7440-22-4	EC50	0.8 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	7 d

## 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Zinc	7440-66-6	60,960		
Silver (< 1 mm)	7440-22-4	70		

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.7 Other adverse effects

Data are not available.





## **CF 18KYH P301 x-Y**

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

Properties of waste which render it hazardous

Code. Characteristics of material.

HP 14 ecotoxic

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Assign arising waste to a waste code according to the national list of waste.

## **SECTION 14: Transport information**

14.1 UN	number	or ID	number
---------	--------	-------	--------

ADR/RID/ADN UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

#### 14.2 UN proper shipping name

ADR/RID/ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID. N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name (hazardous ingredients) Copper, Zinc

## 14.3 Transport hazard class(es)

ADR/RID/ADN 9
IMDG-Code 9
ICAO-TI 9

#### 14.4 Packing group

ADR/RID/ADN III IMDG-Code III ICAO-TI III

#### **14.5 Environmental hazards** hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



Pental Brands Australia Australia EMERGENCY PHONE: 1300 852 999



## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

## Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

M7 Classification code

Danger label(s) 9, fish and tree

**Environmental hazards YES** (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg Transport category (TC) 3 Tunnel restriction code (TRC) Hazard identification No 90

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (Copper)

Danger label(s) 9, fish and tree

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg **EmS** F-A, S-F Stowage category Α

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

**Environmental hazards YES** (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1 30 kg Limited quantities (LQ)





## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Zinc	7440-66-6	(8)	200
Copper	7440-50-8	(8)	100

#### Legend

#### Water Framework Directive (WFD)

none of the ingredients are listed

## Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

#### **National regulations (Germany)**

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water hazard class)

1 slightly hazardous to water

## Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 11 (combustible solids)

#### 15.2 Chemical Safety Assessment

# **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard

<sup>(8)</sup> All metals shall be reported as the total mass of the element in all chemical forms present in the release





# **CF 18KYH P301 x-Y**

Date of compilation: 08.07.2021 Version number: GHS 1.0

Abbr.	Descriptions of used abbreviations
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
95	





## CF 18KYH P301 x-Y

Version number: GHS 1.0 Date of compilation: 08.07.2021

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

