

	JSP	Rev. No.: New
	<h1>SAFETY DATA SHEET</h1>	5/12/19
		Page 1 of 8

## SECTION 1. IDENTIFICATION

### PRODUCT DESCRIPTION

U-NAMEL UV enamel materials

ITEM NUMBER #ez100,1000,1005,1010,1020,1030,1070, 2000, 2010,2020,  
#ez2030,2050,2060,2070,20932095,2097

### PRODUCT TYPE

Finished Good

### RECOMMENDED USE

Arts & Crafts, metal decorating

### USES ADVISED AGAINST

All other uses

### MANUFACTURER

JSP  
1632 North Indiana Street  
Los Angeles, CA 90063  
+1-323-231-0600  
sales@jsp.cc

### EMERGENCY PHONE


CHEM-TEL: 1-(800)-255-3924

## SECTION 2. HAZARD IDENTIFICATION

HAZARD CLASS	CATEGORY	PICTOGRAM
Not Classified	Not Classified	None
Signal word	None	
Hazard Statement	Non Hazardous	
Hazard Codes	None	
Precautionary Statements	P102 Keep out of reach of Children	
Other Hazards	HMIS: Health: 0 Flammability: 0 Physical hazard: 0	
Hazard Symbol	None	
Risk Phrases	None	
Safety Phrases	None	



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street. East Brisbane. QLD. 4169.  
 Phone 1300 852 999. AJSonline.com  
**EMERGENCY PHONE: (07) 3434 8100**

	JSP	Rev. No.: New
	<b>SAFETY DATA SHEET</b>	Date: 5/12/19
		Page 2 of 8
U-NAMEL all varieties		

### SECTION 3. COMPOSITION

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS			
Chemical Name	INCI Name	CAS No.	% w/w
None	None	None	None

### SECTION 4. FIRST AID MEASURES

#### GENERAL ADVISE

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

#### ROUTES OF ENTRY

EYE CONTACT	Rinse with plenty of water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. May be mildly irritating in sensitive individuals.
SKIN CONTACT	Wash off affected areas with plenty of water, if discomfort or irritation occurs.
INHALATION	Remove to fresh air. Seek medical attention id discomfort persists.
INGESTION	Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek medical attention.

#### MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Non known

#### NOTES TO PHYSICIAN

Treat symptomatically

### SECTION 5. FIRE-FIGHTING MEASURES

#### FLAMMABILITY

Non flammable

#### FLASH POINT

Non Applicable



IMPORTED BY:

**AUSTRALIAN JEWELLERS SUPPLIES**

57 Caswell Street, East Brisbane, QLD. 4169.

Phone 1300 852 999. [AJSonline.com](http://AJSonline.com)

**EMERGENCY PHONE: (07) 3434 8100**

	JSP	Rev. No.: New
	SAFETY DATA SHEET	Date:
		Page 3 of 8
U-NAMEL all varities		

#### EXTINGUISHING MEDIA

Water spray, foam, carbon dioxide, or dry chemical

#### SPECIAL HAZARDS

None

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Household: Absorb with inert material and place in a appropriate waste disposal  
Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

#### ADVISE FOR EMERGENCY RESPONDERS

Use personal protective equipment.

#### ENVIRONMENTAL PRECAUTIONS

Household: Do not place spilled product in any drain or water system that can go into the environment.  
Industrial: Should not be released into the environment.

#### METHODS OF SPILL CONTAINMENT AND CLEAN-UP

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

## SECTION 7. HANDLING AND STORAGE

#### WORK & HYGIENE PRACTICES

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
57 Caswell Street. East Brisbane. QLD. 4169.  
Phone 1300 852 999. [AJSonline.com](http://AJSonline.com)  
**EMERGENCY PHONE: (07) 3434 8100**



	JSP	Rev. No.: New
	SAFETY DATA SHEET	Date: 6-26-2015
		Page 4 of 8
U-NAMEL all versions		

#### STORAGE & HANDLING

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.  
Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

## SECTION 8. EXPOSURE CONTROL/ PERSONAL PROTECTION

#### EXPOSURE GUIDELINES

Household: Exposure guidelines are not relevant when the product is used as directed in a household setting.

Industrial: When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes.

#### VENTILATION

When working with large quantities of the product, provide adequate ventilation.

#### RESPIRATORY PROTECTION

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations.

#### EYE PROTECTION

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

#### HAND PROTECTION

If it is anticipated that prolonged and repeated skin contact will occur during the use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary refer to U.S. OSHA 1910.138, the appropriate standards for Canada or the E.C. member states.

#### BODY PROTECTION

No special body protection is required for this product under typical use and handling.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Viscous Gel
Color	Clear
Odor	Acrylate
pH	Not available
Specific Gravity	Not applicable



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street. East Brisbane. QLD. 4169.  
 Phone 1300 852 999. AJSONline.com  
**EMERGENCY PHONE: (07) 3434 8100**

	JSP	Rev. No.: New
	SAFETY DATA SHEET	Date: 5/12/19
		Page 5 of 8
U-NAMEL, all versions		

Total Solid	Not available
Viscosity	50,000 – 80,000cPS
Melting Point/Freezing Point	Not available
Boiling Point	Not available
Evaporation Rate	Not available
Upper/Lower Flammability Limits	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Relative Density	Not available
Solubility	Water Insoluble
Auto-Ignition Temperature	Not available

## SECTION 10. STABILITY AND REACTIVITY

### STABILITY

Product is stable under ambient conditions when stored properly.

### HAZARDOUS DECOMPOSITION

None known

### HAZARDOUS POLYMERIZATION

Will not occur.

### CONDITIONS TO AVOID

Heat and open flames.

### INCOMPATIBLE SUBSTANCES

Not available

## SECTION 11. TOXICOLOGICAL INFORMATION

### TOXICITY DATA

This product does not contain known human carcinogens.

### ACUTE TOXICITY

Principle Routes of Exposure	Absorbed through skin; ingestion.
Inhalation	May cause respiratory tract irritation with coughing and shortness of breath. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions.
Skin Contact	This product is not expected to cause any skin irritation upon direct



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street, East Brisbane, QLD. 4169.  
 Phone 1300 852 999. [AJSONline.com](http://AJSONline.com)  
**EMERGENCY PHONE: (07) 3434 8100**

	JSP	Rev. No.: New
	SAFETY DATA SHEET	Date: 5/12/19
		Page 5 of 8
U-NAMEL, all versions		

Total Solid	Not available
Viscosity	50,000 – 80,000cPS
Melting Point/Freezing Point	Not available
Boiling Point	Not available
Evaporation Rate	Not available
Upper/Lower Flammability Limits	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Relative Density	Not available
Solubility	Water Insoluble
Auto-Ignition Temperature	Not available

## SECTION 10. STABILITY AND REACTIVITY

### STABILITY

Product is stable under ambient conditions when stored properly.

### HAZARDOUS DECOMPOSITION

None known

### HAZARDOUS POLYMERIZATION

Will not occur.

### CONDITIONS TO AVOID

Heat and open flames.

### INCOMPATIBLE SUBSTANCES

Not available

## SECTION 11. TOXICOLOGICAL INFORMATION

### TOXICITY DATA

This product does not contain known human carcinogens.

### ACUTE TOXICITY

Principle Routes of Exposure	Absorbed through skin; ingestion.
Inhalation	May cause respiratory tract irritation with coughing and shortness of breath. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions.
Skin Contact	This product is not expected to cause any skin irritation upon direct



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street, East Brisbane, QLD. 4169.  
 Phone 1300 852 999. [AJSONline.com](http://AJSONline.com)  
**EMERGENCY PHONE: (07) 3434 8100**



	JSP	Rev. No.: New
	<h1>SAFETY DATA SHEET</h1>	Date: 5/12/19
		Page 6 of 8

	single or repeated and prolonged contact.	
Ingestion	Ingestion is relatively non-toxic unless aspiration occurs.	
Eye Contact	May cause mild (minimal) eye irritation.	
<i>CHRONIC TOXICITY</i>		
Corrosivity	No information available	
Sensitization	Non sensitizing	
Neurological Effects	No information available	
Reproductive Toxicity	None Known	
Mutagenic Effects	None Known	
Developmental Toxicity	None Known	
Teratogenicity	None Known	
Carcinogenicity	None Known	

<b>SECTION 12. ECOLOGICAL INFORMATION</b>
<i>ACUTE TOXICITY</i>
No information available
<i>PERSISTENCE AND DEGRADABILITY</i>
No information available
<i>BIOACCUMULATIVE POTENTIAL</i>
No information available
<i>BIOACCUMULATIVE POTENTIAL</i>
No information available
<i>MOBILITY</i>
No information Available
<i>OTHER ADVERSE EFFECTS</i>
No information available

<b>SECTION 13. DISPOSAL CONSIDERATIONS</b>
<i>WASTE DISPOSAL</i>
Waste disposal must be in accordance with appropriate federal, state, and local regulations
<i>SPECIAL CONSIDERATIONS</i>
None



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street. East Brisbane. QLD. 4169.  
 Phone 1300 852 999. [AJSONline.com](http://AJSONline.com)  
**EMERGENCY PHONE: (07) 3434 8100**

	JSP	Rev. No.: New
	SAFETY DATA SHEET	Date: 5/12/19
		Page 7 of 8
U-NAMEL all versions		

## SECTION 14. TRANSPORT INFORMATION

*DOT*

Not regulated

*TDG*

Not regulated

*MEXICO*

Not regulated

*LATA*

Not regulated

*ICAO*

Not regulated

*IMDG/IMO*

Not regulated

## SECTION 15. REGULATORY INFORMATION

*SARA 313*

None

*SARA 311/312 HAZARD CATEGORIES*

There are no specific Threshold Planning Quantities for the components of this product.

*CERCLA*

None

*TSCA INVENTORY STATUS*

The components of this product are listed on the TSCA Inventory as appropriate

*OTHER FEDERAL REQUIREMENTS*

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

*WHMIS (Canada)*

Not subject to WHMIS classification.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

*STATE REGULATORY INFORMATION*



IMPORTED BY:

**AUSTRALIAN JEWELLERS SUPPLIES**

57 Caswell Street, East Brisbane, QLD. 4169.

Phone 1300 852 999. [AJSonline.com](http://AJSonline.com)

**EMERGENCY PHONE: (07) 3434 8100**



	<h1>SAFETY DATA SHEET</h1>	Rev. No.: New
		Date: 5/12/19
		Page 8 of 8

U-NAMEL all versions

None.

EUROPEAN UNION REQUIREMENTS 67/548/EEC

See section 2 of this document.

## SECTION 16. OTHER INFORMATION

### DISCLAIMER

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.



IMPORTED BY:  
**AUSTRALIAN JEWELLERS SUPPLIES**  
 57 Caswell Street. East Brisbane. QLD. 4169.  
 Phone 1300 852 999. AJSONline.com  
**EMERGENCY PHONE: (07) 3434 8100**