

## HYPO

## Exterior Surfaces

FK-HYPO05

Makes up to 5000L



5L

FK-HYPO20

Makes up to 20,000L



20L

FK-HYPO200

Makes up to 200,000L



200L



STAIN REMOVAL

WIDE-SPECTRUM CONTROL

SANITISES & DISINFECTS

LOW COST-IN-USE

HIGH STRENGTH

FAST-ACTING BLEACH

### 15% Concentrated Chlorine

Commercial grade concentrated Sodium Hypochlorite solution containing 150g/Lt FAC when packed. Multiple exterior and municipal facility application for destaining and maximum microbial control.

#### APPLICATION

**EXTERIORS:** Food processing, laundries, house washing, swimming pools, mould & mildew removal

#### DIRECTIONS

**INTERIOR FOOD PROCESS HARD SURFACES:** Use at a ratio of 1:330-1:165 (0.3-0.6% solution, 3-6ml per litre) for hard surface sanitising.

**LAUNDRY STAIN REMOVAL:** Use at a ratio of 1:200 (0.5% solution, 5ml per litre).

**EXTERIOR BUILDINGS:** Use at a ratio of 1:100 to 1:50 (1-2% solution, 10-20ml per litre) with potable water.

**SWIMMING POOLS:** Use at 300mls per 10,000 litres each day and 500mls per 10,000 litres weekly.

**POOL SHOCK DOSE:** Use at 1000mls per 10,000 litres of water.

**FRUIT & VEGETABLE PROCESSING AID:** Suitable for low PPM treatment of processed vegetables and fruit where sodium hypochlorite is deemed approved for use. Generic MPI Approval. Dosage rates to suit specific applications, however as a general guide 50-200PPM (1:100 provides approx. 1500PPM FAC, 1:1000 provides approx. 150PPM).

#### GOOD PRACTICE


Under Good Practice Protocol based on accepted international research a 0.3% solution of this product diluted with potable water is recommended with liberal application on clean hard surfaces with a minimum contact time of 5 minutes. At this concentration the product provides 500PPM FAC.

### Application & Intensity Guide

Light/Medium ●●	Medium ●●●	Medium/Heavy ●●●●	Heavy ●●●●●
<b>Food processing</b> Interior hard surfaces High-strength, fast-acting bleach that sanitises and disinfects interior food processing hard surfaces. 3-6ml Per 1L Water	<b>Laundry</b> Stain removal High-strength, fast-acting bleach that removes stains from laundry garments. 5ml Per 1L Water	<b>Exterior buildings</b> House washing, mould removal Cleans and disinfects exterior house services, removing mould & mildew. 10-20ml Per 1L Water	<b>Swimming pools</b> Swimming pools, mould removal Cleans and disinfects swimming pools, removing mould & mildew. <b>DAILY:</b> 300ml Per 10,000L Water <b>WEEKLY:</b> 500ml Per 10,000L Water <b>SHOCK DOSE:</b> 100ml Per 10,000L Water

### pH Level

pH 12.5 (@1% w/w)



### Surface Suitable



Food Processing Surfaces



Laundry Garments



Fruit & Vegetable Processing



Swimming Pools



House Exteriors



Mould & Mildew

### Properties



**MPI APPROVED (GENERIC PART 4.1.7)**  
(ALL ANIMAL PRODUCT EXCEPT DAIRY)

After using this material, food surfaces must be thoroughly rinsed with potable water before production starts.



**Chemical Solutions LIMITED**

0800 Kemsol (536 765)  
www.kemsol.co.nz  
1 Freight Place,  
Airport Oaks, Auckland

### DANGER

Group Standard: HSR002681 - Water Treatment Chemicals (Corrosive) Group Standard 2020  
Causes severe skin burns and eye damage.  
Very toxic to aquatic life.

SCAN TO VIEW SDS



### CHEMICAL SOLUTIONS SUSTAINABILITY POLICY

This is only a start, we continually strive to better our environmental performance.

We are committed to continual improvement in our environmental performance, and have established a number of goals and initiatives helping achieve this objective. Where possible we always use biodegradable raw materials and all our finished product packaging is reusable or recyclable.