

Safety Data Sheet – NZ Supplement Sheet

Product Name: Traditional Wax

NZ Supplier: Carbatec New Zealand Limited
110 Harris Road
East Tamaki
Auckland
Freephone: 0800 444 329 or 09 274 9454
8.30 am to 5pm Monday to Friday
Website: www.carbatec.co.nz
Email: enquiry@carbatec.co.nz

Emergency

Contact Numbers: National Poisons Centre: 0800 764 766 (0800 POISON)
New Zealand Fire Service: 111

This supplement is to be read in conjunction with the manufacturers Safety Data Sheet.



Material Safety Data Sheet Page 1 of 3

Product Name: **TRADITIONAL WAX**
Issue Date: January 2020

Issued by: UBEAUT
Document No: TRAD

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

COMPANY DETAILS

Company Name U-BEAUT ENTERPRISES
Address 74 Anomaly Street, Moolap. Victoria 3224 Australia
Tel/Fax Local: Phone: 03 5248 3030 Fax: 03 5248 3030
International: Phone: +61 3 5248 3030 Fax: +61 3 5248 3030

IDENTIFICATION

Product Name TRADITIONAL WAX
Proper Shipping Name None Allocated
UN Number None Allocated
DGClass None Allocated
Packing Group None Allocated
Hazchem Code None Allocated
Poisons Schedule Not Scheduled
Product Use Paste wax for furniture and woodworkers
Physical Data
Appearance White solid wax about the consistency of butter
Melting Point 60—80°C
Boiling Point 160°C
Vapour Pressure Not available
Specific Gravity Not available
Flash Point Not available
Flamm. Limit LEL Not available
Flamm. Limit UEL Not available
Solubility in Water Insoluble

Other Properties

Stability Stable under normal conditions of use.
Haz. Will not occur.
Materials to Avoid Strong oxidising agents.

Ingredients

Ingredients	Name	CAS	Proportions
	Aliphatic hydrocarbon	Proprietary	60%
	Other ingredients determined not to be hazardous	Not required	Balance

HEALTH HAZARD INFORMATION

Health Effects

Acute-Swallowed May cause irritation to the mouth oesophagus and stomach. Symptoms may include headaches nausea, vomiting and abdominal pain.
Acute-Eye May cause mild irritation in contact with the eyes, which may result in redness, stinging and lachrymation. Not anticipated to cause permanent eye injury.
Acute-Skin May cause mild irritation to individuals with sensitive skin, which may result in redness.
Acute-Inhaled If material is heated may cause irritation to the mucous membrane and upper airways. Symptoms of exposure may include headaches, nausea, dizziness, and coughing.
Chronic Prolonged and repeated contact with this material may cause skin irritation to individual with sensitive skin.

Continued on page 2



Material Safety Data Sheet Page 2 of 3

Product Name: **TRADITIONAL WAX**

Issued by: UBEAUT

Issue Date: January 2020

Document No: TRAD

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

First Aid

Swallowed Immediately wash out mouth with water, and then give plenty of water to drink. If irritation develops seek medical attention.

Eye If contact with the eye(s) occur, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If irritation persists seek medical attention.

Skin Wash gently and thoroughly with water and non-abrasive soap. If irritation develops seek medical attention.

Inhaled Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask breathing is difficult. If irritation persists seek medical attention.

First Aid Facilities Normal wash room facilities.

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits No exposure standards have been established for this material by Worksafe Australia.

Eng. Controls Natural ventilation should be sufficient.

Personal Protection

Respirator Type No special respiratory protection required.
(AS 1716)

Eye Protection Where eye contamination is likely where safety glasses with side shield protection.

Glove Type The use of Nitrile gloves is recommended.

Flammability

Fire Hazards When heated above boiling point, may produce flammable vapours.

SAFE HANDLING INFORMATION

Storage and Transport

Storage Store in a cool, dry, well-ventilated area, out of direct sunlight. Store away from incompatible materials such as materials that support combustion (oxidizing materials).

Precautions incompatible materials such as materials that support combustion (oxidizing materials).

Transport No exposure standards have been established for this material by Worksafe Australia.

Handling Ensure a high level of personal hygiene is maintained when using this product. That is; always wash hands before eating, drinking, smoking or using the toilet.

Proper Shipping None Allocated Name

EPC Number

IERG Number

Spills and Disposal

Spills&Leaks Collect material and place into a suitable labelled container. Ensure floor is cleaned to avoid slipping.

Continued on page 3



Material Safety Data Sheet Page 3 of 3

Product Name: **TRADITIONAL WAX**
Issue Date: January 2020

Issued by: UBEAUT
Document No: TRAD

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

Fire/Explosion Hazard

Hazardous Oxides of carbon
Decomposition or Byproducts
Fire Fighting Wear Self-Contained Breathing Apparatus (S.C.B.A) and full protective clothing
Precautions to minimize skin exposure.
Extinguishing Water fog, foam or dry chemicals.
Media
Hazchem Code None Allocated

OTHER INFORMATION

Toxicology No toxicity data is available for this product.
Environ. Prevent large quantities entering waterways, drains or sewers.
Protection

CONTACT POINT

U-BEAUT POLISHES PH/FAX: 03 5248 3030 (BH)

Latest revision of this MSDS - January 2020

———— **END MSDS** ————