SAFETY DATA SHEET



K68 KITCHEN STAIN REMOVER

Catalogue number: AC861 Version No: 2.3 Issue date: 13/07/2023 Safety Data Sheet according to WHS and ADG requirements.

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	K68 KITCHEN STAIN REMOVER	
Synonyms	AC861	
Proper shipping name	SODIUM CARBONATE PEROXYHYDRATE (contains sodium metasilicate, pentahydrate)	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Oxygen powered destainer and booster	Relevant identified uses
---	--------------------------

Details of the manufacturer/importer

Registered company name	VERIDIA Australia
Address	10 Voyager Circuit, Glendenning, NSW, 2761.
Telephone	1300 228 222
Website	www.veridia.com.au
Email	admin@veridia.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre	
Emergency telephone numbers	13 1126	
Other emergency telephone numbers	Not Available	

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	5
GHS Classification	Acute Toxicity – Oral Category 4, Serious Eye Damage Category 1, Skin Corrosion/Irritation Category 1B, STOT - SE (Resp. Irr.) Category 3, Oxidising Solid Category 3.
	Classification drawn from HCIS and ECHA C&L Inventory.

Label elements

Hazard pictograms			
-------------------	--	--	--

SIGNAL WORD DANGER

Hazard statement(s)

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
H272	May intensify fire; oxidiser.

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking
P220	Keep away from clothing and other combustible material
P260	Do not breathe dust.
P264	Wash exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.

Precautionary statement(s) Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.	
IF ON SKIN (or hair): Immediately call a POISON CENTER or doctor. Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
IF INHALED: Immediately call a POISON CENTER or doctor. Remove person to fresh air and keep at rest in a position comfortable for breathing.	
Wash contaminated clothing before reuse.	
In case of fire use water for extinction.	
Storage	
Store locked up, in a well-ventilated place. Keep container tightly closed.	

Precautionary statement(s) Disposal

P501 Dispose of contents / container in accordance with local government regulations

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

weight]	Name
0	sodium metasilicate, pentahydrate
<30	sodium tripolyphosphate
0	EDTA tetrasodium salt
-60	sodium percarbonate
<30	sodium carbonate
0 .<	0

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical advice / attention immediately. Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If instructed to do so, transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Seek medical advice and transport to hospital or doctor if instructed to do so. If irritation persists seek medical advice / attention.
Inhalation	If inhaled, remove person from contaminated area to fresh air. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Get medical advice / attention without delay.
Ingestion	For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casuality can comfortably drink. Transport to hospital or doctor without delay. Observe the patient carefully.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

ctinguishing media	
Extinguishing media	Use flooding quantities of water
pecial hazards arising from	n the substrate or mixture
Fire incompatibilities	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
dvice for firefighters	The product is not flammable or combustible.
	HOWEVER, if fire should occur for other reasons: Alert the Fire Brigade and tell them the location and nature of hazard. Wear full body protective clothing with breathing apparatus.
Fire Fighting	Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area.
	Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Product may release oxygen when heated which may stimulate the fire. Combustion may cause the release of carbon monoxide (CO) and carbon dioxide (CO2).
HAZCHEM	2X

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Environmental hazard - contain spillage. Check regularly for spills and leaks. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.
Major Spills	Pick up using a plastic shovel and place into labelled drums and dispose of according to local government regulations. Prevent by any means available to prevent any spillage entering a watercourse. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handli	ng
Safe handling	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Always wash hands with soap and water after handling.
Other information	Store in original containers. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. DO NOT store near acids, or oxidising agents

Conditions for safe storage, including any incompatibilities

Suitable container	Plastic pail. Packing as recommended by the manufacturer.	
	Check all containers are clearly labelled and free from leaks.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Storage incompatibility	Avoid storing with strong acids or reducing agents. Avoid storing near flammable or combustible materials.	

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium carbonate	Soda ash	7.6 mg/m3	83 mg/m3	500 mg/m3
sodium metasilicate, pentahydrate	Sodium metasilicate pentahydrate	6.6 mg/m3	73 mg/m3	440 mg/m3
sodium tripolyphosphate	Sodium tripolyphosphate	0.22 mg/m3	2.5 mg/m3	620 mg/m3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodiumn salt; (Tetrasodium EDTA)	82 mg/m3	830 mg/m3	5000 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium carbonate	Not Available	Not Available
sodium metasilicate, pentahydrate	Not Available	Not Available
sodium tripolyphosphate	Not Available	Not Available
EDTA tetrasodium salt	Not Available	Not Available
sodium percarbonate	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. If ventilation is poor, the use of a local extraction ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with unperforated side shields, or Chemical goggles, whenever there is a danger of the material coming in contact with the eyes. Goggles must be properly fitted. Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
Skin protection	See Hand protection below
Hands/feet protection	Elbow length gloves. Natural rubber or nitrile is recommended for this application.
Body protection	See Other protection below
Other protection	Eyewash unit. If atmosphere is dusty, the use of respiratory protection is recommended.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	White free flowing powder		
Physical state	Divided Solid Powder	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm ormN/m)	Not Applicable
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Partly miscible	pH as a solution (1%)	13
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

•	
Inhaled	Inhaling the product may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.
Ingestion	Ingestion may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow. Accidental ingestion of the material may be damaging to the health of the individual.
Skin Contact	The material can produce severe chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the useof the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.
Chronic	Repeated or prolonged skin contact may cause drying and cracking of the skin and possibly dermatitis. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Toxicological effects of ingredients

Sodium metasilicate	Acute toxicity	LD50 Oral - rat - 847 mg/kg
pentahydrate	Skin corrosion/irritation	Corrosive. Causes skin burns
	Eye damage/irritation	Corrosive. Causes eye burns
	Respiratory/skin sensitization	No Data Available
	Germ cell mutagenicity	Sodium silicate was not mutagenic to the bacterium E. Coli when tested in a mutagenicity bioassay
	Carcinogenicity	There are no known reports of carcinogenicity of sodium silicates.
	Reproductive toxicity	Decreased numbers of births and survival to weaning was reported for rats fed sodium silicate in their drinking water at 600 and 1200 ppm.
	STOT (single exposure)	Dust corrosive to respiratory tract
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
Sodium tripolyphosphate	Acute toxicity	Oral LD50 (rat) 2000 mg/kg Inhalation LC50 (rat) 390 mg/kg Dermal LD50 (rat) 4640 mg/kg
	Skin corrosion/irritation	Not a skin irritant
	Eye damage/irritation	no adverse effect observed (not irritating)
	Respiratory/skin sensitization	no adverse effect observed (not sensitising)
	Germ cell mutagenicity	No adverse effect observed (negative)
	Carcinogenicity	This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
EDTA tetrasodium salt	Acute toxicity	Oral LD50 (rat): >1780 - <2000 mg/kg
	Skin corrosion/irritation	Contact with skin may result in irritation
	Eye damage/irritation	Irritant (rabbit).
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	No adverse effect observed
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	No Data Available
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available

Page **6** of **8** K68 KITCHEN STAIN REMOVER

Issue Date: 13/07/2023

sodium percarbonate	Acute toxicity	Oral LD50 (rat) 1034 – 2000 mg/kg, Dermal LD50 (rabbit) >2000 mg/kg
oouluin porouinoiluio	Skin corrosion/irritation	
		Mild irritant (Rabbit).
	Eye damage/irritation	Causes serious eye damage
	Respiratory/skin sensitization	Not a skin sensitizer
	Germ cell mutagenicity	No adverse effect observed in tests conducted
	Carcinogenicity	Not a carcinogen
	Reproductive toxicity	Unlikely to be toxic to reproduction
	STOT (single exposure)	No Data Available
	STOT (repeated exposure)	No Data Available
	Aspiration toxicity	No Data Available
sodium carbonate	Acute toxicity	Oral LD50 (rat) 2800 mg/kg Dermal LD50 (rat) 2000 mg/kg
	Skin corrosion/irritation	Prolonged or repeated contact may cause mild irritation
	Eye damage/irritation	Irritant. May cause pain, redness, discomfort
	Respiratory/skin sensitization	Not sensitizing
	Germ cell mutagenicity	Not genotoxic
	Carcinogenicity	No Data Available
	Reproductive toxicity	Not toxic to reproduction
	STOT (single exposure)	No data available
	STOT (repeated exposure)	No data available
	Aspiration toxicity	No data available

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	Endpoint	Duration (Hr.)	Species	Value
sodium carbonate	LC50	96	Fish	300-mg/L
	EC50	48	Crustacea	-156.6-298.9mg/L
	EC50	96	Algae or other aquatic plants	242-mg/L
	NOEC	48	Crustacea	<424-mg/L
sodium metasilicate,	LC50	96	Fish	210mg/L
pentahydrate	EC50	48	Crustacea	-22.94-49.01mg/L
	EC50	72	Algae or other aquatic plants	207mg/L
	EC0	72	Algae or other aquatic plants	35mg/L
	NOEL	120	Algae or other aquatic plants	2.172668-mg/L
sodium percarbonate	EC50	48	Crustacea	=4.9mg/L
	NOEC	48	Crustacea	=2mg/L
EDTA tetrasodium salt	LC50	96	Fish	41mg/L
	EC50	48	Crustacea	140mg/L
	EC50	72	Algae or other aquatic plants	=1.01mg/L
	EC10	72	Algae or other aquatic plants	=0.48mg/L
	NOEC	33	Algae or other aquatic plants	0.0003802-mg/L
sodium tripolyphosphate	EC50	48	Crustacea	>70.7-<101.3mg/L
	EC50	96	Algae or other aquatic plants	69.2mg/L

Harmful to aquatic organisms. Prevent, by any means available, spillage from entering drains or water courses. DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
sodium carbonate	LOW	LOW	
Bio accumulative pote	ential		
Ingredient	Bio accumulation		
sodium carbonate	LOW (LogKOW = -0.4605)		
Aobility in soil			
Ingredient	Mobility		
sodium carbonate	HIGH (KOC = 1)		
SECTION 13 DISPOS	AL CONSIDERATIONS		
Naste treatment metho	ods		
	Recycle containers whenever possible.		

Product / packaging disposal Product residues and containers should be disposed of in accordance with local government regulations.

SECTION 14 TRANSPORT INFORMATION

Labels Required		
	DECEMBER S.1	
Marine Pollutant	NO	
HAZCHEM	2X	
Land transport (ADG):		
UN Number	3378	
UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE (contains sodium metasilicate, pentahydrate)	
Transport hazard class(es)	Class5.1Sub risk8	
Packing group	I	
Environmental Hazard	Not applicable	
Special precautions for user	Special provisions 274 Limited quantity 1 kg	

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM CARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

SODIUM METASILICATE, PENTAHYDRATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

SODIUM PERCARBONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

EDTA TETRASODIUM SALT IS FOUND ON THE FOLLOWING REGULATORY LISTS Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australian Inventory of Industrial Chemicals (AIIC)

SODIUM TRIPOLYPHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule Revision Date 19/12/2022 Initial Date 08/12/2016 **SDS Version Summary** Version Issue Date Sections Updated 2.1 09/02/2021 Sections 1, 2, 3, 5, 8, 11, 12, 15, 16 have been updated or corrected 2.2 15/03/2022 Section 2 2.3 19/12/2022 Section 2

Other information

DISCLAIMER:

All information appearing herein is based upon data obtained from raw material manufacturers and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of VERIDIA Australia and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Definitions and abbreviations

PC-TWA;	Permissible Concentration-Time Weighted Average
PC-STEL:	Permissible Concentration-Short Term Exposure Limit
IARC:	International Agency for Research on Cancer
ACGIH:	American Conference of Government Industrial Hygienists
STEL:	Short Term Exposure Limit
TEEL:	Temporary Emergency Exposure Limit
IDLH:	Immediate Danger to Life or Health Concentrations
OSF:	Odour Safety Factor
NOAEL:	No Observed Effects Level
TLV:	Threshold Limit Value
LOD:	Limit Of Detection
OTV:	Odour Threshold Value
BCF:	Bio Concentration Factors
BEI:	Biological Exposure Index

End of SDS