

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

# Product name MULTI PURPOSE DEGREASER

Synonym(s): Multipurpose degreaser

## 1.2 Uses and uses advised against

Use(s) DEGREASER • MECHANICAL DEGREASER

## 1.3 Details of the supplier of the product

# Supplier Name VERIDIA Australia

Address	10 Voyager Circuit GLENDENNING NSW 2761 Australia
Telephone	1300 228 222
Emergency	1800 033 111
Email	admin@veridia.com.au
Web Site	www.veridia.com.au
SDS Date	1 JULY 2023 Version 1.2

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA REGULATIONS

GHS classification(s) Skin Corrosion/Irritation: Category 1A

2.2	Label	elements	

Signal word Pictogram(s)

# DANGER



#### Hazard statement(s)

H314

Causes severe skin burns and eye damage.

#### Prevention statement(s)

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

## Response statement(s)

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment is advised - see first aid instructions.
P363	Wash contaminated clothing before reuse.

PRODUCT CODE - 390



## Storage statement(s)

P405

Store locked up.

Disposal statement(s)

P501

Dispose of contents/container in accordance with relevant regulations.

### 2.3 Other hazards

No information provided.

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

## 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	203-905-0	<15%
SODIUM HYDROXIDE	1310-73-2	215-185-5	1 to 10%
SODIUM METASILICATE ANHYDROUS	6834-92-0	229-912-9	<5%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation risk exists. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
First aid facilities	Eye wash facilities and safety shower should be available.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

# 4.3 Immediate medical attention and special treatment needed

CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. In treating corrosive poisoning, DO NOT INDUCE VOMITING; DO NOT ATTEMPT GASTRIC LAVAGE; and DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE. Vomiting will increase the severity of damage to the oesophagus as the corrosive substance will again come in contact with it. Attempting gastric lavage may result in perforating either the oesophagus or stomach. Immediately dilute the corrosive substance by having the patient drink milk or water. If the trachea has been damaged tracheostamy may be required. For oesophageal burns begin broad-spectrum antibiotics and corticosteroid therapy. Intravenous fluids will be required if oesophageal or gastric damage prevents ingestion of liquids. Long-range therapy will be directed toward preventing or treating oesophageal scars and strictures. Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

## 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

## 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

## 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.



## 5.4 Hazchem code

2R Fine Water Spray.

R Wear liquid-tight chemical protective clothing and breathing apparatus. Dilute spill and run-off.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 <u>Personal precautions, protective equipment and emergency procedures</u>

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for reuse, treatment and/or disposal.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should be bunded and have appropriate ventilation systems.

## 7.3 Specific end use(s)

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
ingreatent		ppm	mg/m³	ppm	mg/m³
2-Butoxyethanol (EGBE)	SWA (AUS)	20	96.9	50	242
Sodium hydroxide (peak limitation)	SWA (AUS)		2 (Peak)		

#### **Biological limits**

Ingredient	Determinant	Sampling Time	BEI
ETHYLENE GLYCOL MONOBUTYL ETHER	Butoxyacetic acid (BAA) in urine (with hydrolysis)	End of shift	200 mg/g creatinine

Reference: ACGIH Biological Exposure Indices

## 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.



# PPE

Eye / Face	Wear splash-proof goggles. When using large quantities or where heavy contamination is likely, wear a faceshield.
Hands	Wear PVC or rubber gloves.
Body	Wear coveralls. When using large quantities or where heavy contamination is likely, wear rubber boots and a PVC apron. In a laboratory situation, wear a laboratory coat.
Respiratory	Where an inhalation risk exists, wear a Type B (Inorganic gases and vapours) respirator.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on books about and about all more after

9.1 Information	on on basic physical and chemical properties CLEAR PINK LIQUID	Solubility (Water)	SOLUBLE
Odour	SLIGHT ODOUR	Specific Gravity	1.04 – 1.06
Ph	13.0 – 14.0	Volatiles	> 60 % (Water)
Vapour Pressu	re NOT RELEVANT	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
<b>Boiling Point</b>	100°C (Approximately)	Upper Explosion Limit	NOT RELEVANT
Melting Point	< 0°C	Lower Explosion Limit	NOT RELEVANT
Evaporation Ra	ate AS FOR WATER		

# 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

## 10.2 Chemical stability

Stable under recommended conditions of storage.

## 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

## 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), metals, heat and ignition sources. Reacts with ammonium salts to evolve ammonium gas.

#### 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Acute toxicity Information available for the product: Ingestion may result in severe burns of the mouth and throat, as well as a danger of perforation of the



# oesophagus and the stomach.

# Information available for the ingredient(s):

Ingredient		Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
ETHYLENE GLYCO	L MONOBUTYL ETHER	300 mg/kg (rabbit)	230 mg/kg (guinea pig)	700 ppm (mouse)
SODIUM METASILI	CATE ANHYDROUS	770 mg/kg (mouse)		
Skin	Causes severe burns. Cont Effects may be delayed.	act may result in irritation,	redness, pain, rash, derm	atitis and possible burns.
Еуе	Causes severe burns. Contact may result in irritation, lacrimation, pain, redness and corneal burns with possible permanent eye damage.		d corneal burns with	
Sensitization	Not classified as causing ski	n or respiratory sensitisation	n.	
Mutagenicity	Not classified as a mutagen.	Not classified as a mutagen.		
Carcinogenicity	Not classified as a carcinogen.			
Reproductive	Not classified as a reproductive toxin.			
STOT – single expos	sure			

## STOT - repeated exposure

Over exposure may result in irritation of the nose and throat, coughing and bronchitis. High level exposure may result in ulceration of the respiratory tract, lung tissue damage, chemical pneumonitis and pulmonary oedema. Effects may be delayed.

Not classified as causing organ damage from repeated exposure. Adverse effects are generally associated with single exposure.

Aspiration

Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

**Toxicity** 

No information provided.

Persistence and degradability No information provided.

Bioaccumulative potential No information provided.

## Mobility in soil

No information provided.

# Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

- **Waste disposal** Neutralise with dilute acid (e.g. 3 mol/L hydrochloric acid) or similar. For small amounts, absorb with sand or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information (if required).
- Legislation Dispose of in accordance with relevant local legislation.

# **MULTI PURPOSE DEGREASER**

Safety Data Sheet



# **14. TRANSPORT INFORMATION**

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1719	1719	1719
14.2 Proper Shipping Name	CAUSTIC ALKALI LIQUID, N.O.S.	CAUSTIC ALKALI LIQUID, N.O.S.	CAUSTIC ALKALI LIQUID, N.O.S.
14.3 Transport hazard class	8	8	8
14.4 Packing Group	II	II	II

14.5 Environmental hazards Not a Marine Pollutant

14.6 Special precautions for user

Hazchem code 2R GTEPG 8A1 EMS F-A, S-B

# **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).Classifications

## Hazard codes Risk phrases Safety phrases

## Inventory listing(s)

Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

C Corrosive

R35 Causes severe burns.

S1/2 Keep locked up and out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S37/39 Wear suitable gloves and eye/face protection.

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

## **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**

All components are listed on AICS, or are exempt.

# **16. OTHER INFORMATION**

Additional information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used



for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### EXPOSURE STANDARDS - TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation). PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made. HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate. Abbreviations ACGIH American Conference of Governmental Industrial Hygienists CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds CNS Central Nervous System EC No. EC No - European Community Number Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous EMS Goods) GHS **Globally Harmonized System** Group Text Emergency Procedure Guide GTEPG IARC International Agency for Research on Cancer LC50 Lethal Concentration, 50% / Median Lethal Concentration LD50 Lethal Dose, 50% / Median Lethal Dose Milligrams per Cubic Metre mg/m<sup>3</sup> OEL Occupational Exposure Limit relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly pН alkaline). Parts Per Million ppm STEL Short-Term Exposure Limit STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure) SUSMP Standard for the Uniform Scheduling of Medicines and Poisons Safe Work Australia SWA **Threshold Limit Value** TLV **Time Weighted Average** TWA

**Report status** This Safety Data Sheet document has been compiled by Veridia Australia. Further clarification regarding any aspect of this product should contact Veridia Australia directly. While Veridia Australia has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Veridia Australia accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.