Page: 1 of 6 Compilation date: 16/05/2012 Revision No: 5 - EA Revision Date: 31/01/2020

## Section 1 – Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Identifier/name STERIGENE GREEN CONCENTRATE
- **1.2** Relevant identified uses of the substance or mixture and uses advised against Use of substance/mixture: Disinfectant solution. For professional use only.
- 1.3 Details of the supplier of the safety data sheet

Company name:	Ethical Agents International Ltd T/A Oragene 2/54 Hobill Avenue Wiri, Auckland 2104, New Zealand
Tel:	+64 9 263 4775
Fax:	+64 9 262 1411
Email:	info@orageneglobal.com
Website:	www.orageneglobal.com

1.4 Emergency telephone number: Poisons Information Centre - New Zealand: 0800 POISON (0800 764 766)

## Section 2: Hazards identification

## 2.1 Classification of the substance or mixture

Classification under CHIP: Xi: R41; Sens.: R43; -: R52/53

**Classification under CLP:** Aquatic chronic 3: H412; Eye Dam. 1:H318; Skin Irrit. 2: H315; Skin Sens. 1:H317; EUH208

Classification under HSNO: 9.1C, 8.3A, 6.3A, 6.5B

**Most important adverse effects:** Risk of serious damage to eyes. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2 Label elements under CLP:

#### Hazard statements:

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.

H412: Harmful to aquatic life with long-lasting effects.

EUH208: Contains polymeric biguanide hydrochloride. May produce an allergic reaction.

#### Signal words: Danger

## Hazard pictograms:

GHS05: Corrosion GHS07: Exclamation mark



## Precautionary statements:

P261: Avoid breathing mist/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse copiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice.

#### Label elements under CHIP:

Hazard symbols: Irritant



#### **Risk phrases:**

R41:	Risk of serious damage to eyes.
R43:	May cause sensitisation by skin contact.
R52/53:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
P16:	Contains polymeric biguanide hydrochloride. May produce an allergic reaction.

## Safety phrases:

Avoid contact with skin. S24: S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39: Wear suitable gloves and eye/face protection.

## 2.3 Other hazards

PBT: This product is not identified as a PBT/vPvB substance

#### Section 3: Composition/information on ingredients

#### 3.1 Mixtures:

Hazardous ingredients:

#### **C9-C11 ALCOHOL ETHOXYLATE (6)**

#### EINECS -

CAS 68439-46-3 **CHIP Classification** Xn: R22; Xi: R41 **CLP** Classification Acute Tox. 4: H302; Eye Dam. 1:H318

## PROPAN-2-OL

EINECS 200-661-7 CAS 67-63-0 CHIP Classification F: R11; Xi: R36; -: R67 CLP Classification Flam. Liq. 1: H224; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066

## DIDECYLDIMETHYLAMMONIUM CHLORIDE

EINECS 230-525-2 CAS 7173-51-5 **CHIP Classification** Xn: R22; C: R34 CLP Classification Acute Tox. 4: H302; Skin Corr. 1B: H314

## POLYMERIC BIGUANIDE HYDROCHLORIDE

EINECS -CAS 27083-27-8 **CHIP Classification** Xi: R37/38; Sens.: R43; N: R50/53 CLP Classification Acute Tox. 4: H302; Skin Irrit. 2: H315; Aquatic Acute 1: H400; Eye Dam. 1:H318 Skin Sens. 1: H317

#### ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

EINECS 270-325-2 CAS 68424-85-1 **CHIP Classification** Xn: R21/22; C: R34; N: R50 **CLP Classification** Acute Tox. 4: H302; Skin Corr. 1B: H314 ; Aquatic Acute 1: H400 Page: 2 of 6

1-10%

1-10%

1-10%

1-10%

1-10%

## Section 4: First Aid Measures

## 4.1 Description of first aid measures

Skin Contact:	Remove all	contaminated	clothes	and	footwear	immediately	unless	stuck	to	skin.	Wash
	immediately	with plenty of	soap and	d wat	er.						

- **Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.
- **Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

## 4.2 Most important symptoms and effects, both acute and delayed

Skin contact:There may be irritation and redness at the site of contact.Eye contact:There may be pain and redness. The eyes may water profusely.

- Ingestion: There may be soreness and redness of the mouth and throat.
- **Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

**5.1 Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2 Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

**5.3.** Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1: Personal precautions, protective equipment and emergency procedures

- **Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- 6.2: Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3: Methods and material for containment and cleaning up

- **Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- 6.4: Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1: Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

- 7.2: Conditions for safe storage, including any incompatibilities
  - Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.
- **7.3:** Specific end use(s): Disinfectant solution. For professional use only.

## Section 8: Exposure controls/personal protection

#### 8.1: Control parameters

Hazardous ingredients: PROPAN-2-OL

Page: 4 of 6

	Workplace exposu	ire limits:	P	R	espirable dust
	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
	New Zealand	983 mg/m3	1230 mg/m3	-	-
	DNEL/PNEC Value	s: No data availab	le		
8.2:	Exposure controls				
	Engineering meas		sufficient ventilation e to prevent the esca		or of the storage room m
	Respiratory prote	ction: Self-contained			case of emergency.
	Hand protection:	Protective glove			
	Eye protection:		Ensure eye bath is to	hand.	
	Skin protection:	Protective cloth	ling.		
ctior	9: Physical and c	hemical properties			
9.1		sic physical and chen	nical properties		
	State:	Liquid.			
	Odour:				g. green with citrus fragra with eucalyptus fragrance
			ender fragrance.	non nagrance, blue v	with eucaryptus hagrance
	Evaporation rate:	As water.			
	Boiling point/rang	ge <sup>0</sup> C: 110			
	Relative density:	Approx 1.000			
	pH:	4.5-6.5			
9.2	Other information	: No data availab	le.		
ction	10: Stability and	l reactivity			
10.1	Reactivity:	Stable under re	commended transpo	rt or storage conditio	ons.
10.2	Chemical stability	: Stable under no	ormal conditions.		
10.3	Possibility of haza				mal transport or storage nditions or materials listed
10.4	Conditions to avoi	<b>d:</b> Heat.			
10.5	Incompatible mat	erials			
	Materials to avoid	I: Strong oxidising	g agents. Strong acids	5.	
10.6	Hazardous decom	position products: Ir	combustion emits to	oxic fumes.	
ctior	11: Toxicologica	Il Information			
11.1	Information on to	xicological effects			
	Hazardous ingredi	ents:			
	C9-C11 ALCOHOL	ETHOXYLATE (6)			
	ORAL	RAT	LD50	200-2000	mg/kg
	PROPAN-2-OL				
	IVN	RAT	LD50	1088	mg/kg
	ORL	MUS	LD50	3600	mg/kg
	ORL	RAT	LD50	5045	mg/kg
	SCU	MUS	LDLO	6	gm/kg
					<del>_</del>
		LAMMONIUM CHLOF			
	IPR	RAT	LD50	45	mg/kg

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

Page: 5 of 6

## **Relevant effects for mixture:**

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

## Symptoms/routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological Information

#### 12.1 Toxicity:

Hazardous ingredients:

## **C9-C11 ALCOHOL ETHOXYLATE (6)**

DAPHNIA	48H EC50	1-10 mg/l
FISH	96H LC50	1-10 mg/l

#### ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

DAPHNIA MAGNA	48H EC50	0.016 mg/l			
12.2 Persistence and degradability:	Product is biodegradable.				
12.2 Persistence and degradability.	FIGUULL IS DIQUERIAUADIE.				
12.3 Bioaccumulative potential:	No bioaccumulation potential.				
12.4 Mobility in soil:	Readily absorbed into soil.				
12.5 Results of PBT and vPvB assessm	ent				
PBT identification:	This product is not identified as a P	BT/vPvB substance.			
12.6 Other adverse effects:	Harmful to aquatic organisms.				

## Section 13: Disposal Considerations

#### 13.1 Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

N.B.: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport Information**

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory Information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Cleaning Products (Subsidiary Hazard) Group Standard 2006 (HSNO Approval Number HSR 002530). A copy of this group standard can be found on the EPA website at:

http://www.epa.govt.nz/hazardoussubstances/approvals/group-standards/Pages/default.aspx

Page: 6 of 6

## Section 16: Other Information

This Safety Data Sheet is prepared in accordance with Commission Regulation (EU) No. 453/2010.

## Phrases used in s.2 and s.3:

- EUH066: Repeated exposure may cause skin dryness or cracking.
- H224: Extremely flammable liquid and vapour.
- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.
- H400: Very toxic to aquatic life.
- R11: Highly flammable.
- R21/22: Harmful in contact with skin and if swallowed.
- R22: Harmful if swallowed.
- R34: Causes burns.
- R36: Irritating to eyes.
- R37/38: Irritating to respiratory system and skin.
- R41: Risk of serious damage to eyes.
- R43: May cause sensitisation by skin contact.
- R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R50: Very toxic to aquatic organisms.
- R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R67: Vapours may cause drowsiness and dizziness.

#### Legend to abbreviations:

- PNEC = predicted no effect level
- DNEL = derived no effect level
- LD50 = median lethal dose
- LC50 = median lethal concentration
- EC50 = median effective concentration
- IC50 = median inhibitory concentration
- dw = dry weight
- bw = body weight
- cc = closed cup
- oc = open cup
- MUS = mouse
- GPG = guinea pig
- RBT = rabbit
- HAM = hamster
- HMN = human
- MAM = mammal
- PGN = pigeon
- IVN = intravenous
- SCU = subcutaneous
- SKN = skin
- DRM = dermal
- OCC = ocular/corneal
- PCP = phycico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.