



DOMESTOS REGULAR

Revision: 2019-11-11

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: DOMESTOS REGULAR

Domestos is a registered trade mark and is used under licence of Unilever

1.2 Recommended use and restrictions on use

Identified uses:

Hospital grade disinfectant

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

8.1A - Corrosive to metals

8.2B - Corrosive to dermal tissue

8.3A - Corrosive to ocular tissue

9.1A - Very ecotoxic in the aquatic environment

GHS Equivalent Classification

Skin corrosion, Category 1B

Serious eye damage, Category 1

Acute aquatic toxicity, Category 1

Corrosive to metals, Category 1

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H400 - Very toxic to aquatic life.

H290 - May be corrosive to metals.

Prevention statement(s):

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

DOMESTOS REGULAR

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

Storage statement(s):

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
sodium hypochlorite	7681-52-9	231-668-3	3-10
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	931-292-6	1-3
sodium hydroxide	1310-73-2	215-185-5	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

DOMESTOS REGULAR

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
sodium hydroxide			2 mg/m ³

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

No special requirements under normal use conditions.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

DOMESTOS REGULAR

Hand protection:	strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical State: Liquid	
Appearance: Viscous liquid	
Colour: Clear, Pale Straw	
Odour: Slightly perfumed	
Odour threshold: Not applicable	
pH ≈ 13.2 (neat)	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 1.084 (20 °C)	
Solubility in / Miscibility with Water: Not miscible or difficult to mix	
Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: Not determined	
Explosive properties: Not explosive.	
Oxidising properties: Not oxidising	

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD ₅₀	1100	Rat	OECD 401 (EU B.1)	90
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	> 300 - 2000	Rat	OECD 401 (EU B.1)	
sodium hydroxide		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD ₅₀	> 20000	Rabbit	OECD 402 (EU B.3)	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	> 5000	Rat	OECD 402 (EU B.3)	
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	LC ₅₀	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
sodium hydroxide		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Corrosive	Rabbit	OECD 404 (EU B.4)	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Severe damage	Rabbit	OECD 405 (EU B.5)	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Irritating to respiratory tract			
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Not sensitising			

DOMESTOS REGULAR

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hypochlorite	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite	No evidence for carcinogenicity, negative test results
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite	NOAEL	Developmental toxicity Impaired fertility	5 (Cl)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	Teratogenic effects	25	Rat	Non guideline test		
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	13		OECD 422, oral		
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite		No data available				
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite		No data available				
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite			No data available					
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			No data available					
sodium hydroxide			No data available					

STOT-single exposure

DOMESTOS REGULAR

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	LC ₅₀	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC ₅₀	> 2.67 - 3.46	<i>Fish</i>	OECD 203, static	96
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	EC ₅₀	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₅₀	3.1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	NOEC	0.0021	<i>Not specified</i>	Method not given	168
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₅₀	0.1428	<i>Not specified</i>	Method not given	72
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite	EC ₅₀	0.026	<i>Crassostrea virginica</i>	Method not given	2
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-
sodium hydroxide		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite		0.375	<i>Activated sludge</i>	Method not given	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₁₀	> 24	<i>Bacteria</i>	Non guideline test	18 hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
---------------	----------	--------------	---------	--------	---------------	------------------

DOMESTOS REGULAR

sodium hypochlorite	NOEC	0.04	<i>Menidia pelinsulae</i>	Method not given	96 hour(s)	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.42	<i>Not specified</i>		302 day(s)	
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite	NOEC	0.007	<i>Crassostrea virginica</i>	Method not given	15 day(s)	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.7	<i>Daphnia magna</i>	Method not given	21 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			-	
sodium hydroxide		No data available			-	

DOMESTOS REGULAR

		available			
--	--	-----------	--	--	--

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite					Not applicable (inorganic substance)
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		CO ₂ production	90% in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite	-3.42	Method not given	No bioaccumulation expected	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.93	(EC) 440/2008, A.8	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite	No data available				
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite	1.12				High potential for mobility in soil
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				Low mobility in soil
sodium hydroxide	No data available				Mobile in soil

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

SECTION 14: Transport information

DOMESTOS REGULAR

**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 3266**14.2 UN proper shipping name:**

Corrosive liquid, basic, inorganic, n.o.s. (hypochlorite , sodium hydroxide)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** 2X

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002526.

Group standard

Cleaning Products (Corrosive) Group Standard 2017

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000619**Version:** 01.0**Revision:** 2019-11-11

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet