



Think ahead.

Tork Matic® Blue Hand Towel Roll Advanced

290068



Description

The Advanced Tork Matic® blue hand towel rolls is food contact approved, which makes this hand towel roll ideal for wash stations in food environments. The rolls are suitable for the Tork Matic® Hand Towel Roll Dispenser, developed for easy maintenance in high traffic washrooms. It saves time and controls consumption by one-at-a-time sheet dispensing.

- Extra soft: gentle on the hands with a high quality feel
- Blue hand towels suitable for short-term food contact. Traceability increases safety in food preparation.
- Advanced
- Embossing
- High capacity
- Tork Easy Handling ® Packaging

Product Certifications



Tork Advanced



Product Details

Print	No
Core inside diameter	3.8 cm
Roll diameter	19 cm
Embossing	Yes
Roll length	150 m
Roll width	21 cm
Ply	2
System	H1
Color	Blue

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540122916	7322540122923	-
Packaging Material	none	Carton	-
Pieces	1	6 (6 CON)	-
Height	210 mm	247 mm	1,879 mm
Length	190 mm	588 mm	1,000 mm
Width	190 mm	388 mm	1,200 mm
Gross Weight	1,292.33 g	7.95 kg	308.39 kg
Net Weight	1,197 g	7.18 kg	251.37 kg
Volume	7.58 dm3	56.35 dm3	2,254.8 dm3
Layers Per Pallet	-	-	-
TRP Per Layer	-	-	-



Think ahead.

Tork Matic® Blue Hand Towel Roll Advanced

290068

Compatible Products



Tork Matic HTR Disp -Intuition sensor SS
460001



Tork Matic Hand Towel Roll Disp. White
551000



Tork Matic HTR Disp -Intuition sensor Wh
551100



Tork Matic HTR Disp -Intuition sensor B
551108

Environmental Information

Content

The product is made from

- Virgin pulp
- Recycled fibres
- Chemicals

The packaging material is made from paper or plastic.

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way.

Recycling of paper is an efficient use of resources as the wood fibres are used more than once.

High demands are put on quality and purity of recovered fibres, considering each step of the chain (collection, sorting, transportation, storage, use), to ensure safe and hygienic products.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use a water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 15-04-2020 Revision date: 13-02-2025
Production	This product is produced at mill and certified according to ISO 9001, ISO 14001 (Environmental management systems) and EMAS (eco-management and audit scheme).
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden