

# **C-Tec Progleem**

#### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: C-Tec Progleem

OTHER NAMES: Progleem

RECOMMENDED USE: Window Cleaner

SUPPLIER NAME: 2CARE PRODUCTS
ADDRESS: 9 Donnor Place

Mt Wellington AUCKLAND

Phone: 0800 753 753 Fax: (09) 574 5999

Emergency Telephone: 0800 764 766 NEW ZEALAND NATIONAL POISON CENTRE

### 2. HAZARD(S) IDENTIFICATION

### **GLOBALLY HARMONISED SYSTEM**

HAZARD CLASSIFICATION Not classified as a Dangerous Good by NZS5433:2012 for transport by Road.

HAZARD CATEGORIES Acute Toxicity (Inhalation) Category 4

Skin Corrosion/IrritationCategory 2Serious Eye Damage/IrritationCategory 2BAquatic Toxicity (Acute)Category 3

**PICTOGRAMS** 



SIGNAL WORD WARNING

Issue Date: 8th October 2019

HAZARD STATEMENTS H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

H332 – Harmful if inhaled. H401 – Toxic to aquatic life.

H413 – May cause long lasting harmful effects to aquatic life

#### PRECAUTIONARY STATEMENTS

PREVENTION P102 – Keep out of reach of children.

P103 - Read label before use.

P104 - Read Safety Data Sheet before use.

P261 – Avoid breathing fumes.

P264 – Wash hands thoroughly after handling.

P271 – Use only outdoors or in a well-ventilated area.

P273 – Avoid release to the environment.

P280 – Wear protective gloves, clothing and eye/face protection.

RESPONSE P101 – If medical advice is needed, have product container or label at hand.

P302 + P352 – **IF ON SKIN:** Wash with plenty of soap and water.

P304 + P340 – IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously for several minutes. REMOVE contact lenses if

present and safe to do so. Continue rinsing.

P312 – Call NZ POISON CENTRE or a doctor/physician if you feel unwell.

P321 - WASH affected areas well with water.

P331 - DO NOT induce vomiting.

P332 + P313 – If skin irritation occurs. Get medical advice/attention. P337 + P313 – If eye irritation persists: Get medical advice/attention. P362 – Take off contaminated clothing and wash before re-use.

**STORAGE** 

DISPOSAL P501 - Do not let this product enter the environment. Do not dispose of in waterways or sewers.

Dispose of this material and its container as hazardous waste, via a licensed facility. See local council

for disposal/recycling information.

#### **ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)**

HSNO CLASSIFICATIONS Toxicity Hazards

6.1D Substances that are acutely toxic – Harmful.
6.3A Substances that are irritating to the skin.
6.4A Substances that are irritating to the eye.

**Environmental Hazards** 

9.1D Substances that are slightly harmful to the aquatic environment or are otherwise

designed for biocidal action.

The information contained in this SDS is specific to the product when handled and used neat. This product when diluted may not require the same control measures as the neat product. Check with your technical representative if in doubt.

POISONS SCHEDULE (AUS): Not Listed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients

Chemical Entity	Formula	CAS Number	Proportion
2-Butoxy Ethanol	C <sub>6</sub> H <sub>14</sub> O <sub>2</sub>	111-76-2	10 - 20%
Non-Hazardous ingredients			< 5%
Water	H <sub>2</sub> O	7732-18-5	Balance

#### 4. FIRST AID MEASURES

INGESTION DO NOT induce vomiting. If person is conscious slowly provide as much water as the person can

comfortably drink. Transport person to nearest hospital or doctor without delay. If person has lost

consciousness DIAL 111 and request an ambulance.

EYE CONTACT IMMEDIATELY flush eyes with copious amounts of water for at least 15 minutes while holding

eyelids open. Ensure complete irrigation of the eyes by lifting the upper and lower lids periodically. Removal of contact lenses should only be done by skilled personnel. Transport person to nearest

hospital or doctor if irritation persists.

SKIN CONTACT REMOVE contaminated clothing. IMMEDIATELY flush the contaminated skin thoroughly with water

for at least 15 minutes preferably under a safety shower.

INHALATION REMOVE victim from source of exposure to fresh air. Allow patient to assume most comfortable

position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing with a demand valve resuscitator, bag-valve mask device, or pocket mask. Perform CPR if

necessary.

SAFETY MEASURES Potable water should be available to rinse eyes. Provide eye baths and safety showers. Treat

symptomatically.

PHYSICIAN NOTES Treat symptomatically based on judgement of doctor and individual reactions of patient.

#### 5. FIRE FIGHTING METHODS

GENERAL MEASURES Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate

ignition sources. Move fire exposed containers from fire area if it can be done without risk.

FLAMMABILITY

CONDITIONS

Product is not combustible.

EXTINGUISHING MEDIA Extinguishing powder, Alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Water spray.

HAZARDOUS PRODUCTS OF

**COMBUSTION** 

The product is non-combustible; however, it may liberate Carbon and Nitrogen oxides (CO/NO<sub>x</sub>)

within smoke. The packaging material may also burn to emit noxious fumes.

SPECIAL FIRE FIGHTING

**INSTRUCTIONS** 

DO NOT allow spillage or firefighting water to reach waterways, drains or sewers. Use fire-fighting

procedures suitable for surrounding area.

PERSONAL PROTECTIVE

EQUIPMENT

Wear positive pressure self-contained breathing apparatus (SCBA) and protective firefighting

clothing (including Helmet, Coat, Trousers, Boots and Gloves or chemical splash suit).

HAZCHEM CODE No information available.

### 6. SPILLAGE/ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE

Issue Date: 8th October 2019

PROCEDURE

Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid further accidents, clean up immediately. Increase ventilation. In the case of large spills alert fire brigade and notify them of

location and nature of spill.

Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to **CLEAN UP PROCEDURES** 

suitable, labelled containers and dispose of promptly as hazardous waste. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in

approved containers.

CONTAINMENT Stop leak if safe to do so. Contain spill immediately.

**DECONTAMINATION** Wash area down with water and collect washings for disposal.

**ENVIRONMENTAL PRECAUTIONARY MEASURES** 

Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred

advise the Environmental Protection Authority and/or your local Waste Authority.

**EVACUATION CRITERIA** Evacuate all non-essential personnel.

**PERSONAL PRECAUTIONARY MEASURES** 

Personnel involved in the clean-up should wear full protective clothing as listed in section 8.

#### 7. HANDLING AND STORAGE

**HANDLING** Use in a well-ventilated area. Ensure an eye bath is available and ready for use. Avoid contact with

> eyes, skin and clothing. Do not inhale product vapours. Do not smoke, eat or drink when handling product. Always remove contaminated clothing and wash hands before eating, drinking, smoking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-

**STORAGE** Store upright in the original container in a cool, dry, well-ventilated protected area out of direct

> sunlight and away from foodstuffs. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Do not combine part containers of the same product. A water supply or source must be provided in the place of storage. Emergency eye-washes must be

available.

**CONTAINER** Store in original packaging as approved by manufacturer.

#### 8. **EXPOSURE CONTROLS / PERSONAL PROTECTION**

**GENERAL** Ammonium Hydroxide [CAS 1336-21-6].

2-Butoxy Ethanol [CAS 111-76-2]

Ammonium Hydroxide – TWA 25ppm from NZ Workplace Exposure Standards. **EXPOSURE LIMITS** 

2-Butoxy Ethanol – TWA-Ceil 25ppm from NZ Workplace Exposure Standards.

**BIOLOGICAL LIMITS** No information available on biological limit values for this product.

**ENGINEERING MEASURES** General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be

required in special circumstances.

PERSONAL PROTECTIVE

**EQUIPMENT** 

RESPIRATOR If determined an inhalation risk is present. Use a P2 grade valved disposable

mask which I suitable for vapour protection and conforms to the requirements of

AS1715/1716).

**EYES** Use splash proof safety goggles, and/or if necessary an appropriate full face

shield that conform to AS1336/1337.

HANDS Any Gloves approved for chemical hazards that conform to AS2161.

CLOTHING Trousers, Long sleeved shirt and closed shoes.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE Liquid

APPEARANCE Free flowing

COLOUR Blue

ODOUR Ether like pH 10.5 – 11.5

DENSITY

No Data Available.

VAPOUR PRESSURE

No Data Available.

VAPOUR DENSITY

No Data Available.

BOILING POINT

No Data Available.

FREEZING POINT

No Data Available.

SOLUBILITY

Complete in water.

### 10. STABILITY AND REACTIVITY

GENERAL INFORMATION Stable under normal conditions of use.

CHEMICAL STABILITY Unstable in the presence of incompatible materials may liberate poisonous fumes. The substance is

stable under normal environmental and foreseeable conditions during storage and handling.

ventilated area. Avoid high temperatures.

MATERIALS TO AVOID Oxidising agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Issue Date: 8th October 2019

Excess heat may produce Carbon and Nitrogen Oxides.

### 11. TOXICOLOGICAL INFORMATION

ORAL Ammonium Hydroxide LD<sub>50</sub> – >350mg/kg (Rat ). CCID

2-Butoxy Ethanol LD<sub>50</sub> – 1414mg/kg (Guinea Pig) OECD Guideline 401

Harmful if swallowed. Symptoms may include: Stomach complaints, burning feeling, nausea,

vomiting

DERMAL 2-Butoxy Ethanol LD<sub>50</sub> - >2000mg/kg (Guinea Pig).OECD Guideline 402

Harmful in contact with skin. Product is absorbed through the skin. Symptoms include: Redness.

INHALATION Ammonium Hydroxide LC<sub>50</sub> – 4.6mg/L (Mouse) RTECS

2-Butoxy Ethanol – LC<sub>50</sub> – 3.1mg/L (Guinea Pig) OECD Guideline 403

High concentrations – Inhalation can cause pneumonia and/or pulmonary oedema, but only after signs of corrosive effects on the mucous membranes of the eyes and/or the upper respiratory tract. Symptoms include: Irritation, Sore throat, Cough, Dizziness, Drowsiness, Difficulty in breathing,

Sleepiness, Unconsciousness.

EYE This material can cause serious irritation to ocular tissue.

CARCINOGENICITY No information available.

MUTAGENICITY No information available.

REPRODUCTIVE No information available.

TARGET ORGAN No information available.

LONG TERM No information available.

#### 12. ECOLOGICAL INFORMATION

ECOTOXICITY 2-Butoxy Ethanol: LC50 (Fish, 96 h): 1474 mg/L (Oncorhynchus mykiss) (OECD Guideline 203)

2-Butoxy Ethanol: EC<sub>50</sub> (Algae, 72 h): 911 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline

201)

2-Butoxy Ethanol: EC<sub>50</sub> (Daphnia magna, 48 h): 1550 mg/L (OECD Guideline 202)

2-Butoxy Ethanol: NOEC (Algae, 72 h): >280 mg/L (Pseudokirchneriella subcapitata) (OECD Guideline

201)

2-Butoxy Ethanol: NOEC (Daphnia magna, 21 d): >100 mg/L (OECD Guideline 211)

Avoid contaminating waterways.

PERSISTENCE / DEGRADABILITY

Readily Biodegradable.

MOBILITY High mobility in soil and waterways.

ENVIRONMENTAL FATE Do not allow drainage into sewer, streams or storm water systems.

BIOACCUMULATION

POTENTIAL

Low potential for Bioaccumulation.

ENVIRONMENTAL IMPACT No information available.

#### 13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION Dispose of in accordance with all local, regional and national regulations. All empty packaging should

be disposed of in accordance with local, regional, and national regulations or recycled/reconditioned

at an approved facility.

SPECIAL PRECAUTIONS

FOR LANDFILL

Containers should be rinsed then disposed of in compliance with any requirements of the Resource

Management Act for which approval should be sought from the Regional Authority.

#### 14. TRANSPORT INFORMATION

### LAND TRANSPORT NEW ZEALAND (NZS5433)

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS.

UN NUMBER
CLASS
No Data Available
SUBSIDIARY RISK
PACKAGING GROUP
No Data Available
HAZCHEM
No Data Available
EPG
No Data Available
SPECIAL PROVISIONS
No Data Available

Issue Date: 8<sup>th</sup> October 2019 Printed: 17 October 2019

#### **SEA TRANSPORT (IMDG)**

PROPER SHIPPING NAME NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

No Data Available **UN NUMBER CLASS** No Data Available SUBSIDIARY RISK No Data Available PACKAGING GROUP No Data Available HAZCHEM No Data Available **EMS** No Data Available MARINE POLLUTANT Not Listed

**SPECIAL PROVISIONS** No Data Available

#### **AIR TRANSPORT (IATA)**

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS PROPER SHIPPING NAME

**UN NUMBER** No Data Available No Data Available CLASS SUBSIDIARY RISK No Data Available No Data Available PACKAGING GROUP **HAZCHEM** No Data Available **FPG** No Data Available **SPECIAL PROVISIONS** No Data Available

#### **REGULATORY INFORMATION** 15.

### **ENVIRONMENTAL PROTECTION AUTHORITY (NEW ZEALAND)**

Hazardous Substances & New Organisms Act 1996

APPROVAL CODE HSR002530

**HSNO CLASSIFICATIONS** 6.1D, 6.3A, 6.4A, 9.1D

APPROVED HANDLER Not Required NZIOC Listed

#### 16. OTHER INFORMATION

**REVISION NUMBER** 2 - Revised Issue **RE-ISSUE DATE** 8<sup>th</sup> October 2019

In any event the review and if necessary re-issue of an SDS shall be no longer than 5 years after the last date of issue

KEY/LEGEND AS1336/1337 Industrial Eye Protection – Metric Units (Standards Australia).

> AS1715/1716 Respiratory Protection Devices – Metric Units (Standards Australia).

AS2161 Industrial Safety Gloves and Mittens (Standards Australia).

CAS Chemical Abstracts Service.

CCID Chemical Classification and Information Database.

Concentration which induces a response halfway between the baseline and EC<sub>50</sub>

maximum.

**EMS** IMDG Emergency Schedule. EPG Emergency Procedures Guide. GHS Globally Harmonised System.

**HSNO** Hazardous Substances and New Organisms. International Maritime Dangerous Goods. **IMDG** 

Concentration required to kill half the members of a tested population after a LC50

specified duration.

Dosage required to kill half the members of a tested population after a specified LD<sub>50</sub>

NOEC No Observed Effect Concentration

Issue Date: 8th October 2019 Printed: 17 October 2019

NZIOC New Zealand Inventory of Chemicals

SDS Safety Data Sheet UN No. UN Nations Number

WES-Ceiling Concentration that should not be exceeded at any time during any part of the

working day

REFERENCES ACGIH - American Conference of Governmental Industrial Hygienists

Workplace Exposure Standards-and Biological Exposure Indices – WorkSafe New Zealand

TOXNET - ChemIDPlus Database

IMDG Appendix B List of Marine Pollutants IMDG Emergency Fire and Spill Codes

RTECS – Registry of Toxic Effects of Chemical Substances (maintained by US-CDC)

UN Recommendations on the Transport of Dangerous Goods Volume 1 (17th Edition) Part 3

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the work place. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact the company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.