

SC250

# Efficient cleaning where space is limited

- scrubbing, sweeping and drying in every corner







The adjustable handle which can be fixed when cleaning larger areas and unlocked when you are cleaning under furniture and shelves



Easy pick-up of larger debris as front squeegee can be lifted



Easy access to emptying and cleaning the debris tray



Tank-in-tank design for easy handling when emptying and refilling

# Into every corner and easy to move

The Nilfisk SC250 is a compact scrubber dryer for fast and effective cleaning of hard floors, which will take you into every corner and ensure efficient cleaning in both directions - also under furniture and shelves.

You will get a light and productive machine with a low sound level suited for daytime cleaning as it is battery-driven. An attractive choice for shops, schools, restaurants, cafes, bakeries, fast food chains, hotels, cleaning companies, etc.

Productivity is high due to the sheer speed of the machine as it is sweeping, scrubbing and drying at the same time, moving both forward and backward. Debris, dirt and even the smallest dust particles are removed effectively by the 34 cm cylindrical brush. For more in-depth cleaning without sweeping feature a microfiber roller can be used as option.

When cleaning, you can lift the front squeegee from the user position for easy pick-up of larger debris without having to stop. With two different solution flows you can adjust so it fits the cleaning task. Two simple ways to save time and cost without compromising on the result.

- **Effective:** Sweeping, scrubbing and drying at the same time.
- **High cleaning performance:** 34 cm cylindrical brush or microfiber roll
- **Productive:** The 6 liter solution and recovery tank gives up to 40 minutes of working time without refill
- **Powerful:** Nilfisk 36V Lithium battery technology
- **Easy to use:** The ergonomic handle can be adjusted into different positions, used free floating or folded for storage
- **Intuitive and self-explaining:** Informative display on the handle.
- **Full control:** OneTouch button is activating all essential functions and touch sensors in the handle provide an easy operation
- **Non-stop cleaning:** The two water/solution settings can be changed on-the-fly
- **Safe:** Out of water alarm protecting the machine
- **Convenient:** Easy to carry and move due to its compact design and low weight
- **Low TCO:** Long lifetime with 'No tool' inspection, service and maintenance



Easy to maneuver thanks to its pivoting wheels and the ergonomic adjustable handle



In-depth performance to fully meet the hygiene standards of clinics and hospitals



Cleaning floors with ease and speed - sweep, scrub and dry at the same time



# Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: Three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

## Service Solutions Standard – Professional maintenance


Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

## Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

## Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.



The SC250 is powered by Lithium battery technology which is significantly lighter and offers a longer runtime than traditional lead batteries. You will enjoy a runtime of up to 40 minutes of continuous cleaning - optimized by the Battery Management System. Nilfisk technology monitors the battery during work and charging for maximum efficiency and safety.

## Technical specifications

Description	Unit	SC250
Reference number		9087380020
Voltage	V	36
Rated power	W	300
Sound pressure level	dB(A)	66 ±3
Productivity rate theoretical/ actual	m <sup>2</sup> /h	1360/680
Scrubbing width	mm	340
Solution/recovery tank	litre	6/6
Brush pressure	kg	max. 12
Brush speed	rpm	1000
Maximum running time	min	40
Length x width x height	mm	630x425x400
Weight (machine only)	kg	25
Operating weight	kg	32
<b>FEATURES:</b>		
Cylindrical brush nylon white		•
Debris tray		•
Charger		•
Battery		•

