

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

Section 1: Identification

Product name : TERGO BLACKGUARD (6 X 0,5 L)

Product code : 000000000050628907

Manufacturer or supplier's details

BASF Coatings and Chemetall New
Zealand Limited
Level 1, 527A Rosebank Road, Avondale
Auckland 1026
New Zealand
Telephone: 008 837 464, +64 9 820 3888
Telefax number: +64 9 820 3979
E-mail address: nzadmin@basf.com

Emergency contact

Telephone: +64 9 255-4300
E-mail address: ProductSafety_EC_APAC@basf.com, nzadmin@basf.com

Emergency telephone : National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour
advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If
calling from outside New Zealand)

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Recommended use of the chemical and restrictions on use

Recommended use : Rust remover

Restrictions on use : Uses other than recommended

Section 2: Hazard identification**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Section 3: Composition/information on ingredients

Substance / Mixture	: Mixture
Chemical nature	: organic compounds organic solvent Water polymers

Components

Chemical name	Common Name/Synonyms	CAS-No.	Concentration (% w/w)

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

tannins	Tannins	1401-55-4	$\geq 2.5 - < 10$
2-butoxyethanol	2-butoxyethanol	111-76-2	$\geq 1 - < 10$

Section 4: First-aid measures

- General advice : First aid personnel should pay attention to their own safety.
If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).
Immediately remove contaminated clothing.
In all cases of doubt, or when symptoms persist, seek medical attention.
Move out of dangerous area.
Never give anything by mouth to an unconscious person.
- If inhaled : If symptoms persist, call a physician.
If breathed in, move person into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : If symptoms persist, call a physician.
Wash off immediately with soap and plenty of water

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

while removing all contaminated clothes and shoes.

Do NOT use solvents or thinners.

In case of eye contact : If symptoms persist, call a physician.

In case of eye contact, remove contact lens and
rinse immediately with plenty of water, also under
the eyelids, for at least 15 minutes.

If swallowed : If symptoms persist, call a physician.

Do NOT induce vomiting.

Rinse mouth.

Most important : Information, i.e. additional information on symptoms
symptoms and effects, and effects may be included in the GHS labeling
both acute and delayed phrases available in Section 2 and in the
Toxicological assessments available in Section 11.

Notes to physician : No known specific antidote.
Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray jet

Dry powder

Alcohol-resistant foam

Carbon dioxide (CO₂)

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Unsuitable extinguishing : High volume water jet
media

Specific hazards during : Fire will produce dense black smoke containing
fire fighting hazardous combustion products (see section 10).

Advice for firefighters

Specific extinguishing : In the event of fire, cool tanks with water spray.
methods
Fire residues and contaminated fire extinguishing
water must be disposed of in accordance with local
regulations.
Collect contaminated fire extinguishing water
separately. This must not be discharged into drains.

Special protective : Appropriate breathing apparatus may be required.
equipment for fire-
fighters

Section 6: Accidental release measures

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.

Keep away from sources of ignition.

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

For non-emergency personnel:

For emergency responders:

Use personal protective equipment.

Ensure adequate ventilation, especially in confined areas.

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.

Avoid subsoil penetration.

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning : Ensure adequate ventilation.

Contain spillage, soak up with non-combustible

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

up
absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Section 7: Handling and storage

Advice on protection : Avoid all sources of ignition: heat, sparks, open flame.
against fire and explosion The relevant fire protection measures should be noted.

Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

**TERGO BLACKGUARD (6 X
0,5 L)**Version
2.0Revision Date:
14.04.2025SDS Number:
0000000000506
28907

Date of last issue: 06.03.2025

Date of first issue: 06.03.2025

-
- Do not breathe vapors or spray mist.
- Hygiene measures : Remove contaminated clothing immediately and dispose of safely.
- Wash hands before breaks and at the end of workday.
- Keep away from food, drink and animal feedingstuffs.
- Further information on storage conditions : Avoid direct sunlight.
- Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.
- Always keep in containers of same material as the original one.
- Observe label precautions.
- Keep in a dry, cool and well-ventilated place.
- Materials to avoid : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

**TERGO BLACKGUARD (6 X
0,5 L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025
Date of first issue: 06.03.2025

Packaging material : Suitable material: High density polyethylene (HDPE),
Low density polyethylene (LDPE),
Polyethyleneterephthalate (PET), Polypropylene, Carbon
steel (Iron), tinned carbon steel (Tinplate)

Section 8: Exposure controls/personal protection**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	WES-TWA	25 ppm 121 mg/m ³	NZ OEL
	Further information: Skin absorption			
		TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameter s	Biological specimen	Samplin g time	Permissibl e concentrat ion	Basis
2-butoxyethanol	111-76-2	Butoxyacet ic acid	Urine	End of shift (As soon as	200 mg/g creatinine	ACGIH BEI

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

		(BAA)		possible after exposur e ceases)		
--	--	-------	--	--	--	--

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Filter type : Organic vapor Type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Preventive skin protection

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : Chemical resistant protective clothing according to DIN
EN 13034 (Type 6)

Protective measures : Do not breathe vapour/spray.

Eye wash fountains and safety showers must be easily
accessible.If these are not sufficient to maintain concentrations at
the workplace below the occupational exposure limits,
appropriate certified respirators must be worn.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and
safety practice.**Section 9: Physical and chemical properties**

Appearance : liquid

Color : white

Odor : No data available

Odor Threshold : not determined

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

pH : substance/mixture is non-soluble (in water)

Melting point/ range : not determined

Boiling point/boiling range : > 95 °C

Flash point : > 99 °C

Evaporation rate : not determined

Flammability : Does not sustain combustion.

Upper explosion limit / Upper
flammability limit : not determined

Lower explosion limit / Lower
flammability limit : not determined

Vapor pressure : not determined (20 °C)
not determined (50 °C)

Relative vapor density : Heavier than air.

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

Lighter than air.

Density : 1.240 g/cm³ (20 °C)

Solubility(ies)
Water solubility : not determined

Autoignition temperature : not determined

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Viscosity
Viscosity, kinematic : 6 mm²/s (23 °C)
not determined (40 °C)

Flow time : < 30 s (23 °C)
Cross section: 3 mm
Method: ISO 2431

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Metal corrosion rate : Not corrosive to metals.

Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No hazardous reactions when stored and handled according to instructions.

Conditions to avoid : Avoid direct sunlight.
Heat, flames and sparks.

Incompatible materials : Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Hazardous decomposition products : No decomposition if stored and applied as directed.

Section 11: Toxicological information**Acute toxicity**

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

Method: Calculation method

Components:**2-butoxyethanol:**

Acute oral toxicity : LD50 (guinea pig): 1,200 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Chronic toxicity**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Section 12: Ecological information**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential**Components:****2-butoxyethanol:**

Partition coefficient: n-	:	log Pow: 0.81 (25 °C)
octanol/water		GLP: no

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not discharge into drains/surface waters/groundwater. Observe national and local legal requirements.
---------------------	---	--

Contaminated packaging	:	Containers which are not properly emptied must be disposed
------------------------	---	--

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

pursuant to Directive 2008/98/EC

Packaging that is not properly emptied must be disposed of as the unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

Packing instruction (cargo aircraft) : Not applicable

Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

EmS Code : Not applicable

Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NZS 5433**

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Packing group : Not applicable

Labels : Not applicable

Hazchem Code : Not applicable

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

Not applicable

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

Revision Date : 14.04.2025

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 28907	06.03.2025
			Date of first issue: 06.03.2025

Further information

Other information : For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial

**TERGO BLACKGUARD (6 X
0,5 L)**

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506 28907	Date of first issue: 06.03.2025

Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN