

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Section 1: Identification

Product name : TERGOSTRIP B/O (20 L)

Product code : 000000000050629342

Manufacturer or supplier's details

BASF Coatings and Chemetall New
Zealand Limited
Level 1, 527A Rosebank Road, Avondale
Auckland 1026
New Zealand
Telephone: 008 837 464, +64 9 820 3888
Telefax number: +64 9 820 3979
E-mail address: nzadmin@basf.com

Emergency contact

Telephone: +64 9 255-4300
E-mail address: ProductSafety_EC_APAC@basf.com, nzadmin@basf.com

Emergency telephone : National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour
advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (if
calling from outside New Zealand)

Recommended use of the chemical and restrictions on use

Recommended use : Paint stripper
Restrictions on use : Uses other than recommended

Section 2: Hazard identification**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Serious eye damage/eye irritation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Kidney, Liver, Blood, Central nervous system, lung)

Hazardous to the aquatic environment - chronic hazard : Category 3

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs (Kidney, Liver, Blood,

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Central nervous system, lung) through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Section 3: Composition/information on ingredients

Chemical nature : organic solvent
organic compounds

Components

Chemical name	Common Name/Synonyms	CAS-No.	Classification	Concentration (% w/w)
dichloromethane	dichloromethane	75-09-2	Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Carcinogenicity, Category 2 Specific target organ toxicity - single exposure (Respiratory system, Central nervous system), Category 3 Specific target organ toxicity - repeated exposure (Inhalation) (Kidney, Liver, Blood, Central nervous system, lung), Category 2	>= 70 -< 90
formic acid	formic acid	64-18-6	Flammable liquids, Category 3	>= 5 -< 10

TERGOSTRIP B/O (20 L)Version
3.0Revision Date:
17.06.2025SDS Number:
0000000000506293
42

Date of last issue: 14.04.2025

Date of first issue: 07.03.2025

			Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 3 Skin corrosion/irritation, Category 1A Serious eye damage/eye irritation, Category 1	
phenol	phenol	108-95-2	Acute toxicity (Oral), Category 3 Acute toxicity (Inhalation), Category 3 Acute toxicity (Dermal), Category 3 Skin corrosion/irritation, Category 1B Serious eye damage/eye irritation, Category 1 Germ cell mutagenicity, Category 2 Specific target organ toxicity - repeated exposure, Category 2	>= 3 -< 5
Benzenesulfonic acid, C10-16-alkyl derivs.	Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	Acute toxicity (Oral), Category 4 Skin corrosion/irritation, Category 1C	>= 0.25 -< 1

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

			Serious eye damage/eye irritation, Category 1 Hazardous to the aquatic environment - acute hazard, Category 1 Hazardous to the aquatic environment - chronic hazard, Category 1	
Benzene, C10-16-alkyl derivs.	Benzene, C10-16-alkyl derivs.	68648-87-3	Hazardous to the aquatic environment - acute hazard, Category 1 Hazardous to the aquatic environment - chronic hazard, Category 1	≥ 0.025 0.0025 -

Section 4: First-aid measures

General advice

: Keep patient warm and at rest.

Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

First aid personnel should pay attention to their own safety. Move out of dangerous area.

Never give anything by mouth to an unconscious person.

Immediately remove contaminated clothing.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

-
- | | |
|---|---|
| If inhaled | : If breathed in, move person into fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician or poison control center immediately. |
| In case of skin contact | : If skin irritation persists, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Polyethylene glycol 400. |
| In case of eye contact | : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Call a physician immediately.

If easy to do, remove contact lens, if worn. |
| If swallowed | : Rinse mouth with water.

Do not induce vomiting due to aspiration hazard.

Keep at rest.

If swallowed, call a poison control center or doctor immediately. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed.

Causes serious eye damage.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Suspected of causing genetic defects.

Suspected of causing cancer. |

TERGOSTRIP B/O (20 L)Version
3.0Revision Date:
17.06.2025SDS Number:
0000000000506293
42

Date of last issue: 14.04.2025

Date of first issue: 07.03.2025

May cause damage to organs through prolonged or repeated exposure.

Causes severe burns.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.

Notes to physician : Treat symptomatically.
No known specific antidote.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray jet

Dry powder

Alcohol-resistant foam

Carbon dioxide (CO₂)

TERGOSTRIP B/O (20 L)Version
3.0Revision Date:
17.06.2025SDS Number:
0000000000506293
42

Date of last issue: 14.04.2025

Date of first issue: 07.03.2025

Unsuitable extinguishing
media : High volume water jet

Specific hazards during fire
fighting : Fire will produce dense black smoke containing hazardous
combustion products (see section 10).

Hazardous combustion
products : Chlorine compounds
Carbon oxides

Chlorine compounds

Advice for firefighters

Specific extinguishing
methods : Cool containers/tanks with water spray.
Fire residues and contaminated fire extinguishing water must
be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This
must not be discharged into drains.

Special protective equipment
for fire-fighters : Appropriate breathing apparatus may be required.

Hazchem Code : 2X

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.
- For non-emergency personnel:
- Use personal protective equipment.
- Ensure adequate ventilation, especially in confined areas.
- Keep away from sources of ignition.
- For emergency responders:
- Advice on product handling can be found in sections 7 and 8 of this safety data sheet.
- Environmental precautions : Do not allow uncontrolled discharge of product into the environment.
- If the product contaminates rivers and lakes or drains inform respective authorities.
- Avoid subsoil penetration.
- Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
- Ensure adequate ventilation.

Section 7: Handling and storage

- Advice on protection against : Avoid all sources of ignition: heat, sparks, open flame.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

fire and explosion

Product may charge electrostatically: always use earthing leads when transferring from one container to another and earth containers. It is recommended that operators should wear antistatic clothing and footwear.

The relevant fire protection measures should be noted.

Use explosion-proof equipment.

Vapors are heavier than air and may spread along floors.

Vapors may form explosive mixtures with air.

Advice on safe handling

: Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Do not breathe vapors or spray mist.

Hygiene measures

: Remove contaminated clothing immediately and dispose of safely.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Further information on

: Keep away from heat.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	17.06.2025	0000000000506293 42	14.04.2025
			Date of first issue: 07.03.2025

storage conditions

Avoid direct sunlight.

Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.

Always keep in containers of same material as the original one.

Observe label precautions.

Store protected against freezing.

Keep in a dry, cool and well-ventilated place.

Materials to avoid

: Segregate from alkalies and alkalizing substances.

Bases

Recommended storage temperature

: 0 - 40 °C

Packaging material

: Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene, Carbon steel (Iron), tinned carbon steel (Tinplate)

Section 8: Exposure controls/personal protection**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dichloromethane	75-09-2	WES-TWA	50 ppm	NZ OEL

TERGOSTRIP B/O (20 L)Version
3.0Revision Date:
17.06.2025SDS Number:
0000000000506293
42

Date of last issue: 14.04.2025

Date of first issue: 07.03.2025

			174 mg/m ³	
	Further information: Suspected human carcinogen			
		TWA	50 ppm	ACGIH
formic acid	64-18-6	WES-STEL	10 ppm 19 mg/m ³	NZ OEL
		WES-TWA	5 ppm 9.4 mg/m ³	NZ OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
phenol	108-95-2	WES-TWA	1 ppm 3.8 mg/m ³	NZ OEL
	Further information: Skin absorption			
		WES-STEL	2 ppm 7.7 mg/m ³	NZ OEL
	Further information: Skin absorption			
		TWA	5 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
dichloromethane	75-09-2	Dichloromethane	Urine	End of shift (As soon as possible after	0.3 mg/l	ACGIH BEI

TERGOSTRIP B/O (20 L)

Version 3.0 Revision Date: 17.06.2025 SDS Number: 0000000000506293 Date of last issue: 14.04.2025
 42 Date of first issue: 07.03.2025

				exposure ceases)		
phenol	108-95-2	Total phenol	Urine	End of shift	100 mg/l	NZ BEI
		Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g creatinine	ACGIH BEI

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapor Type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. chloroprene rubber (CR) - 0.5 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Preventive skin protection

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	17.06.2025	0000000000506293 42	14.04.2025
			Date of first issue: 07.03.2025

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

Protective measures : Do not breathe vapour/spray.

Eye wash fountains and safety showers must be easily accessible.

If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.

Section 9: Physical and chemical properties

Appearance : liquid

Color : opaque

Odor : ether-like

Odor Threshold : not determined

pH : < 2

Melting point/ range : not determined

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Boiling point/boiling range : > 48 °C

Flash point : > 99 °C

Evaporation rate : not determined

Flammability : Does not sustain combustion.

Upper explosion limit / Upper
flammability limit : not determined

Lower explosion limit / Lower
flammability limit : not determined

Vapor pressure : not determined (20 °C)
not determined (50 °C)

Relative vapor density : Heavier than air.

Relative density : No data available

Density : 1.200 g/cm³ (20 °C)

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Solubility(ies)	
Water solubility	: not determined
Autoignition temperature	: not determined
Decomposition temperature	: No decomposition if stored and handled as prescribed/indicated.
Viscosity	
Viscosity, kinematic	: 684.3 mm ² /s (23 °C)
	not determined (40 °C)
Flow time	: > 99 s (23 °C)
	Cross section: 6 mm
	Method: ISO 2431
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Self-heating substances	: The substance or mixture is not classified as self heating.
Metal corrosion rate	: Not corrosive to metals.
Particle characteristics	
Particle size	: The substance / product is marketed or used in a non solid or granular form.

Section 10: Stability and reactivity

Reactivity	: No dangerous reaction known under conditions of normal use.
------------	---

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapours may form ignitable mixture with air.
Conditions to avoid	:	Heat. When exposed to naked flames or hot surfaces (above 120 °C) the product will decompose, forming highly irritating substances. Heat, flames and sparks. Protect from frost. Avoid direct sunlight.
Incompatible materials	:	Bases
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

Section 11: Toxicological information**Acute toxicity**

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,976 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
---------------------------	---	--

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**formic acid:**

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: Corrosive to the respiratory tract.

phenol:

Acute dermal toxicity : LD50 (Rat): 660 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive after 4 hours or less of exposure

Remarks : The value is calculated

Serious eye damage/eye irritation

Causes serious eye damage.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Chronic toxicity**Germ cell mutagenicity**

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

May cause damage to organs (Kidney, Liver, Blood, Central nervous system, lung) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Section 12: Ecological information**Ecotoxicity****Components:****Benzene, C10-16-alkyl derivs.:**

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

TERGOSTRIP B/O (20 L)Version
3.0Revision Date:
17.06.2025SDS Number:
0000000000506293
42

Date of last issue: 14.04.2025

Date of first issue: 07.03.2025

Persistence and degradability

No data available

Bioaccumulative potential**Components:****dichloromethane:**Partition coefficient: n-
octanol/water : log Pow: 1.25 (20 °C)
pH: 7Remarks: Information taken from reference works and the
literature.**formic acid:**Partition coefficient: n-
octanol/water : log Pow: -2.1 (23 °C)
pH: 7.0
GLP: yes

log Pow: -1.9 (23 °C)

pH: 5.0

GLP: yes

log Pow: -2.3 (23 °C)

pH: 9.0

GLP: yes

phenol:

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

Partition coefficient: n- : log Pow: 1.47 (30 °C)

octanol/water

pH: 3 - 8

Method: OECD Test Guideline 117

Remarks: Information taken from reference works and the literature.

Benzenesulfonic acid, C10-16-alkyl derivs.:

Partition coefficient: n- : Remarks: Not applicable

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not discharge into drains/surface waters/groundwater.

Observe national and local legal requirements.

Contaminated packaging : Containers which are not properly emptied must be disposed pursuant to Directive 2008/98/EC

Packaging that is not properly emptied must be disposed of as the unused product.

Section 14: Transport information**International Regulations****UNRTDG**

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

UN number	:	UN 2927
Proper shipping name	:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (FORMIC ACID, PHENOL)
Class	:	6.1
Subsidiary risk	:	8
Packing group	:	II
Labels	:	6.1 (8)
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	UN 2927
Proper shipping name	:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (FORMIC ACID, PHENOL)
Class	:	6.1
Subsidiary risk	:	8
Packing group	:	II
Labels	:	Toxic, Corrosive
Packing instruction (cargo aircraft)	:	660
Packing instruction (passenger aircraft)	:	653

IMDG-Code

UN number	:	UN 2927
Proper shipping name	:	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue:
3.0	17.06.2025	0000000000506293 42	14.04.2025
			Date of first issue: 07.03.2025

(FORMIC ACID, PHENOL)

Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : 6.1 (8)
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NZS 5433**

UN number : UN 2927
Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

(FORMIC ACID, PHENOL)

Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : 6.1 (8)
Hazchem Code : 2X
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

ERG Code : 154

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number
HSR002588

Tolerable Exposure Limits (TEL)
Not applicable

Environmental Exposure Limits (EEL)
Not applicable

HSW Controls
Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.
Approved handler certificate not required.
HSNO tracking not required.

Section 16: Other information

Revision Date : 17.06.2025

Further information

Other information : For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Date format : dd.mm.yyyy

Full text of other abbreviations

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NZ BEI	:	New Zealand. Biological Exposure Indices
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEEL	:	Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;

TERGOSTRIP B/O (20 L)

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
3.0	17.06.2025	0000000000506293 42	Date of first issue: 07.03.2025

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN