

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Dentaflux universal soldering flux

Further trade names

Article No.: 681-100-00

UFI: 4FVN-ESSG-2NSV-V0GA

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Health services.

1.3. Details of the supplier of the safety data sheet

Company name:	DENTAURUM GmbH & Co. KG	Supplier:	DENTAURUM Australia Pty
Street:	Turnstr. 31	ABN:	79 055 919 787
Place:	D-75228 Ispringen	Street address:	18 Bertram St, Mortlake NSW 2137
Telephone:	+49 7231 803 0	Telephone:	+61 2 9743 4811
E-mail:	info@dentaurum.de	Fax No:	+61 2 9743 4599
Contact person:	Chemie	Contact:	Materials Manager
Internet:	www.dentaurum.com		

1.4. Emergency telephone number: +497231803-184 7:00-16:15 (Mo-Do) 7:00-13:15 (Fr)
+497231803-0 16:15-18:00 (Mo-Do) 13:15-18:00 (Fr)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Acute Tox. 4; H302
Repr. 2; H361d


Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

Potassium fluoroborates and potassium fluorohydroxyborates, exothermic reaction products of boron and potassium hydroxides and fluorohydroxides

Signal word: Warning

Pictograms:

**Hazard statements**

H302 Harmful if swallowed.
H361d Suspected of damaging the unborn child.

Precautionary statements

P264 Wash hands thoroughly after handling.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 2 of 9

P405 Store locked up.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)			
	Potassium fluoroborates and potassium fluorohydroxyborates, exothermic reaction products of boron and potassium hydroxides and fluorohydroxides			50-80 %
701-302-1		01-2119980037-35		
	Repr. 2, Acute Tox. 4; H361d H302			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
701-302-1	Potassium fluoroborates and potassium fluorohydroxyborates, exothermic reaction products of boron and potassium hydroxides and fluorohydroxides		50-80 %
	oral: ATE = 500 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Induce vomiting when the affected person is not unconscious. Call a physician immediately.

Do not give fatty oils and milk. none:

Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 3 of 9

Unsuitable extinguishing media

none

5.2. Special hazards arising from the substance or mixture

Non-flammable. Fluorhydric acid.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothes. Avoid breathing vapours.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Health services.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommendation:

Dermatril (740) Single-use gloves. NBR (Nitrile rubber). 0,11 mm

penetration time (maximum wearing period): 480 min.

REF 162-907-00 (7/S), REF 162-908-00 (8/M), REF 162-909-00 (9/L)

Skin protection

Use of protective clothing. Use of protective clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	brown
Odour:	odourless
Melting point/freezing point:	405 °C
Boiling point or initial boiling point and boiling range:	110 °C
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value (at 20 °C):	5,5
Viscosity / kinematic:	No data available
Water solubility: (at 20 °C)	500 g/L
Solubility in other solvents	
No data available	
Partition coefficient n-octanol/water:	No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 5 of 9

Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,6 g/cm ³
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Odour threshold: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

With strong mineral acids hydrogen fluoride is produced.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

ATEmix tested

Dose	Species	Source
------	---------	--------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 6 of 9

LD50, oral	608 mg/kg	rat
LD50, dermal	>2000 mg/kg	rabbit
LC50, inhalation (dust/mist)	>2,0 mg/l	rat

ATEmix calculated

ATE (inhalation vapour) > 20 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Potassium fluoroborates and potassium fluorohydroxyborates, exothermic reaction products of boron and potassium hydroxides and fluorohydroxides				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging the unborn child.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

Irritant effect on the skin: non-irritant. Rabbit

Irritant effect on the eye: non-irritant.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 7 of 9

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - used product

060399 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of salts and their solutions and metallic oxides; wastes not otherwise specified

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards**ENVIRONMENTALLY HAZARDOUS:**

No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dentaflux universal soldering flux

Revision date: 03.07.2024

Product code: 681-100

Page 8 of 9

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive 2012/18/EU (SEVESO III):
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

- - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,7,11.

