

Specifications

Eaton 315NHG2B

Fuse-link, low voltage, 315 A, AC 500 V, NH2, gL/gG, IEC, dual indicator

General specifications

PRODUCT NAME	Eaton Bussmann series low voltage NH Fuse
CATALOG NUMBER	315NHG2B
UPC	051712626170
EAN	5027590420587
PRODUCT LENGTH/DEPTH	150 mm
PRODUCT HEIGHT	71 mm
PRODUCT WIDTH	54 mm
PRODUCT WEIGHT	659 g
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	IEC 60269-1 IEC 60269-2 DIN 43620

Electrical data

AMPERAGE RATING	315 A
VOLTAGE RATING	500 V
VOLTAGE TYPE	AC
BREAKING CAPACITY	120 kA
CLASS	Class gG/gL
FREQUENCY RATING - MIN	45 Hz
FREQUENCY RATING - MAX	62 Hz

Accessories

SUITABLE FOR	SD2-D Single pole NH Fuse base Microswitch 170H0235 Microswitch 170H0236 EBH Size 00 to 4 Horizontal fuse switch-disconnectors TD2-D Triple pole NH Fuse base
--------------	--

Product specification

FUSE SIZE	NH2
INSULATED METAL GRIPPING LUGS (IMGL)	No

Resources

CATALOGUES	NH Fuse links, bases and gear eaton-bussmann-series-low-voltage-fuses-catalog-ca134002en-en-us.pdf eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf
DECLARATIONS OF CONFORMITY	eaton-low-voltage-nh-fuse-declaration-of-conformity-uk250948en.pdf eaton-low-voltage-nh-fuse-declaration-of-conformity-eu250465en.pdf
MCAD MODEL	eaton-iec-lv-fuses-mcad-3d-models-125-450a-nh-2b.stp
MULTIMEDIA	Eaton Bussmann – NH fuse link portfolio
PRESENTATIONS	NH Overview Video
TECHNICAL DATA SHEETS	10164 NH 500 Volts gG

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

