

Safety Data Sheet

in accordance with HSNO

Date of issue: 04.08.2026

Revised On: 04.08.2026

1 Identification of the substance or mixture and of the supplier

Other means of identification

Trade name: SPRAY GUN CLEANER

Article number: 0000201685

Product category: PC9a Paints and coatings.

Process category: PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

Application of the substance / the mixture: Painting and coating.

Uses advised against: Any that differs from the recommended use.

Manufacturer/Supplier: Seymour of Sycamore
917 Crosby Avenue
Sycamore, IL 60178
phone: 815-895-9101 www.seymourpaint.com
815-895-9101 if located outside the United States
National Poisons Centre 0800 764 766

Emergency telephone number:

2 Hazards identification

Classification of the substance or mixture

Aerosols Category 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

Eye irritation Category 2 H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure Category 3 H336 May cause drowsiness or dizziness.

Additional information:

Hazard pictograms



GHS02 GHS07

Signal word

Danger

Hazard-determining components of labelling:

Hazard statements

Precautionary statements

Acetone
DPNB Glycol Ether
Extremely flammable aerosol. Pressurized container: may burst if heated.
Causes serious eye irritation.
May cause drowsiness or dizziness.
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear eye protection / face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTER/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

Chemical characterisation: Mixtures Classification according to HSNO Act 1996---2.1.2A Flammable Aerosols

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-64-1 EINECS: 200-662-2	Acetone Flammable liquids Category 2, H225; Eye irritation Category 2, H319; Specific target organ toxicity - single exposure Category 3, H336 Specific concentration limit: Specific target organ toxicity - single exposure Category 3; H336: C ≥ 10 %	50-100%
CAS: 74-98-6 EINECS: 200-827-9	propane Flammable gases Category 1A, H220	5-10%
CAS: 29911-28-2	DPNB Glycol Ether Acute oral toxicity Category 4, H302; Specific target organ toxicity - single exposure Category 3, H336	1-5%
CAS: 106-97-8	n-butane Flammable gases Category 1A, H220	1-5%

4 First aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 2)

Safety Data Sheet

in accordance with HSNO

Date of issue: 04.08.2026

Revised On: 04.08.2026

Trade name: SPRAY GUN CLEANER

(Contd. of page 1)

After swallowing:
Information for doctor:
Most important symptoms and effects, both acute and delayed
Indication of any immediate medical attention and special treatment needed

Do not induce vomiting; call for medical help immediately.

Dizziness

No further relevant information available.

5 Fire fighting measures

Extinguishing agents:
Special hazards arising from the substance or mixture
Protective equipment:
Additional information

CO2, powder or water spray. Fight larger fires with water spray.

Can form explosive gas-air mixtures.

Mount respiratory protective device.

Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Environmental precautions:
Methods and material for containment and cleaning up:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Do not allow product to reach sewage system or any water course.

Absorb liquid components with liquid-binding material.

7 Handling and storage

Precautions for safe handling
Fire/explosion protection:

Use only in well ventilated areas.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:
Information about storage in one common storage facility:
Specific end use(s)

Suitable material for receptacles and pipes: steel or stainless steel.

Not available.

No further relevant information available.

8 Exposure controls/personal protection

Ingredients with limit values that require monitoring at the workplace:

67-64-1 Acetone

WES Short-term value: 2375 mg/m³, 1000 ppm
 Long-term value: 1185 mg/m³, 500 ppm
 bio

74-98-6 propane

WES Simple asphyxiant; may present an explosion hazard

106-97-8 n-butane

WES Long-term value: 1900 mg/m³, 800 ppm

Exposure controls

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Neoprene gloves

The glove material has to be impermeable and resistant to the product.

Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Appearance: Aerosol.
Odour: Aromatic
Odour threshold: Not determined.
pH-value: Not determined.
Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: -44.5 °C (-48.1 °F)
Flash point: -19 °C (-2.2 °F)
Flammability: Extremely flammable.
Auto-ignition temperature: 470 °C (878 °F)

(Contd. on page 3)

Safety Data Sheet

in accordance with HSNO

Date of issue: 04.08.2026

Revised On: 04.08.2026

Trade name: SPRAY GUN CLEANER

(Contd. of page 2)

Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	In use, may form flammable/explosive vapour-air mixture.
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.7 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	Not determined.
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	
Particle characteristics	Not applicable.
Physical state	Aerosol

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:	Stable at environment temperature.
Possibility of hazardous reactions	No dangerous reactions known.
Conditions to avoid	No further relevant information available.
Incompatible materials:	No further relevant information available.
Hazardous decomposition products:	No dangerous decomposition products known.

11 Toxicological information

Acute toxicity---	Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

12 Ecological information

Aquatic toxicity:	No further relevant information available.
Persistence and degradability	The product is biodegradable after prolonged adaptation.
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

Uncleaned packaging:	
Recommendation:	Disposal must be made according to official regulations.
Recommended cleansing agents:	Water, if necessary together with cleansing agents.

14 Transport information

UN-Number	UN1950
NZS, IMDG, IATA	UN1950
UN proper shipping name	
NZS	1950 AEROSOLS
Transport hazard class(es)	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
Packing group	
NZS, IMDG, IATA	Void
Environmental hazards:	Not applicable.

(Contd. on page 4)

Safety Data Sheet

in accordance with HSNO

Date of issue: 04.08.2026

Revised On: 04.08.2026

Trade name: SPRAY GUN CLEANER

(Contd. of page 3)

Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F-D,S-U
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
NZS	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

New Zealand Inventory of Chemicals

67-64-1	Acetone
74-98-6	propane
29911-28-2	DPNB Glycol Ether

HSNO Approval numbers

67-64-1	Acetone	HSR001070
74-98-6	propane	HSR001010

Hazard-determining components of labelling:

Acetone
DPNB Glycol Ether

Directive 2012/18/EU

Named dangerous substances - ANNEX I

Seveso category None of the ingredients is listed.

Qualifying quantity (tonnes) for the application of lower-tier requirements P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of upper-tier requirements 150 t

Waterhazard class: 500 t

Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Department issuing SDS: Technical Services