MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

1. Product & Company Identification

Product Description:	•	DONGGUAN GOLDEN CEL BATTERY CO., LT www.celbattery.com		
Address:	YingHu industrial Zone,JiaoYiTang,TangXia Town,DongGuan			
Telephone:	+86-769-8219530	8	FAX:	+86-769-87982226

Product information:

Name: lithium-ion batteries Model: 802025

Nominal voltage:3.7V Rated capacity:280mAh Electric energy:1.036Wh

Weight:5.6g

Chemical chearcterization: Mixture

Chemical Composition	Molecular formula	CAS NO.	Weight(%)
Lithium cobalt acid	LiCoO ₂	12190-79-3	39.07%
Aluminium foil	AL	7429-90-5	5.21%
graphite	С	7782-42-5	19.54%
Copper foil	Cu	7440-50-8	9.47%
Positive Tab	AL	7429-90-5	0.59%
Negative Tab	Ni	7440-02-0 条尔/	1.18%
Separator	PE	9002-88-4	0.47%
Electrolyte	LiPF6	2132440-3	6.57%
Alvaniavan aleetie film	AL	7429-90-5	2.060/
Aluminum plastic film	PP	9003-07-0	2.96%

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

	Epoxy resin	38891-59-7		
PCM	Sn	7440-31-5	3.95%	
	Cu	7440-50-8		
wire	Cu	7440-50-8	0.95%	
	Silicone rubber		0.93%	
Solder wire	Sn	7440-31-5	0.02%	
Kapoton Tape	PolyimideFilm	497926-97-3	0.02%	
INK	INK		0.00%	

3. Hazardous Identification:

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article sa sold, Intended ues of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

GAS# 7429-90-5

Classification according to GHS

Substances and mixtures which,in contact with water,emit flammable gases (2)

Specific target organ toxicity,repeated exposure(1)(Lung)

Label elements

Hazard pictogram(s):



Signal word:

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

Harzard statement(s):

H261 In contact with water releases flammable gas

H372 Causes damage to organs through prolonged or repeated exposure(Lung)

H413 May cause long lasting harmful effects to aquatic life

Precautionary statement(s):

Precaution:

P223 Do not allow contact with water.

P231+P232 Handle and store contents under inert gas, Protect from moisture.

P280 Wear protective gloves, protective clothing, eye protection and face protection

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response:

P302+P335+P334 IF ON SKIN:Brush off loose particles from skim and immerse in cool water.

P370+P378 In case of fire:Use the appropriate media put out the fire.

P314 Get medical advice if you feel unwell.

Storage

P402+P404 Store in ady place. Store in a closed container.

Disposal:

P501 Contents handling to approved wate trestment plants.

CAS#7440-50-8

Classification according to GHS

Sensitisation,skin(1,1A,1B)

Specific target organ toxicity, single exposure(1)(digestive system)

Specific target organ toxicity, single exposure; Respiratoey teact irritation (3)



MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

Label elements

Hazard pictogram(s):



Signal word:

Hazard statement(s):

H317 May cause an allergic skin reaction

H370 Causes damage to organs(digestive system)

H335 May cause respiratory imitaion

Precautionary statement(s):

Prevention:

P260 Do not breathe dust:

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves, eye protection, face protection.

P264 Wash skin and clothing thoroughly affer handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilaed area.

Response:

P302+P352 IF ON SKIN: Wask with plenty water.

P333+P313 IF skin irritation or rash occurs:Get medical advice.

P321 Specific treatment(See additional emergency instructions).

P362+P364 Take off contaminated clothing and wash it before reuse

P308+P311 IF exposed or concerned: Cell a POISON CENTER.

P304+P340 IF INHALED:Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor, if you feel unwell.

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Contents or container handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

4. First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

IAfter skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medic attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: Not available Most important symptoms/sffects, acute and delayed: Not available

Indication of innediate medical attention and special treatment nssded: Not data available

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

5. Fire Fighting Measures

Suitable extinguishing agents

Use extinguishing agent suitable for local conditions and the surrounding environment Such as dry powder, CO_2 .

Unsuitable extinguishing medla:

Not data available.

Special hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150 $^{\circ}$ C(302 $^{\circ}$ F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Specific protective actions fire-fighters:

Protective squipment: Wear self-contained respirator. Wear fully protective impervions suit.

6. Accidental Release Measures

Protective precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

Not data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits

Methods and materials for containment and cleaning up:

All waste must refer to United Nations, the national and regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

7. Handling & Storage

Precautions for safe handling

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No further relevant information available.

8. Exposure Control/Personal Protection

Control parameters

CAS No	ACGIH	NIOSH	OSHA
12190-79-3	12190-79-3 N/A		N/A
24937-79-9	N/A	N/A	N/A
7782-42-5	TLV-TWA 2mg/m3	REL-TWA 2.5mg/m3	PEL-TWA 15mppcf PEL-TWA 20mppcf
61789-96-6	N/A	N/A	N/A
96-49-1	N/A	N/A	NA STATE
7429-90-5	TLV-TWA 1mg/m3	REL-TWA 2mg/m3 REL-TWA 5mg/m3 REL-TWA 10mg/m3	PEL-TWA 5mg/m3 PEL-TWA 1 1 1/2/m3
7440-50-8	TLV-TWA 0.2mg/m3 TLV-TWA 1mg/m3	REL-TWA 1mg/m3 REL-TWA 0.1mg/m3	REL-TWA 0.1ng/m3 REL-TWA 1mg/m3
9002-88-4	N/A	N/A	N/A
21324-40-3	N/A	N/A	N/A
9003-07-0 N/A		N/A	N/A

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

Appropriate engineering conteols:

The usual precautionary measures for handing chemicals should be followed

Keep away form foodstuffs, beverages and feed.

Remove all soild and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory System. A large number of leakage,

wear chemical protective clothing, including self-contained breating apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection cimbined with respiratory protection

Skin and Boby Protection: Working environment required, wear suitable protective clothing to minimize contact with skin.

The type of protective equipment must be accoring to the concentration and the content of certain hazardous

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Colour:

Physical State:

Odour:

Odour:

Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

Melting point/freezing point:
Initial boiling point and boiling range:
Not available.

Flash point:
Not available.

Flash point:

Evaporation rate:

Not available.

Flammability(solid,gas):

Not available.

Explosion Limits(vol% in air):

Vapour pressure.kPa at 20°C:

Not available.

Vapour pressure,kPa at 20°C:No **Vapour density:**No

Density/Relative density(water=1):

Not

solubility(ies):

Partotion coefficient:n-octanol/warter:

Auto-ignition temperature: Decomposition temperature:

Viscosity

Other information:

Voltage

Electric capacity

Not available.

3.7V 280mAh

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

10. Stability and Reactivity

Reactivity: Data not available. **Chemical stability:** Stable.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid: Fiames, sparks, and other sources of ignition, incompatible materials

Incompatibilities materials: Oxidizing agents, acid, base

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes

11. Toxicological information

Acute Toxicity

, 10 at 6 1 c 3 1		
CAS No.	LC50/LD50	
12190-79-3	Not available.	
24937-79-9	Not available.	
7782-42-5	Not available.	
61789-96-6	Not available.	
96-49-1	LD50Rat(0ral):10g/kg	
9003-07-0	Not available.	
7429-90-5	Not available.	
7440-50-8	Not available.	
9002-88-4	Not available.	
21324-40-3	Not available.	

Skin corrosion/irritation: Not available.

Serious eye damage/irrirritation: Not available. Respiratory or Skin sensitization: Not available.

Germ Cell mutagenicity: Not available.

Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Specific target organ toxicity-Single exposure: Not available

Specific target organ toxicity-Reprated exposure: Not available

Aspiration hazard: Not available.

Information on the likely of exposure: Not available.

Eye:Not available. **Skin:**Not available.

Ingestion: Not available.

Inhalation: Not available.

12. Ecological information

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

Ecological toxicity: No data available.

Persistence and degradability: No data available. **Bioaccumulative potential:** No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

14. Transport Information

According to the Packing Instruction 965~967 Section II IATA DGR 63nd Edition for transportation, or the special

provision 188 of IMDG, or the << Recommendations On The Transport Of

Dangerous Goods-Model Regulations>>IMDG Code 2020 Edition (Amdi 40-20).

More information concerning shipping, testing, marking and packaging can be obtained from Label master at http://www.labelmaster.com.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea, by railway, by road.

15. Regulatory Informatin

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ELINCS/
12190-79-3	Listed	Listed	Listed DSL	Listed
24937-79-9	Listed	Listed	Listed DSL	Listed
24937-79-9	Listed	Listed	Listed DSL	Listed
9002-88-4	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
9003-07-0	Listed	Listed	Listed DSL	Not Listed
61789-96-6	Listed	Listed	Listed DSL	Not Listed
21324-40-3	Listed	Listed	Listed DSL	Listed

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

	96-49-1	Listed	Listed	Listed DSL	Listed
--	---------	--------	--------	------------	--------

16. Additional Information

Abbreviations and acronyms

CAS: Chemical Abstracts Service; EC: European Commission;

ACGIH: American Conference of Governmental Industrial Hygienists
NIOSH: US National Institute for Occupational Safety and Health

OSHA: US Occupational Safety and Health

TLV: Threshold Limit Value
TWA: Time Weighted Average
STEL: Short Term Exposure Limit
PEL: Permissible Exposure Level
PEL: Recommended Exposure Limit

PC-STEL: Permissible concentraion-time weighted average
PC-TWA: Permissible concentraion-short time exposure limeit

LC50: Lethal concentration,50 percent kill

LD50: Lethal dose,50 percent kill

IARC: International Agency for Research on Cancer

EC50: Median effectibve concentration

BCF: Bioconcentration Factor
BOD: Biochemical oxygen demand
NOEC: No observed effect concentration
NTP: US National Toxicology Program

RTECS: Registry of Toxic Effects of Chemical Substances

IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods

TDG: Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations

TOC: Total Organic Carbon

TSCA: Toxic Substances Control Act of USA
DSL: the Domestic Substances List of Canada
NDSL: the Non-domestic Substances List of Canada

17.UN Classes:

Classified as Lithium ion batteries (UN3481), 2022IATA Dangerous Goods regulations 63nd edition Packing Instruction PI967 Section II is applied. The product is handled as Non-Dangerous Goods by meeting the following requirements. (1)

Lithium ion cells and batteries offered for transport are not subject to other additional requirements of the UN Regulations if they meet the following: (1) (3)

1. for cells, the watt-hour rating is not more than 20Wh;

2. for batteries, the watt-hour rating is not more than 100Wh.

3. each cell or battery is of the type proven to meet the requirements of each test in the UN Manual of Tests and Criteria Part III subsection 38.3.

MATERIAL SAFETY DATA SHEET (MSDS)

According European Directive 2001/58/CE

Issue Date 01/01/2022

Rev: 2022-009G

All Li Polymer batteries with the necessary testing requirements under the UN38.3 Manual of Tests and Criteria as referenced in the following transportation regulations.

- 1. UN recommendations on the Transport of Dangerous Goods Model Regulations.
- 2. U.S Department of Transportation of Dangerous Goods Model Regulations.
- 3. International Civil Aviation Organization (ICAO) Technical Instructions
- 4. International Maritime Dangerous Goods (IMDG) code

Li Polymer Battery are exempted from these regulations since they meet all UN testing requirements and contain no more than 8 grams of equivalent lithium content (see 49 CFR 173.185 of the US HMR, IATA Dangerous Goods Regulations and Special Provision 188 of the IMDG Code and UN model Regulations.

18. Other information

The information contained herein is furnished without warranty of any kind. Users should consider this data only as a supplement to other information gathered by them and must make independent determinations of the suitability and completeness of information form all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.

Reference

Chemical substances information: Japan Advanced Information center of Safety and Health International Chemical Safety Cards (ICSCs): International Occupational Safety and Health Information Centre (CIS)

2002 TLVs and BEIs: American Conference of Governmental Industrial Hygienists (ACGLE)

Dangerous Goods Regulations -The63nd edition 1 January 2021: International Air Transport Association (IATA)

IMDG Code - 2020 Edition: International Maritime Organization (IMO)

RTECS (CD-ROM)

MSDS of raw materials prepared by the manufacturers.

End