

PRECISION

3660 Tower

Smart performance that scales




3660 TOWER

Smart performance that scales

A cost-efficient, mini tower design featuring outstanding performance, scalability, improved CPU cooling and built-in AI responsiveness.









Intelligent performance

Up to 12th Gen Intel® Core™ i9-12900K 16 Core (8P+8E) Processor (125W), up to RTX A6000 or 350W GPU support (NVIDIA and AMD Cards), up to 28TB storage, RAID support, up to 128GB or up to 4400MHz ECC and non-ECC DDR5 memory

Option to upgrade CPU cooling: Standard CPU Air Cooler Advanced CPU Air Cooler Premium CPU Liquid Cooler



Immersive productivity and design

Front-accessible storage for 2.5" or 2.5" SATA HDD (with lockable door and key) Front-accessible M.2 NVMe SSD

. . .

Wi-Fi 6E, Bluetooth 5.2

. . .

Front: USB 3.2 Type-C Gen2x2 (20Gbps) with PowerShare

• • •

Support for 4K and 8K displays

(3) PCle expansion slots

(3) M.2 NVMe PCle SSD Slots

. . .

Internal power supply

• • •

Tool-less chassis



Mission critical reliability and sustainability

ISV Certifications for performance and reliability

. .

MIL-STD tested for reliability

• • •

Reliable Memory Technology Pro comes with ECC memory

. . .

EPEAT registered

. . .

Our packaging is made from 87% recycled or renewable material



3660 TOWER

Dell Optimizer for Precision Where productivity meets intelligence.

Dell Optimizer revolutionizes the way you work by fueling the world's most intelligent PCs*. It is the only Al-based optimization software that learns and responds to the way you work and designed to automatically improve application performance, battery run-time, audio settings and privacy – all in the background while you're working.

Personalized performance made for hybrid work





Power to the creators

Dell Optimizer for Precision empowers high-end users with ExpressResponse⁶ for performance optimization of storage heavy apps. If you're a Precision user, you also have an exclusive Analytics feature for workload and system insights that help create personalized performance. You can also generate reports within Analytics to get system diagnostics and productivity gains.



Intelligent privacy anywhere

Privacy and security are a major concern – help keep sensitive data private with the world's most comprehensive suite of Intelligent Privacy features¹. Onlooker detection lets you texturize or turn on Safe Screen when an intruder is detected and Look Away Detect darkens the PC screen based on user behavior.



Extended power

ExpressCharge analyzes your power usage habits to improve PC battery utilization. It extends run times and charges your system faster when you need a boost in power.



Enhanced audio

Intelligent Audio delivers audio and mic enhancements and reduces background noise so you can fully engage in meetings with confidence, wherever you collaborate. Neural noise cancellation enables advanced artificial intelligent techniques to distinguish human speech from any unwanted noise.



Faster sign-in

Get to work faster with ExpressSign-in² – the proximity sensor detects your presence to wake on approach before Windows Hello logs you in via facial recognition.



Unmatched connectivity

Optimized for the best connectivity, ExpressConnect³ provides the world's first simultaneous multi-network connection for faster data and video downloads⁴. It also enables joining the best network⁵ available and prioritizes traffic for conferencing apps, wherever you work.



Improved performance

ExpressResponse⁶ analyzes how you use your preferred apps⁷ to boost performance.



Simplified manageability

Elevate work experience with an easy-to-manage application that provides a seamless experience for both end-users and IT decision makers. Set up individual features and modules from Dell Optimizer that fit your work environment with the modular installation feature. Deployment updates and optimization of multiple PCs remotely can be done simultaneously via centralized management.



RECOMMENDED ACCESSORIES



Dell UltraSharp 34 Curved USB-C HUB Monitor - U3421WE

An immersive 34" WQHD curved monitor with wide color coverage and extensive connectivity including RJ45, USB-C® and quick-access front ports.



Dell Slim Soundbar - SB521A

World's slimmest and lightest soundbar offers exceptional audio clarity and easy magnetic attachment to your Dell monitors, ensuring a clutter-free desk.



Dell UltraSharp 27 Monitor - U2722D

Take your work to new heights with this 27-inch QHD monitor featuring a wide color coverage, always-on built-in ComfortView Plus, and fast connectivity.



3Dconnexion SpaceMouse Wireless - 3DX-700066

3Dconnexion's patented 6-Degrees-of-Freedom (6DoF) sensor is specifically designed to manipulate digital content or camera positions in industry-leading CAD applications.



Dell UltraSharp Webcam - WB7022

Elevate your video conferencing experience with this high quality 4K webcam that optimizes your visuals with a large 4K Sony STARVIS™ CMOS sensor and Al Auto-Framing.



Dell Pro Wireless Headset - WL5022

Work from anywhere with this Bluetooth Teams certified headset that lets you switch seamlessly to your PC or smartphone and enjoy crystal clear audio on the go.

3660 TOWER

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER Precision 3660 Tower

PROCESSOR OPTIONS¹⁵

12th Generation Intel® Core™ i9-12900K, 30MB cache, 16 cores (8P+8E), 3.2GHz to 5.2GHz, 125W

12th Generation Intel® Core™ i9-12900, 30MB cache, 16 cores (8P+8E), 2.4GHz to 5.1GHz, 65W

12th Generation Intel® Core™ i7-12700K, 25MB cache, 12 cores (8P+4E), 3.6GHz to 5.0GHz, 125W

12th Generation Intel® Core™ i7-12700, 25MB cache, 12 cores

(8P+4E), 2.1GHz to 4.9GHz, 65W 12th Generation Intel® Core™ i5-12600K, 20MB cache, 10 cores

(6P+4E), 3.7GHz to 4.9GHz, 125W

12th Generation Intel® Core™ i5-12600, 18MB cache, 6 cores (6P+0E), 3.3GHz to 4.8GHz, 65W

12th Generation Intel® Core™ i5-12500, 18MB cache, 6 cores (6P+0E), 3.0GHz to 4.6GHz, 65W

12th Generation Intel® Core™ i3-12100, 12MB cache, 4 cores (4P+0E), 3.3GHz to 4.3GHz, 60W"²⁷

Note: All processors come with Intel® Integrated Graphics

Processor Cooling options^{29,30}

Standard CPU Air Cooler (for up to 65W CPUs)
 Advanced CPU Air Cooler (for all CPUs)

3. Premium CPU Liquid Cooler (for all CPUs)

OPERATING SYSTEM¹⁵

Windows 11 Home, 64-bit

Windows 11 Pro, 64-bit Windows 10 Home, 64-bit Windows 10 Pro, 64-bit

Windows 10 IoT Enterprise 2022 LTSC (PRTS) Windows 10 CMIT Government Edition, 64-bit (China only)

Ubuntu® Linux® 20.04 LTS, 64-bit Kylin V 10 SP1 (PRTS) Red Hat® Enterprise Linux® 8.6 (PRTS)

MEMORY OPTIONS15,16,17

4 DIMM Slots: Up to 128GB or up to 4400MHz ECC and Non-

ECC DDR5

Maximum speed: 4400MHz Maximum capacity: 128GB

Maximum memory speed varies by the following configuration on each channel. If the 2 DIMM configuration is not symmetrical

the maximum speed may drop.

4400MHz: 1 DIMM-1R/2R 4000MHz: 2 DIMM-1R 3600MHz: 2 DIMM-2R

8GB, 1 x 8GB, DDR5, 4400MHz, Non-ECC 16GB, 2 x 8GB, DDR5, 4400MHz, Non-ECC, dual-channel 32GB, 2 x 16GB, DDR5, 4400MHz, Non-ECC, dual-channel 64GB, 2 x 32GB, DDR5, 4400MHz, Non-ECC, dual-channel 32GB, 4 x 8GB, DDR5, 4000MHz, Non-ECC, dual-channel 64GB, 4 x 16GB, DDR5, 4000MHz, Non-ECC, dual-channel 128GB, 4 x 32GB, DDR5, 3600MHz, Non-ECC, dual-channel

16GB, 1 x 16GB, DDR5, 4400MHz, ECC

32GB, 2 x 16GB, DDR5, 4400MHz, ECC, dual-channel 64GB, 2 x 32GB, DDR5, 4400MHz, ECC, dual-channel 64GB 4 x 16GB, DDR5, 4000MHz, ECC, dual-channel 128GB 4 x 32GB, DDR5, 3600MHz, ECC, dual-channel31

Support for up to (3) M.2 2280 PCle NVMe SSD on motherboard and up to (3) 3.5-inch SATA^{33,34} or (4) 2.5-inch SATA HDDs

Front accessible 2.5-inch SATA or 3.5-inch SATA HDD (with lockable door and key) available with specific storage configurations

Support for Intel® Ready Mode™ technology Support for up to (1) additional PCle SSD on Dell Precision Ultra-Speed drive with active cooling

RAID 0/1/5/10 available

M.2 2230, 256GB, PCle NVMe® Class 35 SSD

M.2 2280, 512GB, PCIe NVMe® Class 40 SSD M.2 2280, 1TB, PCIe NVMe® Class 40 SSD

M.2 2280, 2TB, PCIe NVMe® Class 40 SSD M.2 2280, 4TB, PCIe NVMe® Class 40 SSD M.2 2280, 512GB, PCIe NVMe® SSD, Self-Encrypting drive

M.2 2280, 1TB, PCIe NVMe® SSD, Self-Encrypting drive 2.5-inch, 500GB, 7200RPM, SATA, HDD 2.5-inch, 500GB, 7200RPM, Self-Encrypting, Opal 2.0, FIPS,

SATA, HDD

2.5-inch, 1TB, 7200RPM, SATA, HDD 3.5-inch, 1TB, 7200RPM, SATA, HDD

3.5-inch, 2TB, 7200RPM, SATA, HDD

3.5-inch, 4TB, 5400RPM, SATA, HDD 3.5-inch, 4TB, 7200RPM, SATA, Enterprise HDD

3.5-inch, 8TB, 7200RPM, SATA, Enterprise HDD32

FEATURE

TECHNICAL SPECIFICATION

GRAPHICS

One PCI Express x16 Gen5 slot supporting graphics cards up to 350W (Total power available for Discrete Graphics cards) Some cards are available in Dual configurations

Intel® UHD Graphics 730 for 12th Generation Core™ i3 processors Intel® UHD Graphics 770 for 12th Generation Core™ i5/i7/i9 processors NVIDIA® RTX A6000, 48GB, GDDR6

AMD Radeon™ Pro W6800, 32GB, GDDR6 NVIDIA® RTX A5000, 24GB, GDDR6 NVIDIA® RTX A4000, 16GB, GDDR6 AMD Radeon™ Pro RX6900XT, 16GB, GDDR6
AMD Radeon™ Pro W6600, 8GB, GDDR6
AMD Radeon™ Pro W5700, 8GB, GDDR6 NVIDIA® RTX A2000, 6GB, GDDR6 AMD Radeon™ Pro WX3200, 4GB, GDDR5 NVIDIA® T1000, 4GB, GDDR6

NVIDIA® T600 class, 4GB, GDDR6 NVIDIA® T400 class, 2GB, GDDR6

CASE COLOR

Dell Standard Black

PRODUCTIVITY SW15

Microsoft Office 30 Day Trial Microsoft Office Home and Business 2021 Microsoft Office Professional 2021 Dell Optimizer for Precision

SECURITY

McAfee® Small Business Security 30 Day Free Trial McAfee® Small Business Security 12 month subscription McAfee® Small Business Security 36 month Subscription Intel Guard Technologies & Secure Key: Software Guard (SGX), Data Guard (vPro only), Boot Guard, BIOS Guard (Core CPU's only), OS Guard (Core CPU's only) and Secure Key (i5 or greater only) Intel Runtime BIOS Resilience (Copper Point) with attestation via Nifty Rock + Intel TXT

Support of Absolute Persistent Module BIOS agent v2

OpenXT validation required

SafeGuard and Response, powered by VMware Carbon Black and

Secureworks

Next Generation Antivirus (NGAV) Endpoint Detection and Response (EDR) Threat Detection and Response (TDR)
Managed Endpoint Detection and Response

Incident Management Retainer Emergency Incident Response SafeData

WARRANTY^{23,24}

1 years Basic Warranty with Hardware Service on site service after remote diagnosis

2 years Basic Warranty Extension

3 years Basic Warranty Extension 4 years Basic Warranty Extension

5 years Basic Warranty Extension

1 years ProSupport with Next Business Day on-site service

2 years ProSupport with Next Business Day on-site service 3 years ProSupport with Next Business Day on-site service

4 years ProSupport with Next Business Day on-site service

5 years ProSupport with Next Business Day on-site service 1 years ProSupport Plus for Client with Next Business Day on-site service

2 years ProSupport Plus for Client with Next Business Day on-site service

3 years ProSupport Plus for Client with Next Business Day on-site service 4 years ProSupport Plus for Client with Next Business Day on-site service

5 years ProSupport Plus for Client with Next Business Day on-site service

1 Years Accidental Damage Service 2 Years Accidental Damage Service

3 Years Accidental Damage Service 4 Years Accidental Damage Service

5 Years Accidental Damage Service

KEYBOARD¹⁵ PORTS, SLOTS & CHASSIS

SERVICES

ACCIDENTAL DAMAGE

Front ports: USB 3.2 Type-A Gen 1 (5GB) port

USB 3.2 Type-A Gen 1 (5GB) port with PowerShare
USB 3.2 Type-C Gen 2 (10GB) port
USB 3.2 Type-C Gen 2x2 (20GB) port with PowerShare

Universal audio port SD-card slot

(2) DisplayPort 1.4 ports
(2) USB 2.0 (480MB) ports with SmartPower

(2) USB 3.2 Gen 2 (10GB) ports (2) USB 3.2 Type-C Gen 2 (10GB) ports RJ45 Ethernet port, 1Ghz

Audio Line out

Optional Port (VGA, HDMI 2.0, DP++ 1.4, Type-C w/DP-Alt mode) RJ45 Ethernet port, 2.5GHz (optional)

Full-height Gen5 PCle x16 slot Full-height Gen3 PCle x4 slot Full-height Gen 4 PCle x4 slot

PRECISION

3660 TOWER

FEATURE TECHNICAL SPECIFICATION

(1) M 2 2230 slot for WiFi and Bluetooth card (2) M.2 2230/2280 PCIe Gen4 slots for NVMe SSDs (1) M.2 2280 PCIe Gen3 slot for NVMe SSD

(5) SATA slots for 2.5/3.5 inch HDD/ODD

OPTICAL DRIVE

8x DVD-ROM 9.5mm Optical Disk Drive 8x DVD+/-RW 9.5mm Optical Disk Drive Integrated Smart Card Reader with Contact and

Contactless Support (CAC/PIV)

ADD-IN CARDS Serial Port Card

Thunderbolt 4 PCIe Card Zoom Ultra-speed Card WLAN External Antenna AIC USB 4.0 Type-C PCle AIC card Intel Gigabit Ethernet 2.5GbE NIC PCle Card

MULTIMEDIA¹⁶ (SOLD SEPARATELY IN MOST CASES)

Realtek Audio Controller, ALC3246-CG Internal speakers (optional)

CONNECTIVITY OPTIONS

Qualcomm® WCN6856-DBS, 2x2MIMO, 3571Mbps, 2.4Ghz/5Ghz/6Ghz, Wi-Fi 6E (Wi-Fi 802.11ax),

Bluetooth 5.2 (Coming post launch)
Intel® AX211, 2x2MIMO, 2400Mbps,
2.4Ghz/5Ghz/6Ghz, Wi-Fi 6E (Wi-Fi 802.11ax),

Bluetooth 5.2

PRIMARY BATTERY

POWER OPTIONS

300W internal power supply unit, 92% Efficient PSU,

80 Plus Platinum

500W internal power supply unit, 92% Efficient PSU, 80 Plus Platinum

750W internal power supply unit, 92% Efficient PSU,

80 Plus Platinum

REGULATORY AND ENVIRONMENTAL COMPLIANCE^{22,26}

Product Safety, EMC and Environmental Datasheets

Dell Regulatory Compliance Home Page

Dell and the Environment

CHIPSET Intel® W680

HARDWARE SECURITY Security-cable slot

Padlock loop

Lockable Cable Cover (optional)

Lockable Bezel and Key for Front Accessible SATA

HDD (optional)

Chassis intrusion switch

SafeID including Trusted Platform Module (TPM) 2.0

Smart card keyboard (FIPS)
Microsoft 10 Device Guard and Credential Guard

(Enterprise SKU) Microsoft Windows Bitlocker

Local hard drive data wipe through BIOS (Secure

Erase)

Self-encrypting storage drives (Opal, FIPS) Trusted Platform Module TPM 2.0

China TPM Intel Secure Boot

Intel Authenticate

SafeBIOS: includes Dell Off-host BIOS Verification, BIOS Resilience, BIOS Recovery, and additional BIOS

RECOMMENDED ACCESSORIES

(SOLD SEPARATELY)

Mouse:

3Dconnexion SpaceMouse Wireless - 3DX-700066

Audio and Speakers: Dell Slim Soundbar - SB521A

Audio Headsets:

Dell Pro Wireless Headset - WL5022 Display:

Dell UltraSharp 27 Monitor - U2722D

Dell UltraSharp 34 Curved USB-C HUB Monitor -U3421WE

Dell Pro Wireless Keyboard and Mouse - KM5221W

SYSTEMS MANAGEMENT

Dell Client Command Suite for In-Band systems

management
Intel® vPro™ for Out-of-Band systems management

CONFIGURATION SERVICES

Factory image load BIOS customization Hardware customization Asset Tagging and Reporting

FEATURE

TECHNICAL SPECIFICATION

DIMENSIONS & WEIGHT

Height: 14.52in. (369.00mm) Width: 6.81in. (173.00mm) Depth: 16.53in. (420.00mm) Weight: 18.739lbs (8.5kg)

Rest of the world Height: 369.00mm (14.52in.) Width: 173.00mm (6.81in.) Depth: 420.00mm (16.53in.) Weight: 8.5kg (18.739lbs)

Sustainability on Dell Precision workstations

Leading the industry in sustainable practices in our products, packaging and supply chain.

PRECISION LEADS THE WORKSTATION INDUSTRY IN SUSTAINABLE DESIGN AND MATERIALS.



Design

1st

Workstations made with reclaimed carbon fiber and renewable bioplastic¹³.

Sustainable Materials

up to 46%

Recycled plastic in fixed workstations. Up to 17% in mobile workstations.

Packaging Innovation

25%

Ocean-bound plastic trays in Precision 5000 Series packaging.

PRECISION HAS

19

EPEAT registered products¹⁴

 (\Rightarrow) EPEAT

16

TCO 8 certified configurations

→ TCC

8.0

ENERGY STAR® throughout the portfolio

→ ENERGY STAR®

- * Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.
- ** Available as Custom Factory Installation option through CRU QX118
- 1 Based on Dell internal analysis of competitive PC performance software and applications. September 2021. Intelligent Privacy is available on select Dell systems and devices.
- 2 Available on Latitude 9000 and select 7000 series; Precision mobile workstations 7000 and select 5000 series. See product details for availability.
- 3 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at https://www.dell.com/support/home.
- 4 Disclaimer: Simultaneous multi-network connection (or Connection based tearning) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.
- 5 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials,
- 6 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors
- 7 User must input preferred apps first in order for them to be analyzed.
- 12 Based on Dell Internal analysis, January 2019.
- 13 Based on Dell analysis, Jan 2021. 21% bioplastics in LCD coverlid.
- 14 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 15 Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.
- 16 System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 17 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- 18 Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
- 19 Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 20 TPM is available in selected regions.
- 21 Absolute: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.
- 22 Please refer to www.epeat.net for specific country registration rating and participation.
- 23 Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- 24 on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 25 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- 26 For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.
- 27 Intel® Turbo Boost Max Technology 3.0 is only available with i7-12700, i9-12900, i7-12700K, i9-12900K processors.
- 28 Intel® Turbo Max Technology 3.0 is only available on Performance Cores.
- 29 125 W Processors can only have the Advanced CPU Air Cooler or Premium CPU Liquid Cooler.
- 30 300 W Power supply units can only have the Standard CPU Air Cooler.
- 31 ECC memory is not supported on Intel Core i3-12100 processor.
- 32 Available as CFI only.
- 33 (3) 3.5-inch SATA HDDs available with specific storage configurations only.
- 34 Up to (2) M.2 2230 PCle NVMe SSDs are supported on the MB.

