TECHNICAL DATA SHEET

Phone: (09) 25000 91

Fax: (09) 25000 92

Email: sales@pacer.co.nz

DESCRIPTION:

Rust Kill neutralises rust with Phosphoric Acid. It has no inbuilt primer.

DIRECTIONS:

Ensure area to be treated is clean and free of wax, grease, loose paint and contamination. Remove loose rust with a wire brush or grinder. Apply Rust Kill with a paint brush and allow to penetrate for at least 30 minutes or until the rust changes colour. Rinse with water to neutralise the Rust Kill and allow to dry. Apply metal primer and repair as usual.

APPLICATIONS:

Rust neutraliser

PROPERTIES:

Red, odourless liquid with a pH of >1.

Available Sizes:









RK20



H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage











DANGER: Acutely toxic if swallowed. May cause burns to skin and eyes. Acutely toxic by skin absorption. Corrosive to skin. Corrosive to eye. Harmful to acquatic organisms. Harmful to terrestrial vertebrates

SAFETY PRECAUTIONS: Do not eat, drink or smoke whilst using. When using wear impervious gloves, goggles and mask. Wash hands and face after use. Store in original container away from food and flammable products. Dispose of empty container in a safe manner. KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

Eve

Likely to cause severe irritation. Immediately flush eye with water for at least 15 minutes. Seek medical attention if eye problems persist. A moderate to strong skin irritant. Remove any contaminated clothing. Wash skin thoroughly with soap and water. Seek medical advice if irritation persists

Ingestion Likely to cause severe gastrointestinal tract irritation. Give plenty of water. Do not induce vomiting. If adverse effects are observed or patient is distressed seek medical advice immediately

Inhalation Not volatile and not likely to be a route of exposure. Remove patient to fresh air if distressed.

If medical advice is needed have the product container/label at hand. In an emergency phone the National Poison Centre. (24 hrs.): 0800 POISON[764 766]. UN 3264. Class 8. PG III. Corrosive Liquid Acidic Inorganic N.O.S. (Phosporic Acid). Hazchem code 2R.

OUR VISION AND MISSION

To be the leading value-based provider to the market. We have a dedicated team to achieve excellence for our customers and a philosophy of total quality. We conduct business and create relationships in an ethical and sustainable manner with customers, our community and the environment. The value we provide our customers is the opportunity to increase profit through lower cost solutions that do not sacrifice quality or service.

ENVIRONMENTAL POLICY

Pacer is committed to leading the industry in minimising the impact of its activities on the environment. The key points of our strategy to achieve this are: Purpose built premises utilising energy efficient technology and rain water collection. Actively promoting recycling both internally and amongst our customers and suppliers. To develop and promote a product range to minimise the environmental impact of our products. We are constantly evaluating and looking at substituting to a more environmentally friendly composition of raw materials for our products. To meet or exceed all the environmental legislation that relates to our industry.

The technical data and information provided, including the recommendations for applying & using our products, is given in good faith based on our current knowledge and experience and is believed to be accurate when applied under 'normal' conditions. In practice, the materials, surfaces or conditions are so varied that no warranty regarding the working results or any liability or guarantee can be inferred either from this information nor from a verbal consultation. It is recommended that the user makes his or her own tests to determine the suitability of the product for their own requirements