



Car Clean Products NZ Limited
 Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
 33 Ha Crescent, Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Tyre Dressing - Non Silicone Painter's Delight
 Product Code: TDNS
 Product Use: An exterior dressing designed to be used where a silicone based product can cause issues. It is suitable for exterior plastics and rubbers and also vehicle tyres.

New Zealand Supplier: Car Clean Products NZ Limited
 Address: 33 Ha Crescent
 Wiri
 Auckland

Telephone: 09 250 0091
 Fax Number: 09 250 0092

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: March 2019

Section 2. Hazards Identification

Is combustible in a fire

Potential Health Effects



WARNING	H302 Harmful if swallowed
Swallowed	Mildly harmful
Eyes	Moderately irritating
Skin	No harmful effects at all

Inhalation

No harmful effects

Section 3. Composition / Information on Ingredients

This product represents a low toxicological hazard based on the nature and amounts of ingredients.

Hazardous Ingredients	Proportion (% mass)	CAS Number
Water	>50	7732-18-5
Glycerine	>25	56-81-5
Ethyl Alcohol	<20	64-17-5
Nonylphenol Ethoxylate	<5	9016-45-9
Formaldehyde	<1	50-0-0
Trimethylhexadecylammonium Chloride	<1	112-02-7

Section 4. First Aid Measures

Routes of Exposure:

Eye	Flush with cold water for at least 15 minutes. Seek medical attention if problems persists
Skin	If skin contact causes irritation remove contaminated clothing and wash thoroughly with soap and water
Ingestion	Do not induce vomiting. Give nothing by mouth. If patient continues to be distressed seek medical attention immediately
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention immediately

Section 5. Fire Fighting Measures

Suitable Extinguishing media	Water spray or fog
Fire and Explosion hazards	Not combustible
Fire Fighting Instructions	Treat as for surrounding fire conditions

Hazchem 2T

Section 6. Accidental Release Measures

Land Spill or Leaks	Small spills or leaks can be collected for domestic rubbish disposal. Large spills or leaks should be shovelled or
---------------------	--

pumped into clean containers for decontamination and reuse.

Water

Small spills and leaks should not pose any long term effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer.

Section 7. Handling and Storage

Handling Advice: No protective clothing required. Natural ventilation should be adequate under normal use conditions.

Storing Procedures: Store away from high temperatures and sunlight. Do not store near to food or feedstuffs. Keep containers closed at all times – check bulk amounts regularly for leaks.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Use with adequate ventilation

Personal Protective Equipment: Advisable to wear goggles and gloves

Section 9 Physical and Chemical Properties

Appearance	Bright Pink Liquid
Odour:	Mild
Odour threshold	Data not available
pH:	neutral
Melting/Freezing point	Data not available
Initial boiling point/range	Data not available
Flash point	>94°C
Flammability	N/A
Upper/Lower flammability limits	N/A
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility in water, % mass:	100%
Partition coefficient	Data not available
Auto-ignition temperature	N/A
Decomposition temperature	Data not available
Kinematic viscosity	Data not available
Particle characteristics	Data not available

Section 10. Stability and Reactivity

Chemical Stability: Stable, Does not react or polymerise

Conditions to Avoid: High temperatures above 40°C and sources of ignition

Incompatibility: Strong oxidizers, acids and alkalis

Hazardous Decomposition Products acrid fumes in a fire

Section 11 Toxicological Information

Acute Oral Toxicity	LD ₅₀ Rat (oral) > 5000 mg / kg bw
Acute Dermal Toxicity	LD ₅₀ Rat (dermal) > 5000 mg/kg bw
Long term Effects	Not expected to have any long term effects
Toxicological Data	Not available

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity *No environmental hazard under normal conditions*

Environmental Fate:

Soil *Biodegradable and not persistent*

Water *Biodegradable and not persistent*

Environmental Exposure Limits EEL_{water} Not set

Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

Section 14 Transport Information

Not hazardous for transport

Road, Rail, Marine and Air Transport

UN No	:	Not applicable
Class-primary	:	Not applicable
Packing Group	:	Not applicable
Proper Shipping Name:	:	Not applicable

Section 15 Regulatory Information

Classification	3.1D, 6.9B, 9.1D, 9.3C
Group Standard	Surface Coating and Colourants (combustible)
ERMA Approval No	HSR002657

Section 16 Other Information

Supplied in 4lt, 20lt containers. Code: TDNS4, TDNS20.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited
Phone: 09 250 0091, if further information is required.



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

TYRE DRESSING NON-SILICONE

Painters Delight, contains no silicone

PURPOSE:

Tyre Dressing Non-Silicone is an exterior dressing designed to be used where a silicone based product can cause issues. It is suitable for exterior plastics and rubbers and also vehicle tyres.

DIRECTIONS:

Spray or brush Tyre Dressing Non-Silicone onto the surface being treated. If desired wipe any excess product off with a cloth.