



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: X-Press Wax™
 Product Code: XP
 Product Use: A protective wax coating for clean, unoxidised paint surfaces

New Zealand Supplier: Car Clean Products NZ Limited
 Address: 33 Ha Crescent
 Wiri
 Auckland

Telephone: 09 250 0091
 Fax Number: 09 250 0092

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: August 2023

Section 2. Hazards Identification

Potential Health Effects



| | |
|----------------|---|
| WARNING | H302 Harmful if swallowed |
| Swallowed | Acute Oral LD50 (rat) expected to be above 2000 mg/kg |
| Eyes | Moderately irritating |
| Skin | Not expected to be an irritant |
| Inhalation | Not expected to be an irritant |

Section 3. Composition / Information on Ingredients

| Ingredients | Proportion (% mass) | Cas No |
|--|---------------------|------------|
| Water | <50 | 7732-18-5 |
| Dearomatised hydrocarbon | >20 | 64742-48-9 |
| Polydimethylsiloxane | >20 | 63148-62-9 |
| Alpha-i-tridecyl-omega-hydroxypolyglycol ether | <5 | 9043-30-5 |
| Thermally modified kaolin | <5 | 66402-68-4 |
| Diethylene oximide | <5 | 110-91-8 |
| Oleic Acid | <1 | 112-80-1 |
| Carboxypolymethylene | <1 | 9003-01-4 |
| Formaldehyde | <1 | 50-0-0 |

Section 4. First Aid Measures

Routes of Exposure:

| | |
|------------|---|
| Eye | Flush with cold water for at least 15 minutes. Seek medical attention if problems persists |
| Skin | If skin contact causes irritation remove contaminated clothing and wash thoroughly with soap and water |
| Ingestion | Do not induce vomiting. Give nothing by mouth. If patient continues to be distressed seek medical attention immediately |
| Inhalation | Remove to fresh air. If breathing is difficult seek medical attention immediately |

Section 5. Fire Fighting Measures

| | |
|------------------------------|---|
| Suitable Extinguishing media | Water jet or spray |
| Fire and Explosion hazards | Not combustible |
| Fire Fighting Instructions | Treat as for surrounding fire. Hazchem 2Z |

Section 6. Accidental Release Measures

| | |
|---------------------|---|
| Land Spill or Leaks | Small spills or leaks can be collected for domestic rubbish disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and reuse. |
| Water | Small spills and leaks should not pose any long term effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer to assist with containment. |

Section 7. Handling and Storage

| | |
|---------------------|--|
| Handling Advice: | No protective clothing required. Natural ventilation should be adequate under normal use conditions. Spillages are extremely slippery. |
| Storing Procedures: | Store away from high temperatures and sunlight. Do not store near to food or feedstuffs. Keep containers closed at all times – check bulk amounts regularly for leaks. |

Section 8 Exposure Controls / Personal Protection

| | |
|--------------------------------|---|
| Engineering Controls: | Normal Industrial conditions should be adequate |
| Personal Protective Equipment: | Not required |

Section 9 Physical and Chemical Properties

| | |
|---------------------------------|----------------------|
| Appear | Thick whitish liquid |
| Odour: | slight / detergent |
| Odour threshold | Data not available |
| pH: | neutral |
| Melting/Freezing point | Data not available |
| Initial boiling point/range | Data not available |
| Flash point | N/A |
| Flammability | N/A |
| Upper/Lower flammability limits | N/A |
| Vapour pressure | Data not available |
| Vapour density | Data not available |
| Relative density | Data not available |
| Solubility in water, % mass: | 100% |
| Partition coefficient | Data not available |
| Auto-ignition temperature | N/A |
| Decomposition temperature | Data not available |

| | |
|--------------------------|--------------------|
| Kinematic viscosity | Data not available |
| Particle characteristics | Data not available |

Section 10. Stability and Reactivity

| | |
|----------------------------------|--|
| Chemical Stability | Stable. Does not react or polymerise |
| Conditions to Avoid | None |
| Incompatibility | Natural rubber, butyl rubber, EPDM, Polystyrene. |
| Hazardous Decomposition Products | carbon monoxide in a fire |

Section 11 Toxicological Information

| | |
|-----------------------|---|
| Acute Oral Toxicity | LD ₅₀ Rat (oral) expected to be above 2000 mg/kg |
| Acute Dermal Toxicity | LD ₅₀ Rat (dermal) expected to be above 2000 mg/kg |
| Inhalation | Not expected to be an irritant |
| Long term Effects | None expected |
| Toxicological Data | Not available |

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity No environmental toxicity expected.

Environmental Fate:

Soil Silicone expected to persist

Water Silicone expected to persist

Environmental Exposure Limits EEL_{water} Not set

Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

Section 14 Transport Information

Road, Rail, Marine and Air Transport

| | |
|-----------------------|----------------|
| UN No | Not applicable |
| Class-primary | Not applicable |
| Packing Group | Not applicable |
| Proper Shipping Name: | Not applicable |

Section 15 Regulatory Information

| | |
|------------------|---|
| Classification | 6.1E, 6.4A, 9.1C |
| Group Standard | Surface coatings and colourants (subsidiary hazard) |
| ERMA Approval No | HSR002670 |

Section 16 Other Information

Supplied in 500ml, 4lt containers. Code: XP05, XP4

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited
Phone: 09 250 0091, if further information is required.



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

X-Press Wax™

X-Press Wax™ is formulated to polish and wax paint surfaces, leaving paintwork clean and bright.

Directions: By Hand: Apply to a clean cloth or applicator pad. Cover one section at a time with a smooth even coat and polish with a clean cloth. (Always use sparingly for best results).

By Machine: Use a clean wool or foam pad. Dispense product onto a cool surface. Work one section at a time. Use minimal quantities and work product until nearly dry. Use a clean dry cloth to wipe off excess.

Warning: May be harmful if swallowed. Causes eye irritation.

Safety Precautions: Wash hands thoroughly after handling. Wear eye/face protection. Avoid release to the environment.

First Aid: If medical advice is needed, have product container or label at hand. If swallowed call a POISON CENTRE or doctor/physician if you feel unwell. Do NOT induce vomiting. If in eyes rinse continuously with water for several minutes. If eye irritation persists get medical advice/attention. In an emergency call: National Poison Centre (24 hours): 0800 POISON (764-766)