

	Page: 1
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SOFT CARE M H5

Product code : 101100722

Company : Diversey Australia Pty Ltd
1612 Centre Road, Springvale, VIC 3171
Australia

E-mail address : HazardCommunication@solenis.com

Telephone : 1800 647 779 (toll free)

Product information:
Email: aucustserv@solenis.com
Website: products.solenis.com/en-AU

Emergency telephone : Seek medical advice (show the label or safety data sheet where possible), Call 1800 033 111 (24hrs)

Use of the Substance/Mixture :

SECTION 2. HAZARDS IDENTIFICATION

Classification for the undiluted product

GHS Classification

Flammable liquids : Category 2

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.

	Page: 2
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

H336 May cause drowsiness or dizziness.

Precautionary Statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P243 Take action to prevent static discharges.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
propan-2-ol	67-63-0	>= 50 -< 70

	Page: 3
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

propan-1-ol	71-23-8	>= 1 -< 3
glycerol	56-81-5	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Call a POISON CENTER or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
If skin irritation occurs: Get medical advice/ attention.
- If on clothes, remove clothes.
If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
If swallowed, DO NOT induce vomiting.
- Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

	Page: 4
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May cause drowsiness or dizziness.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Do not allow run-off from fire fighting to enter drains or water courses.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Specific extinguishing methods : Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Product is compatible with standard fire-fighting agents.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Hazchem Code : •3YE

	Page: 5
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapors/mists with a water spray jet.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not reach sewage water or drainage ditch undiluted or unneutralised
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
No sparking tools should be used.
Keep away from open flames, hot surfaces and sources of ignition.
Use only explosion-proof equipment.
- Advice on safe handling : Open drum carefully as content may be under pressure.
Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapors/dust.
Do not smoke.
Container hazardous when empty.
Take precautionary measures against static discharges.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national

	Page: 6
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

regulations.

- Hygiene measures : When using do not smoke.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	400 ppm 983 mg/m3	AU OEL
		STEL	500 ppm 1,230 mg/m3	AU OEL
propan-1-ol	71-23-8	STEL	250 ppm 614 mg/m3	AU OEL
Further information: Skin absorption				
		TWA	200 ppm 492 mg/m3	AU OEL
Further information: Skin absorption				
glycerol	56-81-5	TWA (Mist)	10 mg/m3	AU OEL

Undiluted product:

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Covering activities such as filling and transfer of product to application equipment, flasks or buckets

	Page: 7
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Appropriate engineering controls : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Protective measures : No special requirements under normal use conditions

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Chemical-resistant protective gloves (AS/NZS 2161.10). Verify the instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber
Penetration time:> = 480 min
Material thickness:> = 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber
Penetration time:> = 30 min
Material thickness:> = 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen

Protective measures : No special requirements under normal use conditions

Eye protection : Wear face-shield and protective suit for abnormal processing problems.
Eye wash bottle with pure water
Tightly fitting safety goggles
Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
Impervious clothing

	Page: 8
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Safety shoes
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless, to, clear
Odor	: alcohol-like
Odor Threshold	: No data available
pH	: 7
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: 19.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Flammable
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

	Page: 9
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Relative density : No data available

Density : 0.853 g/cm³

Solubility(ies)

Water solubility : Fully miscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Metal corrosion rate : Not corrosive

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No reactivity hazards known under normal storage and use conditions

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None known under normal use conditions

	Page: 10
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

Hazardous decomposition : None known under normal storage and use conditions
products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5.84 g/kg

Acute inhalation toxicity : LC 50 (Rat): 16000 ppm
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): 12,800 mg/kg

propan-1-ol:

Acute oral toxicity : LD50 (Rat, male and female): 8,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 33.8 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit, male): 4,032 mg/kg
Method: OECD Test Guideline 402

glycerol:

Acute oral toxicity : LD50 (Rat): 12,600 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

propan-2-ol:

	Page: 11
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Result : Slightly irritating to skin

propan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

glycerol:

Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Causes serious eye irritation.

Components:

propan-2-ol:

Result : Irritating to eyes

propan-1-ol:

Species : Rabbit
Result : Irreversible effects on the eye

glycerol:

Result : Mildly irritating to eyes

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

propan-1-ol:

Species : Guinea pig
Method : Maximization Test
Result : Not a skin sensitizer.

	Page: 12
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

May cause drowsiness or dizziness.

Components:

propan-2-ol:

Assessment : May cause drowsiness or dizziness.

propan-1-ol:

Routes of exposure : Inhalation
Target Organs : Central nervous system
Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5,770 - 7,450 mg/l
Exposure time: 96 h

	Page: 13
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Test Type: static test

propan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,555 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,644 mg/l
Exposure time: 48 h
Test Type: static test
Method: DIN 38412

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 9,170 mg/l
Exposure time: 48 h
Test Type: static test

NOEC (Chlorella pyrenoidosa): 1,150 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC 50 (Daphnia magna (Water flea)): > 100 mg/l
End point: Reproduction Test
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

glycerol:

Toxicity to fish : LC50 (Goldfish (Carassius auratus)): > 5,000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Method: Static
Remarks: Mortality

	Page: 14
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

Persistence and degradability

Components:

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

propan-1-ol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 83 - 92 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

propan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 0.2 (25 °C)
Method: OECD Test Guideline 117

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.76

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Send to a licensed waste management company.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

	Page: 15
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 1987
Proper shipping name : Alcohols, n.o.s. (N-PROPANOL, ISOPROPANOL, PROPANOL)
Class : 3
Packing group : II

IMDG-Code

UN number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S. (N-PROPANOL, ISOPROPANOL, PROPANOL)
Class : 3
Packing group : II
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ADG

UN number : UN 1987
Proper shipping name : ALCOHOLS, N.O.S. (N-PROPANOL, ISOPROPANOL, PROPANOL)
Class : 3
Packing group : II
Hazchem Code : ·3YE
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

	Page: 16
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5	Version: 1.0
101100722	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

National Code of Practice for Chemicals of Security Concern : Not listed

The ingredients of this product are reported in the following inventories:

TW TCSI : On the inventory, or in compliance with the inventory

US TSCA : All substances listed as active on the TSCA inventory

AU AIIC : On the inventory, or in compliance with the inventory

CA. DSL : All components of this product are on the Canadian DSL

JP ENCS : On the inventory, or in compliance with the inventory

KR KECI : On the inventory, or in compliance with the inventory

PH PICCS : On the inventory, or in compliance with the inventory

CN IECSC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Date format : dd.mm.yyyy

Revision Date : 16.09.2026

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

	Page: 17
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

AU OEL / TWA : Exposure standard - time weighted average
AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

	Page: 18
SAFETY DATA SHEET	Revision Date: 16.09.2026
	Print Date: 17.09.2026
	SDS Number: R1902012
SOFT CARE M H5 101100722	Version: 1.0

AU / EN