

# SAFETY DATA SHEET

Supersedes Date: 14-Sept-2018 Revision Date: 14-Sept-2018 Version: 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### **Product identifier**

Product Label Name Professional Leather Revitalizer

Other means of identification

UPC Code(s) Not applicable

Product code CL205 Synonyms None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Revitalize and replenish natural moisture and oil for leather.

**Uses advised against** Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

Hydro-Force Bridgewater

4282 South 590 West
Salt Lake City, UT 84123
4282 South 590 West
Salt Lake City, UT 84123
Salt Lake City, UT 84123

USA USA

**Emergency telephone number** 

Company Phone Number 1-801-268-2673

**Company Emergency Phone**United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number

United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

# 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization                | Category 1 |
| Respiratory sensitization         | Category 1 |

# GHS Label elements, including

### precautionary statements

#### **Emergency Overview**

# Danger

#### **Hazard Statements**

Causes skin irritation

Causes serious eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Professional Leather Revitalizer Revision Date 14-Sept-2018







The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Hazy liquid Physical state liquid Odor None

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Avoid breathing dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation, wear respiratory protection.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

### Other information

General Hazards Keep out of reach of children

Please see Section 11. Toxicological Information for further information

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                          | CAS-No     | Weight % | Trade Secret |
|--|------------|----------|--------------|
| Naphtha, petroleum, hydrotreated heavy | 64742-48-9 | 1 - 5    | *            |
| Butoxyethanol                          | 111-76-2   | 1 - 5    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures for different exposure routes

**General advice** If symptoms persist, call a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Professional Leather Revitalizer

**Skin contact** Remove and wash contaminated clothing before re-use. Wash off immediately with plenty

of water. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes.

Toxic - Inhalation Immediate medical attention is not required. Move to fresh air in case of accidental

inhalation of vapors. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Consult a physician. Do NOT induce vomiting.

**Protection of First-aiders**Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Hazardous Combustion** 

No information available.

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### **Protective Equipment and Precautions for Firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

equipment. Do not breathe vapors or spray mist.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers.

Packaging material Keep product in packaging product is initially sold in.

**Incompatible products**None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV   | OSHA PEL                             | NIOSH IDLH                |
|---------------|-------------|--------------------------------------|---------------------------|
| Butoxyethanol | TWA: 20 ppm | TWA: 50 ppm                          | IDLH: 700 ppm             |
| 111-76-2      |             | TWA: 240 mg/m <sup>3</sup>           | TWA: 5 ppm                |
|               |             | (vacated) TWA: 25 ppm                | TWA: 24 mg/m <sup>3</sup> |
|               |             | (vacated) TWA: 120 mg/m <sup>3</sup> |                           |
|               |             | (vacated) S*                         |                           |
|               |             | S*                                   |                           |

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

#### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection** No special protective equipment required.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state liquid

Appearance Hazy liquid Odor None

Color milky white Odor threshold No information available

Property Values Remarks • Method

**pH** 7.0

Melting pointNo information availableBoiling point/boiling range> 100 °C / 212 °FFlash Point> 94 °C / > 201 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limits in Air

Upper Flammability LimitNo information availableLower Flammability LimitNo information available

Vapor pressure17.5Vapor density0.7Specific Gravity1.093

Water solubility
Soluble in water
Solubility in other solvents
No information available
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
No information available

Decomposition temperatureNo information availableViscosity, kinematicNo information available

Viscosity, dynamic
Explosive properties
Oxidizing Properties
No information available
No information available
No information available

Other information

Softening point
Molecular weight
VOC Content(%)
Density VALUE
No information available

### 10. STABILITY AND REACTIVITY

200 cps

# Reactivity

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** None under normal processing.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

None known based on information supplied.

### **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

.

### Information on likely routes of exposure

#### **Product Information**

**Toxic - Inhalation** Avoid breathing vapors or mists. May cause irritation of respiratory tract.

**Eye contact** Avoid contact with eyes. Risk of serious damage to eyes. Irritating to eyes.

**Skin contact** Avoid contact with skin. Irritating to skin. Prolonged contact may cause redness and

irritation.

**Ingestion** Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

| Chemical Name                    | Oral LD50          | Dermal LD50          | Inhalation LC50     |
|----------------------------------|--------------------|----------------------|---------------------|
| Naphtha, petroleum, hydrotreated | > 5000 mg/kg (Rat) | 3160 mg/kg (Rabbit)  |                     |
| heavy                            |                    |                      |                     |
| 64742-48-9                       |                    |                      |                     |
| Butoxyethanol                    | = 470 mg/kg (Rat)  | = 220 mg/kg (Rabbit) | = 450 ppm (Rat) 4 h |
| 111-76-2                         |                    |                      |                     |

#### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available. Eye damage/irritation No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available. Carcinogenicity No information available. Reproductive toxicity No information available. **Developmental Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. Chronic toxicity Avoid repeated exposure.

**Target Organ Effects** Central nervous system, Eyes, Respiratory system.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 >5000 mg/kg

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name             | Toxicity to algae | Toxicity to fish   | Toxicity to daphnia and other aquatic invertebrates |
|---------------------------|-------------------|--|---|
| Butoxyethanol<br>111-76-2 |                   | 1490: 96 h Lepomis macrochirus<br>mg/L LC50 static 2950: 96 h<br>Lepomis macrochirus mg/L LC50 | 1000: 48 h Daphnia magna mg/L<br>EC50               |

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
| Butoxyethanol | 0.81                  |
| 111-76-2      |                       |

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

<u>IMDG</u> Not regulated

IATA Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name                     | SARA 313 - Threshold Values % |
|-----------------------------------|-------------------------------|
| Butoxyethanol - 111-76-2          | 1.0                           |
| SARA 311/312 Hazard Categories    |                               |
| Acute Health Hazard               | Yes                           |
| Chronic Health Hazard             | No                            |
| Fire Hazard                       | No                            |
| Sudden Release of Pressure Hazard | No                            |
| Reactive Hazard                   | No                            |

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Butoxyethanol | X          | X             | X            |
| 111-76-2      |            |               |              |

### U.S. EPA Label information

**EPA Pesticide Registration Number** Not applicable

| 16. OTHER I | INFORMATION |
|-------------|-------------|
|-------------|-------------|

NFPA Health hazard 2 Flammability 1 Instability 0 Physical and chemical

hazards -

HMIS Health hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

Prepared By Bridgewater

Environmental Health & Safety

Revision Date 14-Sept-2018

**Revision Note** 

No information available

#### Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater, LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater, LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**