



SAFETY DATA SHEET

Supersedes Date: 28 Apr 2017

Revision Date: 14 Feb 2022

Version: 1.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name All Solv Extreme

Other means of identification

UPC Code(s) Not applicable

Product code CS01

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Specialty spot remover

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address

Bridgepoint Systems
4282 South 590 West
Salt Lake City, UT 84123
USA

Manufacturer Address

AramSCO
4282 South 590 West
Salt Lake City, UT 84123
USA

Emergency telephone number

Company Phone Number 1-800-658-5314

Company Emergency Phone United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable Liquids | Category 2 |

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Causes skin irritation

Causes serious eye damage

May cause drowsiness or dizziness

Highly flammable liquid and vapor

**Appearance** Hazy Viscous Liquid**Physical state** liquid**Odor** Ketone**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Contaminated work clothing should not be allowed out of the workplace
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention.
 If skin irritation or rash occurs: Get medical advice/attention.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Wash contaminated clothing before reuse.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 In case of fire: Use CO₂, dry chemical, or foam for extinction
 Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool
 Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life
- Avoid release to the environment

General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade Secret |
|-----------------------------------|------------|----------|--------------|
| Acetone | 67-64-1 | 20 - 30 | * |
| Diethylene glycol monobutyl ether | 112-34-5 | 20 - 30 | * |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | 5 - 10 | * |
| Isopropyl alcohol | 67-63-0 | 1 - 5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

| | |
|-----------------------------------|--|
| General advice | If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. |
| Eye contact | Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required. |
| Toxic - Inhalation | Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician. |
| Ingestion | Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. |
| Protection of First-aiders | Use personal protective equipment. |

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use: Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Packaging material Keep product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|--|---|---|
| Diethylene glycol monobutyl ether 112-34-5 | TWA: 10 ppm inhalable fraction and vapor | | |
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |

| | | | |
|--------------------|-------------------------------|---|--|
| Acetone 67-64-1 | STEL: 500 ppm TWA: 250 ppm | TWA: 1000 ppm TWA: 240 mg/m ³ STEL: 1000 ppm STEL: 2400 mg/m ³ | IDLH: 2500 ppm TWO: 250 ppm TWA: 590 mg/m ³ |
|--------------------|-------------------------------|---|--|

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection** Tightly fitting safety goggles. Face-shield.
- Skin and body protection** No special protective equipment required.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

| | | | |
|---|--------------------------|--------------------------------|--------------------------|
| Physical state | liquid | Odor | Ketone |
| Appearance | Hazy Viscous Liquid | Odor threshold | No information available |
| Color | No information available | | |
| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> | |
| pH | No information available | 7.0 – 8.0 | |
| Melting point | No information available | | |
| Boiling point/boiling range | > 228 °C / 444 °F | | |
| Flash Point | -6.7 °C / 20 °F | Closed cup | |
| Evaporation rate | No information available | Same as water | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limits in Air | | | |
| Upper Flammability Limit | No information available | | |
| Lower Flammability Limit | No information available | | |
| Vapor pressure | 84.3 | | |
| Vapor density | 3.2 | | |
| Specific Gravity | 0.943 | | |
| Water solubility | Miscible in water | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient: n-octanol/water | No information available | | |
| Autoignition temperature | 398 °C / 750 °F | | |
| Decomposition temperature | No information available | | |
| Viscosity, kinematic | 1025 cps | | |
| Viscosity, dynamic | No information available | | |
| Explosive properties | No information available | | |
| Oxidizing Properties | No information available | | |

Other information

| | |
|---------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content(%) | No information available |
| Density VALUE | No information available |
| Bulk Density VALUE | No information available |

10. STABILITY AND REACTIVITY

Reactivity**Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

| | |
|---------------------------|---|
| Toxic - Inhalation | May be harmful if inhaled. Avoid breathing vapors or mists. |
| Eye contact | Risk of serious damage to eyes. Avoid contact with eyes. |
| Skin contact | Irritating to skin. Avoid contact with skin. |
| Ingestion | May be harmful if swallowed. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|-------------------------|---------------------------------------|
| Diethylene glycol monobutyl ether 112-34-5 | = 5660 mg/kg (Rat) | = 2700 mg/kg (Rabbit) | |
| ALCOHOLS, C9-11, ETHOXYLATED 68439-46-3 | = 1400 mg/kg (Rat) = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | |
| Isopropyl alcohol 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m ³ (Rat) 4 h |
| Acetone 67-64-1 | = 5800 mg/kg (Rat) | | = 50100 mg/m ³ (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|----------------------------------|--|
| Skin corrosion/irritation | No information available. |
| Eye damage/irritation | No information available. |
| Sensitization | No information available. |
| Germ Cell Mutagenicity | No information available. |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------------|-------|---------|-----|------|
| Isopropyl alcohol 67-63-0 | | Group 3 | | X |
| Acetone 67-64-1 | A4 | | | X |

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| Developmental Toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Chronic toxicity | Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. |
| Target Organ Effects | Eyes, Respiratory system, Skin, Central nervous system. |
| Aspiration hazard | No information available. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) >5000 mg/kg

ATEmix (dermal) >5000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.72% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---|--|--|---|
| Diethylene glycol monobutyl ether 112-34-5 | 100: 96 h Desmodesmus subspicatus mg/L EC50 | 1300: 96 h Lepomis macrochirus mg/L LC50 static | 100: 48 h Daphnia magna mg/L EC50 2850: 24 h Daphnia magna mg/L EC50 |
| Isopropyl alcohol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | | 13299: 48 h Daphnia magna mg/L EC50 |
| Acetone 67-64-1 | | 96 Hr LC50 Oncorhynchus mykiss: 4.74 - 6.33 mL/L; 96 Hr LC50 Pimephales promelas: 6210 - 8120 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 8300 mg/L | 48 Hr EC50 Daphnia magna: 10294 - 17704 mg/L [Static]; 48 Hr EC50 Daphnia magna: 12600 - 12700 mg/L |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

| | |
|-------------------------------|---|
| Waste Disposal Methods | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not re-use empty containers. |
| US EPA Waste Number | D001 |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Isopropyl alcohol 67-63-0 | Toxic Ignitable |
| Acetone 67-64-1 | Ignitable |

14. TRANSPORT INFORMATION

DOT

| | |
|--|---|
| UN/ID No | UN1993 |
| Proper shipping name | Flammable liquids, n.o.s. (Contains: Butoxydiglycol, Acetone) |
| Hazard class | 3 |
| Packing Group | II |
| Special Provisions | IB2, T7, TP1, TP8, TP28 |
| Emergency Response Guide Number | 128 |

IMDG

| | |
|-----------------------------|---|
| UN/ID No | UN1993 |
| Proper shipping name | Flammable liquids, n.o.s. (Contains: Butoxydiglycol, Acetone) |
| Hazard class | 3 |
| Packing Group | II |
| EmS No. | F-A, S-B |

IATA

Not recommended for transportation by air.

| | |
|-----------------------------|--|
| UN/ID No | |
| Proper shipping name | |
| Hazard class | |
| Packing Group | |
| Special Provisions | |

15. REGULATORY INFORMATION

International Inventories

| | |
|-----------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.:

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Diethylene glycol monobutyl ether - 112-34-5 | 1.0 |
| Acetone 67-64-1 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|-------------------|----------------------|---------------------|
| Isopropyl alcohol 67-63-0 | X | X | X |
| Diethylene glycol monobutyl ether 112-34-5 | X | | X |
| Acetone 67-64-1 | X | X | X |

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

| | | | | |
|--------------------|------------------------|-----------------------|--------------------------|--|
| <u>NFPA</u> | Health hazard 2 | Flammability 2 | Instability 0 | Physical and chemical hazards - |
| <u>HMIS</u> | Health hazard 2 | Flammability 2 | Physical Hazard 0 | Personal protection X |

Prepared By Aramsco
Environmental Health & Safety

Revision Date 14 Feb 2022

Revision Note
14 Feb 2022 – Review, no changes made

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company’s knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet