

Safety Data Sheet

Section 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: XL Gum Off Aerosol

Uses: Chewing gum remover aerosol spray.

Company: Integra Industries Ltd

Address: 21 Glasgow St
Dunedin ,N.Z.

Telephone: +64 3 455 6805

Email: sales@integraindustries.co.nz

Emergency Phone Number: 0800 764 766

National Poison Centre: 0800 764 766 (0800 POISON)

Section 2 – HAZARDS IDENTIFICATION

Product is classified as hazardous according to the *Hazardous Substance (Minimum Degrees of Hazard) Regulations 2001*, NZ.
Classified as Dangerous Goods for transport purposes.

HSNO Classifications:

2.1.2A Flammable aerosol
6.5B (contact) Contact sensitiser
9.1B (crustacean) Ecotoxic in the aquatic environment
9.1C Harmful in the aquatic environment



Signal Words: Danger

Hazard Statement Codes

H222 Extremely flammable aerosol.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Section 3 – COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS No.	Proportion, % m/m
Naphtha (Petroleum), Light Hydrotreated	64742-49-0	0 - 10
D-Limonene	5989-27-5	0 - 1
LPG - Hydrocarbon propellant (Propane, Butane)	68476-85-7	> 60
Other ingredients determined to not be hazardous	-	to 100%

Section 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.
If exposed or if you feel unwell: Call a POISON CENTRE or doctor.

Eye contact:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Inhalation:	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.
Ingestion:	IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention.
Skin contact:	Direct contact may cause irritation in sensitive individuals. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.
Notes to physician:	Treat symptomatically and supportively. No specific antidote. Potential for chemical pneumonitis.

Section 5 – FIRE-FIGHTING MEASURES

Specific hazards:	Containers can build up pressure if exposed to heat and/or fire and may explode. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. May float and be re-ignited on surface water. Will burn if involved in a fire.
Further advice:	On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion. Use water spray to keep fire-exposed containers cool.
Extinguishing media:	For small fires, use dry chemical, carbon dioxide, water spray or foam. For large fires, use water spray, fog, or foam. Use water spray to cool fire-exposed containers. Do not discharge extinguishing waters into the aquatic environment. Do NOT use straight streams of water.
Hazchem Code:	2YE

Section 6 – ACCIDENTAL RELEASE MEASURES

Minor spills:	Clean up immediately. Remove all sources of ignition. If safe, damaged cans should be placed in a container outdoors, away from all ignition sources, until pressure has dissipated. Undamaged cans should be gathered and stowed safely. Provide ventilation. Collect spillage. Wash with water.
Major spills:	Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent spillage from entering drains or water courses. If material enters drains, advise emergency services. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers for disposal. Wash area down with excess water.

Section 7 – HANDLING AND STORAGE

Handling Precautions:	Read product label before use. Keep out of reach of children. This product is highly flammable. Do not use near open flame, or sources of ignition. Do not spray on an open flame or other ignition source. Pressurised container: Do not pierce or burn, even after use. Use only outdoors or in well-ventilated area. Wash hands with soap and water after handling. Wear protective gloves and eye protection in an industrial environment. Contaminated work clothing should not be allowed out of the workplace. Wash protective clothing before reuse and separate to household laundry.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Store in a well ventilated, cool, dry place. Keep away from heat, sparks, and flame. Store locked up.

Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:	No value assigned for this specific material. However, exposure standards for constituents;
-------------------------	---

Material	TWA, mg/m ³	STEL, mg/m ³
LPG (Liquefied petroleum gas)	1,800	-

Additional Information:	Wash hands before eating, drinking and smoking. Avoid breathing vapours/spray. In case of inadequate ventilation, wear respiratory protection.
--------------------------------	--

Engineering Controls:	No controls required when handling small quantities. Use with adequate ventilation. Larger quantities: General exhaust is adequate under normal operating conditions. Ventilation equipment should be explosion-resistant.
------------------------------	---

Protective Equipment: Gloves, safety glasses or chemical goggles are recommended in an industrial environment. If TWA is exceeded, wear an approved respirator with a type A filter.

Section 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Clear, colourless volatile liquid.

pH: Not applicable.

Vapour Density: > 1 (Air =1)

Vapour Pressure, kPa: 300 - 600

Boiling Point, °C: Not applicable.

Melting Point, °C: Not applicable.

Specific Gravity: Not applicable.

Flash Point, °C: < 0

Explosion Limit, % v/v: LEL 1.2% UEL 9.5%

Autoignition Temp, °C: Not applicable.

Solubility: Not miscible in water. Soluble in common organic solvents.

Section 10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use and storage. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

Section 11 – TOXICOLOGICAL INFORMATION

Basis for Assessment: Information given is based on product testing, and/or similar products, and/or components.

Acute Oral Toxicity: Low toxicity: LD50 calculated to be > 5,000 mg/kg, Rat (based on component mixture).

Acute Dermal Toxicity: Low toxicity: LD50 estimated to be > 5,000 mg/kg, Rabbit (based on component mixture).

Acute Inhalation Toxicity: High concentrations of vapour may cause central nervous system depression resulting in headaches, dizziness and nausea.

Skin Irritation: May cause mild skin irritation. Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis.

Eye Irritation: Vapours may be irritating to the eye.

Respiratory Irritation: Inhalation of vapours or mists may cause irritation to the respiratory system.

Sensitisation: Contact sensitiser.

Repeated Dose Toxicity: Central nervous system: repeated exposure affects the nervous system. May cause damage to organs. Prolonged contact with product may result in irritant contact dermatitis.

Additional Information: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

Section 12 – ECOTOXICITY INFORMATION

Ecotoxicity: Very toxic in aquatic environments.

Mobility: May float on water. Adsorbs to soil and has low mobility.

Persistence/degradability: Majority of components are expected to be inherently biodegradable. More volatile components expected to degrade rapidly in air.

Bioaccumulation: Has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

Section 13 – DISPOSAL CONSIDERATIONS

Material Disposal: Product wastes are considered ecotoxic and should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Waste product should not be allowed to contaminate soil or water.

Large quantities should be degassed by an aerosol recycler. Do not dispose of large quantities of pressurised aerosols in landfills. Incineration by an authorised company is suggested.

Container Disposal: Recycle empty container if possible. Product containers are also considered wastes of the same class of the contents and should be disposed of in accordance with applicable regulations.

Section 14 – TRANSPORT INFORMATION

Transport: Classified as a dangerous goods according to the NZ Land Transport Rule for road and rail, IMDG for sea, IATA for air.

Class 2.1 should not be loaded on the same vehicle as Classes 1, 3 (where both are in bulk), 4, 5, and 7. They may be loaded with Classes 3, 6, 8, 9, foodstuffs and foodstuff empties.

Proper Shipping Name: Aerosols

UN Number: 1950

Dangerous Goods Class: 2.1

Subsidiary Risk: Not Applicable

Packing Group: Not applicable

Section 15 – REGULATORY INFORMATION

HSNO Approval Number: HSR002515 Aerosols (Flammable) Group Standard 2006

Section 16 – OTHER INFORMATION

This MSDS summarises our best knowledge of the health and safety hazard information. Since we cannot control the conditions under which the product may be used, each user must review this MSDS in the context of how the user intends to use the product.

End of msds.