



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: FLEX POWDER WITH CITRUS SOLV
CC21

SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

PRODUCT NAME: Flex Powder with Citrus Solv

Manufacturer: Bridgepoint Systems, 4282 S 590 W, Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 6/10/2012

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 2 Reactivity: 0

SECTION 2: INGREDIENTS

<u>HAZARDOUS INGREDIENTS:</u>	<u>TLV</u>	<u>OSHA PEL</u>
Delimonene (CAS # 5989-27-5)	N/E	N/E
Sodium Metasilicate (CAS # 6834-92-0)	N/E	N/E

SECTION 3: HEALTH HAZARD INFORMATION

IMMEDIATE HEALTH EFFECTS

Eyes: Overexposure may cause irritation to eyes.

Skin: Prolonged and repeated contact may cause irritation to skin.

Inhalation: Inhalation may cause irritation of upper respiratory passages.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENICITY:

NTP: Known – No; Anticipated – No **OSHA:** No **IARC:** Not classifiable as to carcinogene to humans.

LONG TERM EFFECTS: No data available.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: FLEX POWDER WITH CITRUS SOLV CC21

Page 2 of 4

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE, EXPLOSION & REACTIVITY DATA

FLASH POINT: N/A

EXPLOSIVE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: Product is not flammable. Use after, carbon dioxide, dry powder or other media appropriate for materials actually involved in fire.

EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder or carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: None.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Sweep up for reuse when possible. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations.

SECTION 7. PRECAUTIONS FOR HANDLING AND STORAGE

Store out of reach of children. Keep container closed. Store in a cool, dry location. Avoid freezing or extended storage in high temperatures and away from strong oxidizers and acid products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation System..... Room ventilation is normally satisfactory. Mechanical assist may be required when vapors or mist are generated.

Personal Respirators..... Respirator recommended if product is misted. Use NIOSH/MSHA approved respiratory protection.

Skin Protection..... Rubber gloves are recommended & other clothing that will prevent contact with this product.

Eye Protection..... Use safety glasses.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: FLEX POWDER WITH CITRUS SOLV CC21

Page 3 of 4

SECTION 9: PHYSICAL DATA

Odor: Orange fragrance

Physical State: Light orange granular powder.

pH at Saturation Point: 13.0

Bulk Density : .816 g/cc

Boiling Point: N/D

Freezing/Melting Point: N/E

Vapor Pressure: N/D

Vapor Density: N/D

Solubility in Water @ 70 °F: 19.0%

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: None with proper storing and handling.

MATERIALS TO AVOID: Strong acids and oxidizing materials.

HAZARDOUS DECOMPOSITION: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids and other unidentified thermal decomposition products from this product or its packaging.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Delimonene: Orange terpenes have been shown to have low oral toxicity (LD50>5 g/kg) and low dermal toxicity (LD50> 5g/kg) when tested on rabbits. Orange terpenes also showed low toxicity by inhalation (RD50>1 g/kg) when tested on mice. The skin irritancy of limonene in guinea pigs and rabbits is considered moderate and low, respectively. Inhalation may cause irritation of the nose, throat, and respiratory tract.

Delimonene is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP. This product has not been shown to produce genetic changes when tested on bacterial or animal cells. This product does not contain known reproductive or developmental toxins. Prolonged or repeated exposure can cause drying or dermatitis of skin. Improper storage and handling may lead to the formation of a possible skin sensitizer.

Sodium Metasilicate -The acute oral toxicity of this product has not been tested. When sodium silicates were tested on a 100% solids basis, their single dose acute oral LD50 in rats ranged from 1500 mg/kg to 3200 mg/kg. The acute oral lethality resulted from nonspecific causes.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: FLEX POWDER WITH CITRUS SOLV CC21

Page 4 of 4

SECTION 12. ECOLOGICAL INFORMATION

Delimonene: There is no information available at this time for Delimonene. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Sonic studies have shown that certain bacteria and fungi have the ability to degrade terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water.

Sodium Metasilicate: A 96 hour median tolerance for fish (*Gambusia affinis*) of 2320 ppm; a 96 hour median tolerance for water fleas (*Daphnia magna*) of 247 ppm; a 96 hour median tolerance for snail eggs (*Lymnaea*) of 632 ppm; and a 96 hour median tolerance for Amphipoda of 160 ppm.

SECTION 13. DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be reused or flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. **All disposal must be in accordance with all federal, state and local regulations.**

SECTION 14. TRANSPORTATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

SECTION 15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA Status: The intentional components of this product are listed.

.

SECTION 16. OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established