# Nilotron Aerosol Refill - Red Clover Tea SAFETY DATA SHEET

# **SECTION 1: Identification**

### 1.1 GHS Product identifier

Product name Nilotron Aerosol Refill - Red Clover Tea

Product number 05401

1.4 Supplier's details

Name Hospeco Brands Group

Address

Cleveland OH 44143

Telephone 800-321-9832 Fax 800-362-0073

email www.hospecobrands.com

**National contact** 

Name ESG Asia Pacific NZ Address 61 Seaview Road

5040 Lower Hutt Wellington

New Zealand

Telephone +64 4568 4126

# **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Flammable aerosols, Cat. 1
- Gases under pressure, compressed gas
- Eye damage/irritation, Cat. 2A
- Sensitization, skin, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 3

#### 2.2 GHS label elements, including precautionary statements

**Pictogram** 



Signal word Danger

Hazard statement(s)

H222 Extremely flammable aerosol

H280 Contains gas under pressure; may explode if heated

H319 Causes serious eye irritation
H317 May cause an allergic skin reaction
H336 May cause drowsiness or dizziness

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eve irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122

°F

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# **Hazardous components**

Component Concentration Acetone (CAS no.: 67-64-1; EC no.: 200-662-2; Index no.: 606-001-00-8) > 50 - <= 100 % (weight) CLASSIFICATIONS: Flammable liquids, Cat. 2; Specific target organ toxicity (single exposure), Cat. 3; Serious eye damage/eye irritation, Cat. 2. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness Isobutane (CAS no.: 75-28-5; EC no.: 200-857-2; Index no.: 601-004-01-8) > 10 - <= 25 % (weight) CLASSIFICATIONS: Flammable gases, Cat. 1; Fail: No text found to return.; Carcinogenicity, Cat. 1A; Germ cell mutagenicity, Cat. 1B. HAZARDS: H220 - Extremely flammable gas; H340 - May cause genetic defects [route]; H350 - May cause cancer [route]. Propane gas (CAS no.: 74-98-6; EC no.: 200-827-9; Index no.: 601-003-00-5) > 2.5 - <= 10 % (weight) CLASSIFICATIONS: Flammable gases, Cat. 1; Press. Gas. HAZARDS: H220 - Extremely flammable gas. N-BUTANE (CAS no.: 106-97-8; EC no.: 203-448-7; Index no.: 601-004-01-8) <= 2.5 % (weight) CLASSIFICATIONS: Flammable gases, Cat. 1; Fail: No text found to return.; Carcinogenicity, Cat. 1A; Germ cell mutagenicity, Cat. 1B. HAZARDS: H220 - Extremely flammable gas; H340 - May cause genetic defects [route]; H350 - May cause cancer [route]. Fragrance <= 2.5 % (weight)

CLASSIFICATIONS: Flammable liquids, Cat. 4; Acute toxicity, oral, Cat. 4; Acute toxicity, inhalation, Cat. 4; Skin corrosion/irritation, Cat. 2; Serious eye damage/eye irritation, Cat. 2; Sensitization, respiratory, Cat. 1; Hazardous to the aquatic environment, short-term (acute), Cat. 2; Hazardous to the aquatic environment, long-term (chronic), Cat. 2. HAZARDS: H227 - Combustible liquid; H302 - Harmful if swallowed; H315 - Causes skin irritation; H319 - Causes serious eye irritation; H332 - Harmful if inhaled; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled; H401 - Toxic to aquatic life; H411 - Toxic to aquatic life with long lasting effects.

# **SECTION 4: First-aid measures**

#### 4.1 Description of necessary first-aid measures

General advice Ensure that medical personnel are aware of the material(s) involved, and

take precautions to protect themselves.

If inhaled Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

In case of skin contact Immediately wash with water and soap and rinse thoroughly.

In case of eye contact Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

If swallowed If symptoms persist consult doctor.

## 4.2 Most important symptoms/effects, acute and delayed

No further relevant information available.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No further relevant information available.

# **SECTION 5: Fire-fighting measures**

#### 5.1 Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

## 5.2 Specific hazards arising from the chemical

No further relevant information available.

## 5.3 Special protective actions for fire-fighters

No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and materials for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Version: 1.0, Date of issue: 2024-05-02, p. 3 of 10

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### Protective Action Criteria for Chemicals

· PAC-1:

67-64-1 acetone 200 ppm

75-28-5 isobutane 5500\* ppm

74-98-6 propane 5500\* ppm

106-97-8 butane, pure 5500\* ppm

110-91-8 morpholine 30 ppm

142-90-5 dodecyl methacrylate 6.9 ppm

5989-27-5 (R)-p-mentha-1,8-diene 15 ppm

91-64-5 Coumarin 0.88 mg/m3

· PAC-2:

67-64-1 acetone 3200\* ppm

75-28-5 isobutane 17000\*\* ppm

74-98-6 propane 17000\*\* ppm

106-97-8 butane, pure 17000\*\* ppm

110-91-8 morpholine 1,300 ppm

142-90-5 dodecyl methacrylate 76 ppm

5989-27-5 (R)-p-mentha-1.8-diene 67 ppm

91-64-5 Coumarin 9.7 mg/m3

· PAC-3:

67-64-1 acetone 5700\* ppm

75-28-5 isobutane 53000\*\*\* ppm

74-98-6 propane 33000\*\*\* ppm

106-97-8 butane, pure 53000\*\*\* ppm

110-91-8 morpholine 8000\*\* ppm

142-90-5 dodecyl methacrylate 460 ppm

5989-27-5 (R)-p-mentha-1,8-diene 170 ppm

91-64-5 Coumarin 58 mg/m3

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

Version: 1.0, Date of issue: 2024-05-02, p. 4 of 10

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

1. Acetone (CAS: 67-64-1)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 250 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 250 ppm, (ST) 500 ppm; USA (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

2. Isobutane (CAS: 75-28-5 EC: 200-857-2)

TLV® (Inhalation): 1000 ppm

3. Propane (CAS: 74-98-6)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

4. N-BUTANE (CAS: 106-97-8 EC: 203-448-7)

REL (Inhalation): 800 ppm

TLV® (Inhalation): 1000 ppm

#### 8.2 Appropriate engineering controls

Provide eyewash station.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

## Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

# SECTION 9: Physical and chemical properties and safety characteristics

# Basic physical and chemical properties

Physical state

Appearance

Odor

Odor threshold

Melting point/freezing point

Boiling point or initial boiling point and boiling range

Gas

Aerosol

Characterisitc

No data available.

No data available.

-44 °C (-47.2 °F) (

Version: 1.0, Date of issue: 2024-05-02, p. 5 of 10

Flammability

Lower and upper explosion limit/flammability limit

Flash point

Explosive properties
Auto-ignition temperature
Decomposition temperature

Oxidizing properties

pΗ

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water (log value)

Vapor pressure

Evaporation rate

Density and/or relative density

Relative vapor density

Flammable

1.8 Vol % Lower; 13 Vol % Upper

<0 °C (<32 °F) No data available. 860 °F (460 °C) No data available. No data available. No data available.

Not miscible or difficult to mix.

No data available.

No data available.

3000 hPA (2.300 mm Hg)

No data available. No data available. No data available.

#### Supplemental information regarding physical hazard classes

Solvent Content:

Organic solvents: 83.8% VOC content: 26.11% Solid content: 3.6%

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No further relevant information available.

#### 10.2 Chemical stability

No decomposition if used according to specifications.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4 Conditions to avoid

No further relevant information available.

# 10.5 Incompatible materials

No further relevant information available.

#### 10.6 Hazardous decomposition products

No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Version: 1.0, Date of issue: 2024-05-02, p. 6 of 10

Dermal LD50 20,000 mg/kg (rabbit)

#### Skin corrosion/irritation

No irritant effect.

#### Serious eye damage/irritation

Irritating effect.

#### Respiratory or skin sensitization

Sensitization possible through skin contact.

# Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

#### Carcinogenicity

· IARC (International Agency for Research on Cancer)

110-91-8 morpholine 3

5989-27-5 (R)-p-mentha-1,8-diene

91-64-5 Coumarin

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

3

## STOT-single exposure

May cause drowsiness and dizziness.

# **SECTION 12: Ecological information**

#### Toxicity

No further relevant information available.

## Persistence and degradability

No further relevant information available.

# Bioaccumulative potential

No further relevant information available.

## Mobility in soil

No further relevant information available.

# Results of PBT and vPvB assessment

Not applicable

#### **Endocrine disrupting properties**

No further relevant information available.

#### Other adverse effects

Version: 1.0, Date of issue: 2024-05-02, p. 7 of 10

No further relevant information available.

# **SECTION 13: Disposal considerations**

#### **Disposal methods**

#### **Product disposal**

Disposal must be made according to official regulations.

#### Packaging disposal

Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

## DOT (US)

UN Number: 1950

Class: 2.1 Packing Group:

Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

## **IMDG**

UN Number: 1950

Class: 2.1 Packing Group:

EMS Number: F-D, S-U

Proper Shipping Name: AEROSOLS

## **IATA**

UN Number: UN1950

Class: 2.1

Packing Group: Not applicable

Proper Shipping Name: Aerosols, flammable

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

Chemical name: Acetone CAS number: 67-64-1

## **New Jersey Right To Know Components**

Common name: ACETONE CAS number: 67-64-1

Version: 1.0, Date of issue: 2024-05-02, p. 8 of 10

# Nilotron Aerosol Refill - Red Clover Tea SAFETY DATA SHEET

# **New Jersey Right To Know Components**

Common name: ISOBUTANE

CAS number: 75-28-5

# **New Jersey Right To Know Components**

Common name: PROPANE CAS number: 74-98-6

# **New Jersey Right To Know Components**

Common name: BUTANE CAS number: 106-97-8

## Pennsylvania Right To Know Components

Chemical name: 2-Propanone

CAS number: 67-64-1

# Pennsylvania Right To Know Components

Chemical name: Propane CAS number: 74-98-6

## Pennsylvania Right To Know Components

Chemical name: Propane, 2-methyl-

CAS number: 75-28-5

# Pennsylvania Right To Know Components

Chemical name: Butane CAS number: 106-97-8

# **HMIS Rating**

Nilotron Aerosol Refill - Red Clover Tea	
HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	1
PERSONAL PROTECTION	

# **NFPA** Rating



Version: 1.0, Date of issue: 2024-05-02, p. 9 of 10

# Nilotron Aerosol Refill - Red Clover Tea SAFETY DATA SHEET

**SECTION 16: Other information** 

Version: 1.0, Date of issue: 2024-05-02, p. 10 of 10