

SAFETY DATA SHEET

ULTIMO #2 HD DEGREASER/CLEANER FRAGRANCE

Infosafe No.: MU3JN
ISSUED Date : 08/03/2020
ISSUED by: INTEGRA INDUSTRIES LTD

CLASSIFIED AS HAZARDOUS

1. IDENTIFICATION

GHS Product Identifier

Ultimo #2 HD Degreaser/Cleaner Fragrance

Company Name

INTEGRA INDUSTRIES LTD

Address

23 Grosvenor Street Kensington
Dunedin 9011 NEW ZEALAND

Telephone/Fax Number

Tel: +64 3 4556805

Emergency phone number

0800 764 766

E-mail Address

info@integraindustries.co.nz

Recommended use of the chemical and restrictions on use

A multi-purpose germicidal detergent, spray & wipe cleaner and deodorant effective in hard water for use on hard, non-porous surfaces, such as floors, walls, metal surfaces, stainless steel, porcelain, and plastic. For use with the Cascade Super C dispensing system.

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

6.3A Substance that is irritating to the skin

6.3B Substance that is mildly irritating to the skin

6.5A Substance that is a respiratory sensitiser

6.5B Substance that is a contact sensitiser

8.3A Substance that is corrosive to ocular tissue

9.1B Substance that is ecotoxic in the aquatic environment

Signal Word (s)

DANGER

Hazard Statement (s)

H315 Causes skin irritation.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H401 Toxic to aquatic life.

Pictogram (s)

Corrosion, Health hazard



Precautionary statement – Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash contaminated skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Precautionary statement – Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P363 Wash contaminated clothing before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Benzyl-C8-18-alkyldimethylammonium chloride	63449-41-2	1-5%
Surfactants	-	>60%
Other ingredients determined not to be hazardous	-	10-30%
Water	7732-18-5	Remainder

4. FIRST-AID MEASURES

First Aid Measures

24 Hour Emergency Contact: 0800 CHEMCALL (0800 243 622)
New Zealand Poisons Information Centre: 0800 POISON (0800 764 766)
New Zealand Emergency Services: 111

Inhalation

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

Ingestion

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.
- For advice, contact a Poisons Information Centre or a doctor.

Skin

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear.

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation

Eye contact

If this product comes in contact with the eyes:

- Immediately hold eyelids apart and flush the eye continuously with running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Transport to hospital or doctor without delay.

Advice to Doctor

-Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Hazchem Code

None allocated

Decomposition Temperature

Not Available

Other Information

FIRE INCOMPATIBILITY

- Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

PERSONAL PROTECTION

Glasses:Chemical goggles Gloves:PVC chemical resistant type. Respirator:Type A Filter of sufficient capacity

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite

Personal Protection

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

7. HANDLING AND STORAGE

Precautions for Safe Handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- DO NOT allow clothing wet with material to stay in contact with skin.

Storage Regulations

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

Recommended Materials

SUITABLE CONTAINER

- Polyethylene or polypropylene container.

- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

The following materials had no OELs on our records

- benzyl C8- 18 alkyl dimethyl ammonium chloride: CAS:63449- 41- 2 CAS:51668- 62- 3
- water: CAS:7732- 18- 5

Appropriate Engineering Controls

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator.

Personal Protective Equipment

RESPIRATOR

Type A Filter of sufficient capacity

EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
 - Wear safety footwear or safety gumboots, eg. Rubber. NOTE:
 - The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
 - Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
- Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: such as:
- frequency and duration of contact,
 - chemical resistance of glove material,
 - glove thickness and
 - dexterity.

OTHER

- Overalls.
- P.V.C. apron.
- Skin cleansing cream.
- Barrier cream.

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Orange, mobile, frothing liquid with lemon orange odour; mixes with water.
Colour	Orange	Odour	Citrus odour
Decomposition Temperature	Not Available	Melting Point	Not Available
Boiling Point	100°C	Solubility in Water	Miscible
Specific Gravity	1.0 (water=1)	pH	pH (1% solution)= Not Available pH (as supplied)= 7.5- 8.5
Vapour Pressure	Not Available	Vapour Density (Air=1)	Not Available
Evaporation Rate	Not Available	Viscosity	Not Available
Volatile Component	Not Available	Flash Point	Not Applicable
Auto-Ignition Temperature	Not Applicable	Explosion Limit - Upper	Not Applicable
Explosion Limit - Lower	Not Applicable	Molecular Weight	Not Applicable

10. STABILITY AND REACTIVITY

Chemical Stability

- Product is considered stable.

Incompatible materials

For incompatible materials - refer to Section 7 - Handling and Storage.

Hazardous Decomposition Products

- Hazardous polymerisation will not occur.

Other Information

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.

11. TOXICOLOGICAL INFORMATION

Ingestion

☐- Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health).

- Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

Inhalation

-The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Skin

- The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

Eye

- It has either been demonstrated or it is expected that when the material is applied to the eye(s) of animals, it produces severe ocular lesions which are present twenty-four hours or more after instillation.

Chronic Effects

-Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

Limited evidence shows that inhalation of the material is capable of inducing a sensitisation reaction in a significant number of individuals at a greater frequency than would be expected from the response of a normal population.

Pulmonary sensitisation, resulting in hyperactive airway dysfunction and pulmonary allergy may be accompanied by fatigue, malaise and aching. There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitisation reaction in a significant number of individuals, and/or of producing positive response in experimental animals.

Other Information

TOXICITY AND IRRITATION

- Not available. Refer to individual constituents.

12. ECOLOGICAL INFORMATION

Ecological information

Harmful to aquatic organisms.

Ecotoxicity

Ingredient	Persistence:		Persistence:	Bioaccumulation	Mobility
	Water/Soil	Air			
Benzyl C8- 18 alkyldimethylammonium chloride	-	-	LOW	-	
Water	LOW	-	LOW	HIGH	

13. DISPOSAL CONSIDERATIONS

Waste Disposal

- Recycle where possible

Otherwise ensure that:

- licenced contractors dispose of the product and its container.
- disposal occurs at a licenced facility.

14. TRANSPORT INFORMATION

U.N. Number

None Allocated

Transport hazard class(es)

None allocated

Sub.Risk

None allocated

Packing Group

None allocated

Hazchem Code

None allocated

UN Number (Sea Transport)

None allocated

UN Number (Road Transport)

None allocated

UN Number (Air Transport, ICAO)

None allocated

IATA/ICAO Hazard Class

None allocated

IATA/ICAO Packing Group

None allocated

IATA/ICAO Sub Risk

None allocated

IMDG UN No

None allocated

IMDG Hazard Class

None allocated

IMDG Pack. Group

None allocated

IMDG Subsidiary Risk

None allocated

IMDG Marine pollutant

No

15. REGULATORY INFORMATION

Regulatory information

This substance should be managed in accordance with the requirements specified in the Cleaning Products (Subsidiary Hazard) Group Standard 2006, HSNO Approval Number HSR002530.

National and or International Regulatory Information

Regulations for ingredients

Benzyl C8-18 alkyldimethylammonium chloride (CAS: 63449-41-2, 51668-62-3) is found on the following regulatory lists; "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Chemicals (single components)", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Pesticides", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Timber Preservatives, Antisapstains and Antifouling Paints", "New Zealand Hazardous Substances and New Organisms (HSNO) Act - Veterinary Medicines", "New Zealand Inventory of Chemicals (NZIoC)"

Water (CAS: 7732-18-5) is found on the following regulatory lists;

"IMO IBC Code Chapter 18: List of products to which the Code does not apply", "New Zealand Inventory of Chemicals (NZIoC)", "OECD Representative List of High Production Volume (HPV) Chemicals"

No data for Cascade SC9 - Cleaner Disinfectant

HSNO Approval Number

HSR002530

Other Information

Specific advice on controls required for materials used in New Zealand can be found at <http://www.epa.govt.nz/hazardous-substances/approvals/Pages/default.aspx>.

16. OTHER INFORMATION

Date of preparation or last revision of SDS

08/03/2020

Technical Contact Numbers

24 Hour Emergency Contact: 0800 CHEMCALL (0800 243 622)

New Zealand Poisons Information Centre: 0800 POISON (0800 764 766)

New Zealand Emergency Services: 111

Other Information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since INTEGRA INDUSTRIES LTD cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their INTEGRA INDUSTRIES representative or INTEGRA INDUSTRIES LTD at the contact details on page 1.

INTEGRA INDUSTRIES LTD's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.