



**With CoaguChek® INRange,
the right connections *build confidence***

*Help your patients on vitamin K
antagonist therapy spend more
time INRange*

CoaguChek INRange is the new standard in VKA monitoring


Because INR results are displayed within 1 minute, patient self-testing can reduce anxiety and provide a sense of control

- Engaging patients in their own therapy can empower them to modify their lifestyles¹
- With an intuitive screen, minimal training is required, so you can be confident your patients are ready and able to self-test
- Requires an 8 µL drop of capillary blood with a finger prick and less pain for your patient

When you're connected, they're on track


You'll be *truly* connected to your patients, so you can confidently optimize their therapy

- Evidence suggests that patients who have a good connection with their healthcare professionals adhere better to their therapy²
- The meter enables your patient to track their time in range by graphically displaying how many times they have been within, above or below your recommended target therapeutic range




It has been proven that patients who adhere to their prescribed testing schedule spend more time in range, which results in a lower incidence of stroke or bleeding³

- Trend Report tracks results to help you identify patterns so you can detect any drift in INR to provide more stable anticoagulation control¹






On meter



Online

Studies have indicated an improvement in some quality-of-life measures and patient satisfaction as a result of self-monitoring of anticoagulation^{2,4}

- Built-in reminders for testing, medication, and appointments help keep patients compliant



Now, with CoaguChek INRange, there is no need for frequent laboratory visits, which is one more reason to enable your VKA patients to test whenever, wherever.

COAGUCHEK is a trademark of Roche.

©2017 Roche.

Roche Diagnostics Australia Pty Limited
 ABN: 29 003 001 205
 2 Julius Avenue North Ryde NSW 2113
 Phone: 02 9860 2222
 www.coaguheck.com

References:

1. Ward A, Tompson A, Fitzmaurice D, Sutton S, Perera R, Heneghan C. Cohort study of Anticoagulation Self-Monitoring (CASM): a prospective study of its effectiveness in the community. *Br J Gen Pract.* 2015;65(636):e428-437.
2. Khan TI, Kamali F, Kesteven P, Avery P, Wynne H. The value of education and self-monitoring in the management of warfarin therapy in older patients with unstable control of anticoagulation. *Br J Haematol.* 2004;126(4):557-654.
3. Heneghan C, Ward A, Perera R, et al. Self-monitoring of oral anticoagulation: systematic review and meta-analysis of individual patient data. *Lancet.* 2012;379:322-334.
4. Sharma P, Scotland G, Cruickshank M, et al. The clinical effectiveness and cost-effectiveness of point-of-care tests (CoaguChek system, INRatio2 PT/INR monitor and ProTime Micro coagulation system) for the self-monitoring of the coagulation status of people receiving long-term vitamin K antagonist therapy, compared with standard UK practice: systematic review and economic evaluation. *Health Technol Assess.* 2015;19(48):1-172.