



# DRIVING

• Screwdriver Bits • Nutsetters • Hex Keys



# DRIVING

## Driving Index

275	<b>GorillaGrip® Fold Up</b> Sets	235	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Assorted Sets
275	<b>GorillaGrip® Fold Up</b> Utility & Multi-Packs	239	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Hex
281	<b>Hex Pro</b> TORX® & Hex Tip	240	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Hex Security/Ball
270	<b>L-Wrenches</b> Ball End	245	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Magnetic Holder
271	<b>L-Wrenches</b> ColorGuard™ Ball End	244	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Nutsetter
269	<b>L-Wrenches</b> Hex End	236	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Phillips
271	<b>L-Wrenches</b> ProHold® Tip Ball End	237	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Pozidriv
272	<b>L-Wrenches</b> Stubby Ball End	243	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Slotted
272	<b>L-Wrenches</b> Stubby Double Ball End	238	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Square
273	<b>L-Wrenches</b> TORX®	241	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Torx
273	<b>L-Wrenches</b> TORX® Tamper Resistant	242	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Torx Security
274	<b>Multi-Packs</b> L-Wrenches & GorillaGrip® Fold Up	243	<b>Screwdriver Bits</b> Supatorq - Magnetiser
282	<b>Power Bits</b> Ball End	267	<b>Screwdriver Bits</b> Technical Information
263	<b>Screwdriver Bits</b> Magnetic Bit Holder	261	<b>Screwdriver Bits</b> Torx®
264	<b>Screwdriver Bits</b> Magnetic Screw Guide	261	<b>Screwdriver Bits</b> Torx® Tamper Resistant
257	<b>Screwdriver Bits</b> Phillips®	262	<b>Screwdriver Bits</b> Tri-Wing®
258	<b>Screwdriver Bits</b> Phillips® ACR®	250	<b>Screwdriver Bits</b> UltraBit
258	<b>Screwdriver Bits</b> Phillips® Plasterboard Insert Bit	279	<b>Screwdrivers</b> Ball End
259	<b>Screwdriver Bits</b> Pozidriv®	280	<b>Screwdrivers</b> TORX® Tamper Resistant
265	<b>Screwdriver Bits</b> Quickbits® - Pivoting Nutsetter	249	<b>Stack-In</b> Accessories
265	<b>Screwdriver Bits</b> Quickbits® - Smart Setter	248	<b>Stack-In Sets</b> – <i>SupaTorq</i>
264	<b>Screwdriver Bits</b> Quick Change Extension	276	<b>T-Handles</b> Ball End
266	<b>Screwdriver Bits</b> Sets	277	<b>T-Handles</b> Hex End
260	<b>Screwdriver Bits</b> Slotted	278	<b>T-Handles</b> TORX®
263	<b>Screwdriver Bits</b> Socket Adaptor	281	<b>Wing &amp; Flag Tool</b> TORX®
252	<b>Screwdriver Bits</b> Supabit, Hex		
255	<b>Screwdriver Bits</b> Supabit, Magnetic Nutsetter		
251	<b>Screwdriver Bits</b> Supabit, Phillips®		
256	<b>Screwdriver Bits</b> Supabit, Pressure Fit Nutsetter		
253	<b>Screwdriver Bits</b> Supabit, Square Recess		
255	<b>Screwdriver Bits</b> Supabit, Torsion Nutsetter		
254	<b>Screwdriver Bits</b> Supabit, Torx®		
246	<b>Screwdriver Bits</b> Supatorq Impact Driver Bits - Adaptors		

# sutton®

## SUPATOR

### IMPACT DRIVER BITS

**ANTI  
CAM-OUT**

Precision Machined Tips  
– Provides improved screw  
fitment resulting in minimal  
cam-out.

**CUSTOM  
STEEL**

Custom industrial  
grade steel blend  
– Delivers longer life



Magnetised  
– Securely holds  
fasteners in place

**TORX  
SHIELD**

Torsion Zone – Protects  
bits from breakage during  
high torque applications.



Scan to  
watch video

**COLOUR  
SELECTION**

Each driver type is  
colour coded, for easy  
head identification

PHILLIPS

POZIDRIV

SLOTTED

TORX

SQUARE

TORX  
SECURITY

HEX

NUTSETTER

HEX  
SECURITY

HOLDER  
MAGNETIC



# Screwdriver Bits SupaTorq Impact Driver Bits - Assorted Sets



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



S250 S37 A



S250 S33 A



Product Group: Z0702

Product Information				Item #	Barcode
Description	Size	O/A Length mm	Pieces		
<b>Assorted Sets</b>					
<b>stack-in Stack Packs</b>				<b>S250</b>	
Power Bit	50mm - PH1, PH2 (x6), PH3, SQ2, HX5 (x2), TX20, TX25 100mm - PH2 (x2), SQ2	50/100	16	S250 S16 A	9311963655956
Power/Insert Bit	25mm - TX15, TX20, TX25, TX30, TS15, TS20, TS25, TS30 50mm - PH1, PH2 (x2), PH3, PZ1, PZ2 (x2), PZ3, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6 100mm - PH2 (x3), SQ2, HX5, 60mm Magnetic Holder	25/50/100	30	S250 S30 A	9311963655987
Power Bit	50mm - PH1, PH2 (x6), PH3, PZ1, PZ2 (x2), PZ3, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6, TX15, TX20, TX25, TX30 100mm - PH1, PH2 (x2), PH3, SQ2 (x2), HX5 (x2)	50/100	32	S250 S32 A	9311963656007
Power/Insert Bit	25mm - PH1, PH2 (x6), PH3 50mm - PH1, PH2 (x6), PH3, SQ2 (x2), TX20, TX25, HX4, HX5 (x2), HX6 100mm - PH1, PH2 (x6), PH3 50mm Nutsetter (1/4", 5/16", 3/8"), 60mm Magnetic Holder, 1/2" Socket Adaptor	25/50/100	37	S250 S37 A	9311963656021
Power Bit	50mm - PH1 (x2), PH2 (8), PH3 (x2), PZ1, PZ2 (x2), PZ3, TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6 100mm - PH1, PH2 (x2), PH3, SQ2 (x2), HX5 (x2)	50/100	40	S250 S40 A	9311963656038
Power/Insert Bit	25mm - TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40, TS10, TS15, TS20, TS25, TS30, HS4, HS5, HS6 50mm - PH1, PH2 (x6), PH3, SQ1, SQ2 (x2), SQ3, HX4, HX5, HX6, TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40 100mm - PH1, PH2 (x6), PH3 60mm Magnetic Holder	25/50/100	48	S250 S48 A	9311963656045
Power Bit/Socket	50mm - PH1, PH2 (x3), PH3, SQ1, SQ2, SQ3, HX4, HX5, HX6, TX10, TX15, TX20, TX25, TX30 50mm Nutsetter (1/4", 5/16", 3/8"), 1/2" Socket Adaptor, 60mm Quick-Change Holder, 1/2" Drive Impact Sockets 13, 16, 18mm	50	24	S250 S24 A	9311963655963
<b>stack-in Stack Tac</b>				<b>S250</b>	
Insert Bit	PH1, PH2(x4), PH3, PZ1, PZ2, PZ3, SQ1, SQ2, SQ3, HX3, HX4, HX5, HX6, HS3, HS4, HS5, HS6, TX10, TX15, TX20, TX25, TX27, TX30, TS10, TS15, TS20, TS25, TS27, TS30 60mm Magnetic Holder.	25	33	S250 S33 A	9311963656014
<b>stack-in Stack Packs</b>				<b>S251</b>	
Power Bit/Drills	50mm - PH1, PH2 (x6), PH3, PZ1, PZ2 (x2), PZ3, TX15, TX20, TX25, TX30, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6, 50mm Nutsetter (1/4", 5/16", 3/8"), 1/2" Socket Adaptor, 60mm Quick-Change Holder, SupaBit Plus Drills - 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0mm	50	37	S251 S37 A	9311963656052



Stack-In enables you to create and customise your own kit with a wide variety of **Stack Packs, Stack Tacs & Stack Racks.**

Your kit, your way.



More on page 247

## sutton SUPATORQ



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors.

**TORQ SHIELD**  
**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out.

**Colour Bands**  
Colour coded, for easy head identification.

### Application

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length mm			
<b>Insert Bits</b>			<b>S200</b>	
PH1	25	2	S200 H02 A01	9311963650753
PH2	25	2	S200 H02 A02	9311963650760
PH2	25	5	S200 H05 A02	9311963650777
PH2	25	10	S200 H10 A02	9311963650784
<b>Power Bits</b>				
PH1	50	2	S200 H02 B01	9311963650791
PH2	50	2	S200 H02 B02	9311963650807
PH3	50	2	S200 H02 B03	9311963650814
PH2	50	5	S200 H05 B02	9311963650821
PH2	50	10	S200 H10 B02	9311963650838
PH2	75	2	S200 H02 D02	9311963650845
PH1	100	2	S200 H02 E01	9311963650852
PH2	100	2	S200 H02 E02	9311963650869
PH3	100	2	S200 H02 E03	9311963650876
PH2	100	5	S200 H05 E02	9311963650883
PH2	100	10	S200 H10 E02	9311963650890
PH1	150	2	S200 H02 G01	9311963650906
PH2	150	2	S200 H02 G02	9311963650913
PH3	150	2	S200 H02 G03	9311963650920
PH2	150	5	S200 H05 G02	9311963650937
PH2	150	10	S200 H10 G02	9311963650944
<b>Power Bits - Carded Sets</b>				
PH1, PH2(x3), PH3	50	5	S200 S05 B03	9311963650951
PH1, PH2(x3), PH3	100	5	S200 S05 E03	9311963650968
PH1, PH2(x3), PH3	150	5	S200 S05 G03	9311963650975
<b>stack-in*</b>				
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>				
PH1, PH2(x6), PH3	50	8	S200 S08 B	9311963655635
PH1, PH2(x6), PH3	100	8	S200 S08 E	9311963655642
PH1, PH2(x6), PH3	150	8	S200 S08 G	9311963655659
<b>Power Bits - Trade Packs - Stack-In Stack Packs</b>				
PH2	150	8	S200 T08 G02	9311963655666
<b>Insert Bits - Trade Packs - Stack-In Stack Tacs</b>				
PH2	25	20	S200 T20 A02	9311963655703
<b>Power Bits - Trade Packs - Stack-In Stack Tacs</b>				
PH2	50	10	S200 T10 B02	9311963655673
PH2	50	15	S200 T15 B02	9311963655680
PH2	100	15	S200 T15 E02	9311963655697
<b>Double Ended - Carded</b>			<b>S201</b>	
PH2/PH2	65	2	S201 H02 C02	9311963650982
PH2/PH2	65	5	S201 H05 C02	9311963650999
PH2/PH2	65	10	S201 H10 C02	9311963651002
PH2/PH2	100	2	S201 H02 E02	9311963651019
PH2/PH2	100	5	S201 H05 E02	9311963651026
PH2/PH2	150	2	S201 H02 G02	9311963651040

\*See more on page 247



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors.

**TORQ SHIELD**  
Torsion Zone  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out.

**Colour Bands**  
Colour coded, for easy head identification.

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length mm			
<b>Insert Bits</b>			<b>S202</b>	
PZ1	25	2	S202 H02 A01	9311963651071
PZ2	25	2	S202 H02 A02	9311963651088
PZ1	50	2	S202 H02 B01	9311963651095
PZ2	50	2	S202 H02 B02	9311963651101
PZ3	50	2	S202 H02 B03	9311963651118
PZ2	50	5	S202 H05 B02	9311963651125
PZ2	50	10	S202 H10 B02	9311963651132
PZ2	75	2	S202 H02 D02	9311963651149
PZ1	100	2	S202 H02 E01	9311963651156
PZ2	100	2	S202 H02 E02	9311963651163
PZ3	100	2	S202 H02 E03	9311963651170
PZ2	100	5	S202 H05 E02	9311963651187
PZ1	150	2	S202 H02 G01	9311963651194
PZ2	150	2	S202 H02 G02	9311963651200
PZ3	150	2	S202 H02 G03	9311963651217
PZ2	150	5	S202 H05 G02	9311963651224
<b>Power Bits - Carded Sets</b>				
PZ1, PZ2(x3), PZ3	50	5	S202 S05 B03	9311963651231
PZ1, PZ2(x3), PZ3	100	5	S202 S05 E03	9311963651248
PZ1, PZ2(x3), PZ3	150	5	S202 S05 G03	9311963651255



S202 H02 A02



S202 H02 B02



S202 S05 B03



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**TORQ SHIELD**  
**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

**Colour Bands**  
Colour coded, for easy head identification.

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

**Product Group: Z0702**

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Insert Bits - Carded</b>			<b>S204</b>	
SQ1	25	2	S204 H02 A01	9311963651262
SQ2	25	2	S204 H02 A02	9311963651279
<b>Power Bits - Carded</b>				
SQ1	50	2	S204 H02 B01	9311963651286
SQ2	50	2	S204 H02 B02	9311963651293
SQ3	50	2	S204 H02 B03	9311963651309
SQ2	50	5	S204 H05 B02	9311963651316
SQ2	50	10	S204 H10 B02	9311963651323
SQ2	75	2	S204 H02 D02	9311963651330
SQ1	100	2	S204 H02 E01	9311963651347
SQ2	100	2	S204 H02 E02	9311963651354
SQ3	100	2	S204 H02 E03	9311963651361
SQ2	100	5	S204 H05 E02	9311963651378
SQ1	150	2	S204 H02 G01	9311963651385
SQ2	150	2	S204 H02 G02	9311963651392
SQ3	150	2	S204 H02 G03	9311963651408
SQ2	150	5	S204 H05 G02	9311963651415
<b>Power Bits - Carded Sets</b>				
SQ1, SQ2 (x3), SQ3	50	5	S204 S05 B03	9311963651422
SQ1, SQ2 (x3), SQ3	100	5	S204 S05 E03	9311963651439
SQ1, SQ2 (x3), SQ3	150	5	S204 S05 G03	9311963651446
<b>stackin</b>				
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>				
SQ1, SQ2 (x6), SQ3	50	8	S204 S08 B	9311963655710
SQ1, SQ2 (x6), SQ3	100	8	S204 S08 E	9311963655727
SQ1, SQ2 (x6), SQ3	150	8	S204 S08 G	9311963655734
<b>Power Bits - Trade Packs - Stack-In Stack Tacs</b>				
SQ2	50	10	S204 T10 B02	9311963655741
SQ2	50	15	S204 T15 B02	9311963655758
SQ2	100	15	S204 T15 E02	9311963655765




S204 S08 B

\*See more on page 247



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**TORQ SHIELD**

**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**Colour Bands**  
Colour coded, for easy head identification.

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length mm			
<b>Insert Bits - Carded</b>			<b>S206</b>	
HX5	25	2	S206 H02 A05	9311963651453
<b>Power Bits - Carded</b>				
HX3	50	2	S206 H02 B03	9311963651460
HX4	50	2	S206 H02 B04	9311963651477
HX5	50	2	S206 H02 B05	9311963651484
HX6	50	2	S206 H02 B06	9311963651491
HX5	50	5	S206 H05 B05	9311963651507
HX6	50	5	S206 H05 B06	9311963651514
HX5	50	10	S206 H10 B05	9311963651521
HX6	50	10	S206 H10 B06	9311963651538
HX5	75	2	S206 H02 D05	9311963651545
HX4	100	2	S206 H02 E04	9311963651552
HX5	100	2	S206 H02 E05	9311963651569
HX6	100	2	S206 H02 E06	9311963651576
HX5	100	5	S206 H05 E05	9311963651583
HX6	100	5	S206 H05 E06	9311963651590
HX5	100	10	S206 H10 E05	9311963651606
HX6	100	10	S206 H10 E06	9311963651613
HX4	150	2	S206 H02 G04	9311963651620
HX5	150	2	S206 H02 G05	9311963651637
HX6	150	2	S206 H02 G06	9311963651644
HX5	150	5	S206 H05 G05	9311963651651
HX6	150	5	S206 H05 G06	9311963651668
HX5	150	10	S206 H10 G05	9311963651675
HX6	150	10	S206 H10 G06	9311963651682
<b>stack-in</b>				
<b>Power Bits - Carded Sets</b>				
HX4, HX5 (x3), HX6	50	5	S206 S05 B06	9311963651699
HX4, HX5 (x3), HX6	100	5	S206 S05 E06	9311963651705
HX4, HX5 (x3), HX6	150	5	S206 S05 G06	9311963651712
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>				
HX3, HX4, HX5 (x5), HX6	50	8	S206 S08 B	9311963655772
HX3, HX4, HX5 (x5), HX6	100	8	S206 S08 E	9311963655789
HX3, HX4, HX5 (x5), HX6	150	8	S206 S08 G	9311963655796
<b>Power Bits - Trade Packs - Stack-In Stack Tacs</b>				
HX5	50	10	S206 T10 B05	9311963655802
HX5	50	15	S206 T15 B05	9311963655819
HX5	100	15	S206 T15 E05	9311963655826

\*See more on page 247

# Screwdriver Bits Supatorq Impact Driver Bits - Hex Security/Ball



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**TORQ SHIELD**

**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**Colour Bands**  
Colour coded, for easy head identification.

**Ball Head**  
Enables driving at an angle.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

**Application**

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Hex - Power Bits - Carded</b>			<b>S208</b>	
HS4	50	2	S208 H02 B04	9311963651729
HS5	50	2	S208 H02 B05	9311963651736
HS6	50	2	S208 H02 B06	9311963651743
HS4	100	2	S208 H02 E04	9311963651750
HS5	100	2	S208 H02 E05	9311963651767
HS6	100	2	S208 H02 E06	9311963651774
HS4	150	2	S208 H02 G04	9311963651781
HS5	150	2	S208 H02 G05	9311963651798
HS6	150	2	S208 H02 G06	9311963651804
<b>Power Bits - Carded Sets</b>				
HS4, HS5 (x3), HS6	50	5	S208 S05 B06	9311963651811
HS4, HS5 (x3), HS6	100	5	S208 S05 E06	9311963651828
HS4, HS5 (x3), HS6	150	5	S208 S05 G06	9311963651835
<b>Hex Ball - Power Bits - Carded</b>			<b>S210</b>	
HB4	100	2	S210 H02 E04	9311963651842
HB5	100	2	S210 H02 E05	9311963651859
HB6	100	2	S210 H02 E06	9311963651866
HB4	150	2	S210 H02 G04	9311963651873
HB5	150	2	S210 H02 G05	9311963651880
HB6	150	2	S210 H02 G06	9311963651897
<b>Hex Ball - Power Bits - Carded Sets</b>				
HB4, HB5 (x3), HB6	100	5	S210 S05 E06	9311963651903
HB4, HB5 (x3), HB6	150	5	S210 S05 G06	9311963651910



S208 H02 B05




S208 H02 B06



S208 S05 B06



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**TORX SHIELD**

**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**Colour Bands**  
Colour coded, for easy head identification.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length mm			
<b>Power Bits - Carded</b>			<b>S212</b>	
TX10	50	2	S212 H02 B10	9311963651927
TX15	50	2	S212 H02 B15	9311963651934
TX20	50	2	S212 H02 B20	9311963651941
TX25	50	2	S212 H02 B25	9311963651958
TX27	50	2	S212 H02 B27	9311963651965
TX30	50	2	S212 H02 B30	9311963651972
TX40	50	2	S212 H02 B40	9311963651989
TX10	100	2	S212 H02 E10	9311963651996
TX15	100	2	S212 H02 E15	9311963652009
TX20	100	2	S212 H02 E20	9311963652016
TX25	100	2	S212 H02 E25	9311963652023
TX27	100	2	S212 H02 E27	9311963652030
TX30	100	2	S212 H02 E30	9311963652047
TX40	100	2	S212 H02 E40	9311963652054
TX10	150	2	S212 H02 G10	9311963652061
TX15	150	2	S212 H02 G15	9311963652078
TX20	150	2	S212 H02 G20	9311963652085
TX25	150	2	S212 H02 G25	9311963652092
TX27	150	2	S212 H02 G27	9311963652108
TX30	150	2	S212 H02 G30	9311963652115
TX40	150	2	S212 H02 G40	9311963652122
<b>Power Bits - Carded Sets</b>				
TX10, TX15, TX20, TX25, TX30	50	5	S212 S05 B30	9311963652139
TX10, TX15, TX20, TX25, TX30	100	5	S212 S05 E30	9311963652146
TX10, TX15, TX20, TX25, TX30	150	5	S212 S05 G30	9311963652153
<b>stack-in®</b>				
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>				
TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40	50	8	S212 S08 B	9311963655833
TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40	100	8	S212 S08 E	9311963655840
TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40	150	8	S212 S08 G	9311963655857

\*See more on page 247



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**TORX SHIELD**  
**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

**Colour Bands**  
Colour coded, for easy head identification.

**Application**

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Power Bits - Carded</b>			<b>S214</b>	
TS10	50	2	S214 H02 B10	9311963652160
TS15	50	2	S214 H02 B15	9311963652177
TS20	50	2	S214 H02 B20	9311963652184
TS25	50	2	S214 H02 B25	9311963652191
TS27	50	2	S214 H02 B27	9311963652207
TS30	50	2	S214 H02 B30	9311963652214
TS40	50	2	S214 H02 B40	9311963652221
TS10	100	2	S214 H02 E10	9311963652238
TS15	100	2	S214 H02 E15	9311963652245
TS20	100	2	S214 H02 E20	9311963652252
TS25	100	2	S214 H02 E25	9311963652269
TS27	100	2	S214 H02 E27	9311963652276
TS30	100	2	S214 H02 E30	9311963652283
TS40	100	2	S214 H02 E40	9311963652290
TS10	150	2	S214 H02 G10	9311963652306
TS15	150	2	S214 H02 G15	9311963652313
TS20	150	2	S214 H02 G20	9311963652320
TS25	150	2	S214 H02 G25	9311963652337
TS27	150	2	S214 H02 G27	9311963652344
TS30	150	2	S214 H02 G30	9311963652351
TS40	150	2	S214 H02 G40	9311963652368
<b>Power Bits - Carded Sets</b>				
TS10, TS15, TS20, TS25, TS30	50	5	S214 S05 B30	9311963652375
TS10, TS15, TS20, TS25, TS30	100	5	S214 S05 E30	9311963652382
TS10, TS15, TS20, TS25, TS30	150	5	S214 S05 G30	9311963652399
<b>stack-in*</b>				
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>				
TS10, TS15, TS20, TS25(x2), TS27, TS30, TS40	50	8	S214 S08 B	9311963655864
TS10, TS15, TS20, TS25(x2), TS27, TS30, TS40	100	8	S214 S08 E	9311963655871
TS10, TS15, TS20, TS25(x2), TS27, TS30, TS40	150	8	S214 S08 G	9311963655888

\*See more on page 247

# Screwdriver Bits Supatorq Impact Driver Bits - Slotted

SLOTTED 



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**TORQ SHIELD**  
Torsion Zone  
Protects bits from breakage during high torque applications.

**Custom S8 Steel**  
Custom industrial grade steel blend - delivers longer life.

**Precision Machined Tips**  
Provides improved screw fitment resulting in minimal cam-out

**Colour Bands**  
Colour coded, for easy head identification.

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Power Bits - Carded</b>			<b>S218</b>	
SL6	50	2	S218 H02 B06	9311963652405
SL6-8	50	2	S218 H02 B08	9311963652412
SL8-10	50	2	S218 H02 B10	9311963652429

# Screwdriver Bits Supatorq - Magnetiser



Magnetised screwdriver bits lose their holding power over time due to impact forces and heat.



**Suits Power Bits**  
Slides over tips of all SupaTorq Power Bits



**10X Hold\***  
Neodymium Magnet  
-Provides greater than 10X holding force greatly reducing the likelihood of fastener droppage.

Product Group: Z0702

Product Information			Item #	Barcode
Description	Size	Pieces		
<b>Magnetiser</b>			<b>S229</b>	
Magnetiser	1/4	2	S229 H02 MA	9311963656595

\* Versus standard magnetised screwdriver bits.



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**TORQ SHIELD**

**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**Custom SVCM Steel**  
Custom industrial grade steel blend - delivers longer life.

**Magnetised**  
Powerful magnet - Securely holds fasteners in place.

**Colour Bands**  
Colour coded, for easy head identification.

**Application**

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

**Product Group: Z0702**

Product Information			Item #	Barcode	Item #	Barcode	Item #	Barcode
Size	O/A Length mm	Pieces						
<b>Power Bits - Carded Metric</b>			<b>S230</b>					
6	50	1	S230 H01 BF	9311963652436				
8	50	1	S230 H01 BG	9311963652443				
10	50	1	S230 H01 BH	9311963652450				
6	65	1	S230 H01 CF	9311963652559				
8	65	1	S230 H01 CG	9311963652566				
10	65	1	S230 H01 CH	9311963652573				
<b>Power Bits - Carded Imperial</b>								
1/4	50	1	S230 H01 BA	9311963652467	2	S230 H02 BA	9311963652498	3
5/16	50	1	S230 H01 BB	9311963652474	2	S230 H02 BB	9311963652504	3
3/8	50	1	S230 H01 BC	9311963652481	2	S230 H02 BC	9311963652511	3
1/4	65	1	S230 H01 CA	9311963652580	2	S230 H02 CA	9311963652610	3
5/16	65	1	S230 H01 CB	9311963652597	2	S230 H02 CB	9311963652627	3
3/8	65	1	S230 H01 CC	9311963652603	2	S230 H02 CC	9311963652634	3
1/4	150	1	S230 H01 GA	9311963652672				
5/16	150	1	S230 H01 GB	9311963652689			3	S230 H03 GB
3/8	150	1	S230 H01 GC	9311963652696				
5/16	300	1	S230 H01 HB	9311963652719			3	S230 H03 HB
3/8	300	1	S230 H01 HC	9311963652726				
<b>Power Bits - Carded Sets</b>								
1/4, 5/16, 3/8	50	3	S230 S03 BX	9311963652740				
1/4, 5/16, 3/8	65	3	S230 S03 CX	9311963652757				
<b>stack-in</b>								
<b>Power Bits - Carded Sets - Stack-In Stack Racks</b>								
1/4, 5/16(x3), 3/8	50	5	S230 S05 B	9311963655895				
1/4, 5/16(x3), 3/8	65	5	S230 S05 C	9311963655901				
5/16	50	5	S230 T05 BB	9311963655918				
5/16	65	5	S230 T05 CB	9311963655925				
<b>Power Bits - Trade Packs - Stack-In Stack Tacs</b>								
5/16	50	6	S230 T06 BB	9311963655932				
5/16	65	6	S230 T06 CB	9311963655949				

\*See more on page 247

# Screwdriver Bits Supatorq Impact Driver Bits - Magnetic Holder



**sutton** **SUPATORQ**

SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**Magnetised**  
Powerful magnet  
- Securely holds  
fasteners in place.



**Torsion Zone**  
Protects bits from  
breakage during high  
torque applications.

**Power Bit**  
1/4" Hex Shank - For  
use in impact drivers  
and quick-change  
adaptors



**Colour Bands**  
Colour coded, for easy  
head identification.

**Custom SVCM+ Steel**  
Custom industrial grade  
steel blend - delivers  
longer life.

- Application**
- DIY
  - Professional
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length			
Inch	mm			
<b>Power Bits - Carded Imperial</b>				<b>S235</b>
1/4	60	1	S235 H01 B	9311963652764
1/4	75	1	S235 H01 D	9311963652771
1/4	150	1	S235 H01 G	9311963652788



S235 H01 B

S235 H01 G

**sutton** **SUPATORQ**



SupaTorq sets a new standard for fastener driving in trade and industrial applications.



**TORQ SHIELD**

**Torsion Zone**  
Protects bits from breakage during high torque applications.

**Power Bit**  
1/4" Hex Shank - For use in impact drivers and quick-change adaptors

**Custom SVCM Steel**  
Custom industrial grade steel blend - delivers longer life.

**Socket Retainer**  
Spring-loaded ball keeps sockets securely attached.

**Application**

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

Product Group: Z0702

Product Information		Pieces	Item #	Barcode
Size	O/A Length			
Inch	mm			
<b>Hex to Socket Adaptor - Carded</b>				
<b>S240</b>				
1/4	50	1	S240 H01 BA	9311963652795
3/8	50	1	S240 H01 BC	9311963652801
1/2	50	1	S240 H01 BE	9311963652818
1/4	65	1	S240 H01 CA	9311963652825
3/8	65	1	S240 H01 CC	9311963652832
1/2	65	1	S240 H01 CE	9311963652849
<b>Hex to Socket Adaptor - Carded Sets</b>				
1/4, 3/8, 1/2	50	3	S240 S03 BX	9311963652856
1/4, 3/8, 1/2	65	3	S240 S03 CX	9311963652863
<b>Socket to Hex Adaptor - Carded</b>				
<b>S241</b>				
1/2	50	1	S241 H01 BA	9311963652870



S240 H01 BA

S240 H01 BE

S240 H01 CA

S240 H01 CE

S240 S03 BX

S241 H 01 BA

# sutton®



## **stack-in**

***Your kit, your way.***



Stack Packs are the largest storage cases in the Stack-In system and house Stack Racks and Stack Tacs. Stack Packs securely attach into Stack Tubs to organise your stack.



Stack Pack Sizes



Case Size	Depth (mm)
S	39
M	49
L	53
XL	63
XXL	76

Product Group: Z0702

Product Information					Item #	Barcode
Description	Size	O/A Length mm	Pieces	Case Size		
<b>SupaTorq - Trade Pack - Stack-In Stack Pack</b>					<b>S200</b>	
Power Bit	PH2	150	8	S	S200 T08 G02	931196365666
<b>Assorted Sets - Stack-In Stack Packs</b>					<b>S250</b>	
Power Bit	50mm - PH1, PH2 (x6), PH3, SQ2, HX5 (x2), TX20, TX25 100mm - PH2 (x2), SQ2	50/100	16	M	S250 S16 A	9311963655956
Power/Insert Bit	25mm - TX15, TX20, TX25, TX30, TS15, TS20, TS25, TS30 50mm - PH1, PH2 (x2), PH3, PZ1, PZ2 (x2), PZ3, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6 100mm - PH2 (x3), SQ2, HX5, 60mm Magnetic Holder	25/50/100	30	M	S250 S30 A	9311963655987
Power Bit	50mm - PH1, PH2 (x6), PH3, PZ1, PZ2 (x2), PZ3, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6, TX15, TX20, TX25, TX30 100mm - PH1, PH2 (x2), PH3, SQ2 (x2), HX5 (x2)	50/100	32	M	S250 S32 A	9311963656007
Power/Insert Bit	25mm - PH1, PH2 (x6), PH3 50mm - PH1, PH2 (x6), PH3, SQ2 (x2), TX20, TX25, HX4, HX5 (x2), HX6 100mm - PH1, PH2 (x6), PH3 50mm Nutsetter (1/4", 5/16", 3/8"), 60mm Magnetic Holder, 1/2" Socket Adaptor	25/50/100	37	M	S250 S37 A	9311963656021
Power Bit	50mm - PH1 (x2), PH2 (8), PH3 (x2), PZ1, PZ2 (x2), PZ3, TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6 100mm - PH1, PH2 (x2), PH3, SQ2 (x2), HX5 (x2)	50/100	40	M	S250 S40 A	9311963656038
Power/Insert Bit	25mm - TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40, TS10, TS15, TS20, TS25, TS30, HS4, HS5, HS6 50mm - PH1, PH2 (x6), PH3, SQ1, SQ2 (x2), SQ3, HX4, HX5, HX6, TX10, TX15, TX20, TX25 (x2), TX27, TX30, TX40 100mm - PH1, PH2 (x6), PH3	25/50/100	48	M	S250 S48 A	9311963656045
Power Bit/Socket	50mm - PH1, PH2 (x3), PH3, SQ1, SQ2, SQ3, HX4, HX5, HX6, TX10, TX15, TX20, TX25, TX30 50mm Nutsetter (1/4", 5/16", 3/8"), 1/2" Socket Adaptor, 1/2" Drive Impact Sockets (13mm, 16mm, 18mm), 60mm Quick-Change Holder	50	24	M	S250 S24 A	9311963655963
<b>Assorted Sets - Stack-In Stack Packs</b>					<b>S251</b>	
Power Bit	50mm - PH1, PH2 (x6), PH3, PZ1, PZ2 (x2), PZ3, TX15, TX20, TX25, TX30, SQ1, SQ2 (x2), SQ3, HX4, HX5 (x2), HX6, 50mm Nutsetter (1/4", 5/16", 3/8"), 1/2" Socket Adaptor, 60mm Quick-Change Holder HSS-TIAlN Drills - 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0mm	50	37	M	S251 S37 A	9311963656052

# sutton



Stack Tacs are the smallest storage cases in the Stack-In system and each securely attach to Stack Tubs.\*

\*Stack Tac (S size) only fits into Stack Packs not Stack Tubs



Product Group: Z0702

Product Information						Item #	Barcode
Description	Size	O/A Length mm	Pieces	Case Size			
<b>Phillips - Trade Packs - Stack-In Stack Tacs</b>						<b>S200</b>	
Insert Bit	PH2	25	20	S	S200 T20 A02	9311963655703	
Power Bit	PH2	50	10	S	S200 T10 B02	9311963655673	
Power Bit	PH2	50	15	M	S200 T15 B02	9311963655680	
Power Bit	PH2	100	15	L	S200 T15 E02	9311963655697	
<b>Square/Robertson - Trade Packs - Stack-In Stack Tacs</b>						<b>S204</b>	
Power Bit	SQ2	50	10	S	S204 T10 B02	9311963655741	
Power Bit	SQ2	50	15	M	S204 T15 B02	9311963655758	
Power Bit	SQ2	100	15	L	S204 T15 E02	9311963655765	
<b>Hex - Trade Packs - Stack-In Stack Tacs</b>						<b>S206</b>	
Power Bit	HX5	50	10	S	S206 T10 B05	9311963655802	
Power Bit	HX5	50	15	M	S206 T15 B05	9311963655819	
Power Bit	HX5	100	15	L	S206 T15 E05	9311963655826	
<b>Nutsetter - Trade Packs - Stack-In Stack Tacs</b>						<b>S230</b>	
Power Bit	5/16"	50	6	M	S230 T06 BB	9311963655932	
Power Bit	5/16"	65	6	M	S230 T06 CB	9311963655949	
<b>Assorted Sets - Stack-In Stack Tacs</b>						<b>S250</b>	
Insert Bit	PH1, PH2(x4), PH3, PZ1, PZ2, PZ3, SQ1, SQ2, SQ3, HX3, HX4, HX5, HX6, HS3, HS4, HS5, HS6, TX10, TX15, TX20, TX25, TX27, TX30, TS10, TS15, TS20, TS25, TS27, TS30 60mm Magnetic Holder	25	33	XL	S250 S33 A	9311963656014	

## Stack-In Accessories

The Stack-In Stack Tub is designed to fit selected MILWAUKEE® PACKOUT® \* products.

MILWAUKEE® Part No.	Product Description	Compatible
48228425	Large Tool Box	YES
48228429	XL Tool Box	YES
48228426	Rolling Tool Box	YES



Product Group: Z0206

Product Information				Item #	Barcode
<b>Accessories</b>				<b>A100</b>	
<b>Stack Tub</b>				A100 N STMP	9311963655499
<b>Tool Lanyard</b>	4.5 kg Capacity			A110 H L045	9311963655505

\* MILWAUKEE® and PACKOUT® are registered trademarks of Techtronic Industries Limited.



sutton

ULTRA


Sutton Tools UltraBits, with impact torsion neck, designed to withstand high torque impact applications.



**Shock Absorber Zone**  
Impact torsion neck, designed to withstand high torque screwing, lasting 12x longer than standard bits.

**12X LIFE**

**Power Bit**  
1/4" hex for use in power tools and quick change adapters




**Ring Reinforcement**  
Reinforced screw head ring for longer impact resistance.



Scan to watch video

**Precise Fit**  
Avoids slipping and stripping screw heads.

**Anti-Breakage**  
Reinforced joints for a stronger link avoiding breakages.



**Application**

- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

Product Group: Z0702

Product Information			Item #	Barcode
Description	O/A Length mm	Pieces		
Phillips PH2	50	2	S160 0250	<b>S160</b> 9311963618678
Phillips PH2	50	5	S161 0250	<b>S161</b> 9311963618685
Phillips PH2	50	10	S162 0250	<b>S162</b> 9311963618692
Hex H5	50	2	S163 0550	<b>S163</b> 9311963618708
Hex H5	50	5	S164 0550	<b>S164</b> 9311963618715
Hex H5	50	10	S165 0550	<b>S165</b> 9311963618722
Square R2	50	2	S166 0250	<b>S166</b> 9311963618739
Square R2	50	5	S167 0250	<b>S167</b> 9311963618746
Square R2	50	10	S168 0250	<b>S168</b> 9311963618753
Torx T10	50	2	S169 1050	<b>S169</b> 9311963618760
Torx T15	50	2	S169 1550	9311963618777
Torx T20	50	2	S169 2050	9311963618784
Torx T25	50	2	S169 2550	9311963618791
Torx T30	50	2	S169 3050	9311963618807
Torx T40	50	2	S169 4050	9311963618814



S160 0250



S163 0550



S166 0250



S169 1050



S161 0250



S162 0250

# Screwdriver Bits Supabit, Phillips®



**sutton**


**SUPABIT**  
EXTREME IMPACT

## Torsion Bits

Specifically suited to withstand high torque applications. The elastic property of these bits deliver professional performance that stands up to rigorous use.

### Torsion Neck

Designed to disperse torsional stress and reduce wear of the screwdriver bit



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**ACR Tip**  
Anti cam-out rib system reduces stripping and damage to the screw

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Application**

- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length mm	Pieces	Carded		Order Qty	Bulk Pack
<b>Insert Bits</b>			<b>S106</b>			<b>S107</b>
PH1	25	1	S106 0125*	9311963441306	10	S107 0125 9311963441337
PH2	25	1	S106 0225*	9311963441313	10	S107 0225 9311963441344
PH3	25	1	S106 0325*	9311963441320	10	S107 0325 9311963441351
<b>Power Bits</b>						
PH1	50	1	S106 0150*	9311963441368	10	S107 0150 9311963441399
PH2	50	1	S106 0250*	9311963441375	10	S107 0250 9311963441405
PH3	50	1	S106 0350*	9311963441382	10	S107 0350 9311963441412
			<b>S150</b>			
PH2	50	2	S150 0250	9311963608525		
PH2	100	2	S150 02100	9311963608587		
PH2	150	2	S150 02152	9311963608617		
			<b>S151</b>			
PH2	50	5	S151 0250	9311963608532		
PH2	100	5	S151 02100	9311963608594		
PH2	150	5	S151 02152	9311963608624		
<b>Double Ended Bits</b>			<b>S108</b>			
PH2/PH2	100	1	S108 2100*	9311963599946		
PH2/PH2	150	1	S108 2150*	9311963623702		
PH2/PH2	50	6	S108 20506*	9311963600000		
PH2/PH2	100	6	S108 21006*	9311963600024		
<b>Double Ended Sets</b>			<b>S105</b>			
PH2/PH2	50	10	S105 1250*	9311963570334		
PH2/PH2	75	6	S105 1275*	9311963570341		
PH2/PH2	100	6	S105 12100*	9311963570358		
<b>Double Ended Sets</b>			<b>S125</b>			
PH2/R2	60	2	S125 1260*	9311963623658		
PH2/PH2, R2/R2, PH2/R2	60	3	S125 9360*	9311963623665		

\*Not available once current stock is depleted

# Screwdriver Bits Supabit, Hex



**sutton**

**SUPABIT**  
EXTREME IMPACT



**3X**  
TORQUE

This system is very popular in machine tools and driving deck screws. The vertically sloping side walls of a hex recess screw head prevent the cam-out recess effect.



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Recess Design**  
Provides better mating with the driver, greater driving surface and minimal metal "fall away"

**Application (Hex)**

- DIY
- Trade
- Automotive
- Furniture
- Carpentry
- General Contracting
- Metalworking
- Machine Shop
- MRO

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length mm	Pieces	Carded		Order Qty	Bulk Pack
<b>Insert Bits</b>					<b>S114</b>	
H4	25					<b>S115</b>
H5	25	1	S114 0525*	9311963352282	10	S115 0425 9311963041834
H6	25				10	S115 0525 9311963041841
H8	25				10	S115 0625 9311963041858
<b>Power Bits</b>						
H4	50	1	S114 0450*	9311963625485		
H5	50	1	S114 0550*	9311963439129	10	S115 0550 9311963049441
H5	75	1	S114 0575*	9311963439136	10	S115 0575 9311963439105
H5	100	1	S114 05100*	9311963439143	10	S115 05100 9311963439112
					<b>S146</b>	
H5	50	2	S146 0550*	9311963608334		
H6	100	2	S146 06100*	9311963632834		
H5	150	2	S146 05152*	9311963608402		
H6	150	2	S146 06150*	9311963632841		
					<b>S147</b>	
H5	50	5	S147 0550*	9311963608341		
H5	150	5	S147 05152*	9311963608419		
<b>5pc Set</b>					<b>S114</b>	
H3, H4, H5, H6, H8	50	5	S114 9550	9311963623641		

\*Not available once current stock is depleted

# Screwdriver Bits Supabit, Square Recess




**sutton**

**SUPABIT**  
EXTREME IMPACT



**3X**  
TORQUE

This system is very popular especially for wooden boat building, mobile homes, recreation vehicles and other specialty uses. Also known as a Robertson® bit.



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**Full Hex Body**  
Provides extra strength and durability

**Square Recess Tip**  
Specialised tip design for a number of applications

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Application**

- Appliances
- Cabinet Making
- Decking
- Trade
- Carpentry
- Plastering
- Woodworking
- HVAC

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length	Pieces	Carded		Order Qty	Bulk Pack
	mm					
<b>Insert Bits</b>						
			<b>S118</b>			<b>S119</b>
R1	25	2	S118 0125*	9311963024691	10	S119 0125 9311963039770
R2	25	2	S118 0225*	9311963024707	10	S119 0225 9311963039787
R3	25	2	S118 0325*	9311963024721	10	S119 0325 9311963039794
<b>Power Bits</b>						
R1	50	1	S118 0150*	9311963024738	10	S119 0150 9311963039800
R2	50	1	S118 0250*	9311963024745	10	S119 0250 9311963039817
R3	50	1	S118 0350*	9311963024752	10	S119 0350 9311963039824
R2	75				10	S119 0275 9311963039862
R1	90				10	S119 0190 9311963049465
R2	90	1	S118 0290*	9311963024769	10	S119 0290 9311963049472
R1	150				10	S119 01150 9311963049489
R2	150	1	S118 02150*	9311963024776	10	S119 02150 9311963049649
R2	50	2	<b>S148</b>			
R2	150	2	S148 0250*	9311963608426		
			S148 02152*	9311963608501		
R2	150	5	<b>S149</b>			
			S149 02152*	9311963608518		
<b>Single Ended Bits</b>						
			<b>S119</b>			
R1	100	1	S119 01100*	9311963623689		
R3	100	1	S119 03100*	9311963623719		
<b>Double Ended Bits</b>						
R2/R2	60	2	S119 1260*	9311963623627		
R2/R2	75	6	S119 1275*	9311963570365		
R3/R3	75	6	S119 1375*	9311963570372		
<b>Double Ended Sets</b>						
R2/H5	60	2	S118 1260	9311963623672		
R1/R1, R2/R2, R3/R3	60	3	S119 9360*	9311963623610		

\*Not available once current stock is depleted

# Screwdriver Bits Supabit, Torx®



**sutton**

**SUPABIT**  
EXTREME IMPACT

Sutton Tools Torx® Supabit screwdriver bits are specifically designed to withstand high torque applications. The elastic property of these bits deliver professional performance that stands up to rigorous use. Provides a greater depth of engagement between the driver and the fastener.



**Torsion Neck**  
For high torque applications

**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**3X Torque**  
Tested to exceed DIN standards by up to 330%

**Application (Hex)**

- DIY
- Trade
- Automotive
- Furniture
- Carpentry
- General Contracting
- Metalworking
- Machine Shop
- MRO

**Product Group: Z0702**

Product Information				Item #	Barcode
Size	O/A Length mm	Carded	Pieces	Bulk Pack	
<b>Power Bits</b>				<b>S153</b>	
T10	50		2	S153 1050*	9311963615066
T20	50		2	S153 2050*	9311963615073
T25	50		2	S153 2550*	9311963615080
T40	50		2	S153 4050*	9311963615172
				<b>S154</b>	
T10	50		5	S154 1050*	9311963615097
T20	50		5	S154 2050*	9311963615103
T25	50		5	S154 2550*	9311963615110
<b>Power Bit Set</b>					
T15, T20, T25	50		3	S153 0003*	9311963625478



S153 0003



S154 2050

\*Not available once current stock is depleted

# Screwdriver Bits Supabit, Magnetic Nutsetter



Nutsetters are used predominantly in the roofing industry to drive hex head screws.



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**High Performance Materials**  
Delivers professional performance that stands up to rigorous use

**Opening**  
Available for both metric and imperial sizes

- Application**
- DIY
  - Trade
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - General Contracting
  - Woodworking
  - Metalworking
  - Machine Shop
  - MRO

Product Group: Z0702

Product Information				Item #	Barcode
Size	O/A Length mm	Pieces	Carded	Order Qty	Bulk Pack
<b>Magnetic Nutsetter – Metric</b>					
8	45			10	<b>S135</b> 9311963051055
10	50			10	S135 1050 9311963051062
<b>Magnetic Nutsetter – Imperial</b>					
1/4	42	1	<b>S132</b> S132 0645 9311963074160	10	<b>S133</b> S133 0645 9311963039893
5/16	42 <sup>9</sup>	1	S132 0845 9311963074177	10	S133 0845 9311963039909
3/8	50	1	S132 0950 9311963074184	10	S133 0950 9311963041797
1/4	65	1	S132 0665 9311963074191	10	S133 0665 9311963042015
5/16	65	1	S132 0865 9311963074207	10	S133 0865 9311963042022
3/8	65	1	S132 0965 9311963074214	10	S133 0965 9311963043401
1/4	150	1	S132 06150 9311963518565		
5/16	150	1	S132 08150 9311963518572		
3/8	150	1	S132 09150 9311963518589		
3/8	305	1	S132 09305* 9311963623733		
<b>3pc Sets</b>					
1/4	65	3	<b>S157</b> S157 0665* 9311963626680		
5/16	65	3	S157 0865* 9311963626697		
3/8	65	3	S157 0965* 9311963626703		
1/4, 5/16, 3/8	65	3	S157 0003 9311963626710		

# Screwdriver Bits Supabit, Torsion Nutsetter



Magnetic Nutsetters are used to drive hex head nuts and screws in a wide variety of applications. Supabits withstand high torque applications. The elastic property of these bits deliver professional performance.



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**Torsion Neck**  
Torsion neck zone for high torque applications



**Heavy Duty**  
Self-adjusting spring loaded magnet for heavy duty grip

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Torsion Nutsetter</b>				
1/4	65	1	<b>S152</b> S152 0665* 9311963611181	
5/16	65	1	S152 0865* 9311963611198	
3/8	65	1	S152 0965* 9311963611204	

\*Not available once current stock is depleted

# Screwdriver Bits Supabit, Pressure Fit Nutsetter

**sutton**

**SUPABIT**  
EXTREME IMPACT



Ideal for stainless steel screws and roofing applications. The spring ball locking mechanism eliminates the need for magnets and ensures a tighter fit on the fastener head for stronger, faster driving.



**Power Bit**  
1/4" hex for use in impact drivers and quick change adapters

**Chrome Vanadium Steel**  
& DIN standard

**Pressure Fit**  
Spring-ball locking ensures a tight fit for stronger, faster driving

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Pressure Fit Nutsetter</b>			<b>S158</b>	
5/16	65	1	S158 0865	9311963635491
<b>3pc Set</b>			<b>S159</b>	
5/16	65	3	S159 0865	9311963635507




S159 0865






sutton®

Phillips is the most widely used drive system in the world. The design absorbs torque peak reducing slippage and breakage.



**Power Bit**  
1/4" hex for use in power tools and quick change adapters

**Chrome Vanadium**  
Tough grade high alloy steel absorbs shock and offers superior performance



**Insert Bit**  
1/4" hex for use in bit holders and hand drivers

Application
DIY
Trade
Industrial Application
Automotive
Electrical
Plumbing
Carpentry
Plastering
General Contracting
Woodworking
Metalworking
Machine Shop
MRO

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length mm	Pieces	Carded		Order Qty	Bulk Pack
<b>Insert Bits</b>			<b>S104</b>			<b>S105</b>
PH1	25	1	S104 0125*	9311963004198	10	S105 0125 9311963031798
PH2	25	1	S104 0225*	9311963005010	10	S105 0225 9311963031804
PH3	25	1	S104 0325*	9311963007830	10	S105 0325 9311963031811
PH2 R <b>Reduced</b>	25				10	S105 0225R 9311963031866
<b>Power Bits</b>						
PH1	50	1	S104 0150	9311963072746	10	S105 0150 9311963035284
PH2	50	1	S104 0250	9311963072753	10	S105 0250 9311963035291
PH3	50	1	S104 0350*	9311963072760	10	S105 0350 9311963035307
PH2	65	1	S104 0265*	9311963570440		
PH2	70	1	S104 2265	9311963570464	10	S105 0270 9311963035321
PH2	90	1	S104 0290*	9311963106717	10	S105 0290 9311963035345
PH3	90	1			10	S105 0390 9311963035352
PH1	100	1			10	S105 01100 9311963038759
PH2	100	1	S104 22100	9311963570471	10	S105 02100 9311963039374
PH1	150	1			10	S105 01150 9311963050218
PH2	150	1	S104 02150	9311963179391	10	S105 02150 9311963050027
<b>Double Ended Bits</b>			<b>S122</b>			<b>S125</b>
PH2/PH2	45	1	S122 0245*	9311963106724	10	S125 0245 9311963049892
PH2/PH2	65	1	S122 0265	9311963179377	10	S125 0260 9311963049885
			<b>S104</b>			
PH2/PH2	100	1	S104 12100	9311963570457		
<b>Double Ended Bits - Full Body Hex</b>						<b>S123</b>
PH2/PH2	110				10	S123 02110 9311963050768
PH2/PH2	150				10	S123 02150 9311963050911
						<b>S127</b>
PH2/SL6-8	40				10	S127 68240 9311963049229



S105 0225R

**Reduced Head**  
Ideal for use in restricted areas



Double Ended



Double Ended Full Hex Body

\*Not available once current stock is depleted

# Screwdriver Bits Phillips® Plasterboard Insert Bit



## sutton

Convert any power drill into a screwgun. Retaining ring notch ideal for even drive depth in plasterboard without tearing.



**Retaining Ring Notch**  
For correct depth alignment

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers

**Made With High Hardness S2 Grade Tool Steel**

### Application

DIY  
Trade  
General Contracting  
Plastering

**Product Group: Z0702**

Product Information		Order Qty	Item #	Barcode
Size	O/A Length mm			
<b>Plasterboard Insert Bit</b>			<b>S104</b>	
PH2	25	1	S104 0225D	9311963623726

# Screwdriver Bits Phillips® ACR®



## sutton

**ACR®**  
Designed to offer extra grip for removal of stubborn or damaged screw recesses.



**ACR® Tip**  
Provides a positive grip on screw recess

**Full Hex Body**  
Provides extra strength and durability

**Power Bit**  
1/4" hex for use in power tools and quick change adapters

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



### Application

DIY  
Trade  
Industrial Application  
Automotive  
Electrical  
Plumbing  
Carpentry  
Plastering  
General Contracting  
Woodworking  
Metalworking  
Machine Shop  
MRO


**Product Group: Z0702**

Product Information		Order Qty	Item #	Barcode
Size	O/A Length mm			
<b>Insert Bit</b>			<b>S109</b>	
PH2	25	10	S109 0225	9311963050256
<b>Power Bit</b>				
PH2	50	10	S109 0250	9311963050010



sutton®

The self-centring Pozidriv system provides excellent driving control with less operator fatigue.



**Chrome Vanadium**  
Tough grade high alloy steel absorbs shock and offers superior performance

**Power Bit**  
1/4" hex for use in power tools and quick change adapters

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Recess Design**  
Providing better mating with the driver, greater driving, surface and minimal metal "fall away"

**Application**

- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length mm	Pieces	Carded		Order Qty	Bulk Pack
<b>Insert Bits</b>			<b>S102</b>			<b>S103</b>
PZ1	25	2	S102 0125*	9311963009032	10	S103 0125 9311963031873
PZ2	25	2	S102 0225*	9311963009544	10	S103 0225 9311963032030
PZ3	25				10	S103 0325 9311963032078
<b>Power Bits</b>						
PZ1	50	1	S102 0150*	9311963072777	10	S103 0150 9311963035628
PZ2	50	1	S102 0250*	9311963072784	10	S103 0250 9311963035635
PZ3	50	1	S102 0350*	9311963072791	10	S103 0350 9311963036205
PZ1	75				10	S103 0175 9311963039749
PZ2	75				10	S103 0275 9311963039756
PZ3	75				10	S103 0375 9311963039763
PZ1	150				10	S103 01150 9311963037066
PZ2	150				10	S103 02150 9311963037073
PZ3	150				10	S103 03150 9311963037080
<b>Double Ended Bits</b>						
PZ2/PZ2	45	2	S102 0245*	9311963570488	10	S103 0245 9311963570495
PZ2/PZ2	65	2	S102 0265*	9311963570501	10	S103 0265 9311963570518
PZ2/PZ2	60	1	<b>S120</b>			<b>S121</b>
			S120 0260*	9311963179384	10	S121 0260 9311963050478


\*Not available once current stock is depleted

# Screwdriver Bits Slotted



## sutton


The most popular driving system for general use. For positive drive, the screwdriver tip must be turned 90 degree to align itself with the recess.



**Power Bit**  
1/4" hex for use in power tools and quick change adapters

**Chrome Vanadium**  
Tough grade high alloy steel absorbs shock and offers superior performance

**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



### Application

- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

Product Group: Z0702

Product Information					Item #	Barcode
Size	O/A Length mm	Pieces	Carded		Order Qty	Bulk Pack
<b>Insert Bits</b>					<b>S100</b>	
SL5-6	25	2	S100 5625*	9311963005164	10	S101 5625 9311963049373
SL6-8	25	2	S100 6825*	9311963005508	10	S101 6825 9311963049380
<b>Power Bits</b>					<b>S101</b>	
SL2-3	50	1	S100 2350*	9311963072715		
SL4-5	50	1	S100 4550*	9311963570389		
SL5-6	50	1	S100 5650*	9311963072722	10	S101 5650 9311963037134
SL6-8	50	1	S100 6850*	9311963570396	10	S101 6850 9311963037141
SL8-10	50	1	S100 81050*	9311963072739	10	S101 81050 9311963037158
<b>Double Ended Bit</b>					<b>S127</b>	
PH2/SL6-8	40				10	S127 68240 9311963049229

\*Not available once current stock is depleted

# Screwdriver Bits Torx®



## sutton®

The system provides NO CAM-OUTS because of the straight, vertical side walls in the design of the recessed screw head. Also provides a greater depth of engagement between the driver and the fastener due to the 6 lobes.



**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Torx® Tip**  
Popular in automotive and appliance assembly

**Application**

- DIY
- Trade
- Appliances
- Automotive

Product Group: Z0702

Product Information				Item #	Barcode
Size	O/A Length mm	Pieces	Carded	Order Qty	Bulk Pack
<b>Insert Bits - Bulk</b>			<b>S110</b>		<b>S111</b>
<b>T10</b>	25	2	S110 1025* 9311963570402	10	S111 1025 9311963041902
<b>T15</b>	25	2	S110 1530* 9311963570419	10	S111 1525 9311963041919
<b>T20</b>	25			10	S111 2025 9311963041926
<b>T25</b>	25	2	S110 2530* 9311963570426	10	S111 2525 9311963041933
<b>T27</b>	25	2	S110 2730* 9311963570433	10	S111 2725 9311963041940
<b>T30</b>	25			10	S111 3025 9311963041957

# Screwdriver Bits Torx® Tamper Resistant




## sutton®

Tamper resistant bits for the installation and removal of security fasteners.



**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Torx® Tamper Resistant Tip**  
Popular in security protection applications

**Application**

- DIY
- Trade
- Appliances
- Automotive
- Security

Product Group: Z0702

Product Information				Item #	Barcode
Size	O/A Length mm		Order Qty	Bulk Pack	
<b>Insert Bits - Bulk</b>					<b>S113</b>
<b>TR10</b>	25		10	S113 1025	9311963044484
<b>TR15</b>	25		10	S113 1525	9311963045085
<b>TR20</b>	25		10	S113 2025	9311963045108
<b>TR25</b>	25		10	S113 2525	9311963045283
<b>TR27</b>	25		10	S113 2725	9311963045405
<b>TR30</b>	25		10	S113 3025	9311963046648

\*Not available once current stock is depleted



**sutton**

Tamper resistant bits for the installation and removal of security fasteners.



**Insert Bit**  
1/4" hex for use in bit holders and hand drivers



**Tamper Resistant Bits**  
For the installation and removal of security fasteners

**Application (Tri Wing)**

Application  
Aviation  
Electrical/  
Electronics  
Security

Product Group: Z0702


Product Information			Item #	Barcode
Size	O/A Length mm	Order Qty	Bulk Pack	
<b>Insert Bits – Bulk</b>			<b>S117</b>	
<b>TW3</b>	25	10	S117 0325	9311963041667
<b>TW4</b>	25	10	S117 0425	9311963041698
<b>TW5</b>	25	10	S117 0525	9311963041742

# Screwdriver Bits Socket Adaptor



## sutton

For use with a power socket. Ideal for when high torque loads are required.



**Pin Lock**  
For secure attachment of socket

**Power Bit**  
1/4" hex for use in power tools and quick change adapters

- Application**
- DIY
  - Trade
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - General Contracting
  - Woodworking
  - Metalworking
  - Machine Shop
  - MRO

Product Group: Z0702


Product Information				Item #	Barcode
Size	O/A Length mm	Pieces	Carded	Order Qty	Bulk Pack
<b>Power Bit</b>			<b>S136</b>		<b>S137</b>
1/4	50	1	S136 0650* 9311963439013	10	S137 0650 9311963039916

# Screwdriver Bits Magnetic Bit Holder



## sutton

Help you change bits faster for greater productivity.



**Opening**  
Designed for use with insert bits

**C-Ring**  
Internal clip fits into the retaining notch of insert bits to hold the bit securely in place

**Power Bit**  
1/4" hex for use in power tools and quick change adapters

**Rare Earth Magnet**  
4 times stronger than standard magnets

- Application**
- DIY
  - Trade
  - Industrial Application
  - Automotive
  - Electrical
  - Plumbing
  - Carpentry
  - Plastering
  - General Contracting
  - Woodworking
  - Metalworking
  - Machine Shop
  - MRO

Product Group: Z0702

Product Information				Item #	Barcode
Size	O/A Length mm	Pieces	Carded	Order Qty	Bulk Pack
<b>Power Bit Holder with C-Ring – Magnetic</b>			<b>S128</b>		<b>S129</b>
1/4	55			10	S129 0650 9311963049663
1/4	75	1	S128 0675 9311963005171	10	S129 0675 9311963037233

\*Not available once current stock is depleted

# Screwdriver Bits Magnetic Screw Guide



Designed to hold extra long fasteners in place.



**Rare Earth Magnet**  
4 times stronger than standard magnets firmly holds screw

**Retracting Sleeve**  
The guide sleeve retracts as the fastener is driven into the work piece

**Power Bit**  
1/4" hex for use in power tools and quick change adapters

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Length*		
<b>Power Bit Holder with Retracting Sleeve</b>			<b>S130</b>	
1/4	120	80	S130 80120	9311963439082
1/4	200	120	S130 120200	9311963439099
*Length when retracted				

# Screwdriver Bits Quick Change Extension



Suitable for dry-wall installation. The extra strong magnet firmly holds screw in place.



**Rare Earth Magnet**  
Extra-strong magnet firmly holds screw

**Fast Change**  
One touch ejection of screwdriver bit

**Power Bit**  
1/4" hex for use in power tools

**Application**

- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Shank Inch		
<b>Magnetic Extension Bars</b>			<b>S131</b>	
1/4	150	1/4	S131 06150*	9311963600291
1/4	300	1/4	S131 06300*	9311963600307

\*Not available once current stock is depleted

# Screwdriver Bits Quickbits® - Pivoting Nutsetter



Magnetic Pivoting Nutsetter gives additional access in confined areas with 20° angle rotation.



**1/4" Hex Shank**  
Suits impact drivers and quick change adaptors

**Collar**  
Pull collar forward to pivot, backward to lock



**Magnetic Tip**  
To hold self drilling screws

Product Group: A0424

Product Information			Item #	Barcode
Size	O/A Length	Shank Inch	Pieces	
		mm		
1/4, 5/16, 3/8	90	1/4	3	107NSP003 9311744438990

# Screwdriver Bits Quickbits® - Smart Setter

\*Not available once current stock is depleted



Smart Setter features adjustable screw depth designed for controlled and uniform screwing on decks, drywall and general fastening without marking the surface or damaging the screw recess. Fits most types of screw bits with 1/4" hex shank.



**1/4" Hex Shank**  
Suits impact drivers and quick change adaptors

**Stop Collar**  
With easy-spin bearing prevents tool from marking the workpiece



**Depth Activated Clutch**  
Stops screw bit drive once desired depth is reached and prevents screw head damage

**Adjustable Depth Stop**  
For accurate control of screw depth

**Extra-Wide Gullets**  
Allow chips to clear without jamming

Product Group: A0424

Product Information			Item #	Barcode
Description	Contents	Shank Inch	Pieces	
<b>Smart Setter</b>	1 × Smart Setter 5 × 25mm Torsion Insert Bits: 3 × PH2, 1 × H5, 1 × R2	1/4	6	107TDR075 9311744445691

sutton



Product Group: Z0702

Product Information				Item #	Barcode
Description / Sizes	O/A Length mm	Case	Pieces		
<b>Assorted Sets</b>				<b>S138</b>	
PH1/PH1, PH2/PH2, PH3/PH3	60	Carded	3	S138 9360*	9311963623696
PH1, PH2, PH3, R2, H5	50	Carded	5	S138 9550*	9311963623634

S138 9360

S138 9550

Popular configuration to suit a variety of applications.  
Steel Grade S2 59-62 HRC



S138 0102

S138 0150

S138 0250

S138 0245

S138 0265



S138 0007










S138 0008

Product Group: Z0702

Product Information			Item #	Barcode
Size	O/A Length mm	Pieces		
<b>Assorted Sets (Plastic Case)</b>			<b>S138</b>	
<b>Screwdriver Phillips Insert Bit</b>				
PH1 & PH2	25	20	S138 0102*	9311963439068
<b>Screwdriver Phillips Power Bits - Round Body</b>				
PH1	50	10	S138 0150*	9311963439020
PH2	50	10	S138 0250*	9311963439037
<b>Screwdriver Phillips Power Bits - Double Ended</b>				
PH2/PH2	45	10	S138 0245*	9311963439044
PH2/PH2	65	10	S138 0265*	9311963439051
<b>Dial Selector Set</b>				
Phillips: PH1, PH2 Slotted: 4.5mm, 7.0mm Pozidriv: PZ1, PZ2 Magnetic Bit Holder 1/4"	25	7	S138 0007*	9311963570525
<b>Belt Clip Set</b>				
Phillips: PH0, PH1, PH2, PH3 Slotted: 4mm, 5mm, 6mm Offset Screwdriver Wrench	25	8	S138 0008*	9311963570532

\*Not available once current stock is depleted

# Screwdriver Bits Technical Information

						
Flat	Oval	Round	Button	Truss	Pan	Socket
Installs flush with metal surfaces or countersinks with softer materials for clean appearance.	Used where countersink installation is desired. Rounded head offers deep recess and is visible just above the surface.	Widely used for general purposes. Features a high crown with a deep recess and smaller diameter head than our Truss or Pan Head designs.	Used for general purposes with a lower crown and shallower recess than our Round Head design.	Low profile offers added security against vice-grips removal. Large diameter head for increased fastening strength.	Features a low profile, large diameter head with a high-edged crown for increased strength.	Features a cylindrical head profile allowing for a deeper recess. This style of head is common amongst TORX® and Hex drive systems.

## Types of Screw Threads



These types have a locating point with either an A or B thread forming screw thread.



Ideal for applications where no pilot holes are required due to a type AB thread with a self drilling point.



Available in both imperial or metric threads, these screws offer a straight sheared point.

## Frequently Asked Questions

### Are your screwdriver bits milled or forged?

Our bits are forged for many reasons such as life and performance. This manufacturing process enables our screwdriver bits to have superior performance characteristics against milled equivalents.

### What is the difference between an insert bit and a power bit?

The insert bits are commonly used with a magnetic bit holder in a power tool. This combination is economical, provides flexibility and allows a fastener to be magnetically held by the bit. The power bits are placed directly into the drill chuck.

### What is ISO-Temp™?

ISO-TEMP™ has been developed to combine both the low wear advantages of extra hard bits and the high elasticity of medium hard bits. This means that ISO-TEMP™ bits ideally suit screw driving in hard materials where high torque peaks need to be counteracted.

### Where do I use reduced diameter bits?

In applications for driving screws below the surface of a drywall.

### Painted, coated and corroded fasteners provide excessive cam-out, what should I do?

ACR® bits, with their extra grip, are a good solution. ACR® bits are available in both insert and power drives.

### How do I identify between Phillips® and Pozidriv® bits?

The shallow 'cross' indentations in the screw head identify a Pozidriv® fastener. The Pozidriv® bit and recess design provides more surface contact between the bit and the screw head than a standard Phillips®. Therefore, the Pozidriv® allows you to apply more torque, reduce the possibility of cam-out. Another way to distinguish the difference is that a Pozidriv® bit can drive a Phillips® screw (but not recommended), whilst a Phillips® bit will struggle to drive a Pozidriv® screw.

### Registered Trademarks:

ACR, PHILLIPS, POZIDRIV, TORQ-SET and TRI-WING are registered trademarks of the Phillips Screw Company.

TORX and TORX-ALIGN are registered trademarks of Camcar Division of Textron.


## Usage By Industry

	Automotive	Aviation	Appliance	Furniture	Construction/ Decking	Public Transport	Electronics	Rec/Hobby	Marine	Security	Drywall/ Subfloor	Machine Tools/ Metal
Phillips®	•	•	•	•	•	•	•	•	•		•	
Slotted	•	•	•	•	•	•	•	•	•			
Torx®	•		•				•					
Tamper Resistant	•		•			•	•			•		
Torq-Set®		•								•		
Tri-Wing®		•								•		
Pozidriv®	•	•	•	•	•	•	•	•	•		•	
Square			•	•						•		
Frearson								•				
Torx-Align®	•		•			•						
Hex	•											•



# QUALITY HEX KEYS

Proudly distributed by



# L-Wrenches Hex End




Chamfered tool tips eliminate burrs and help tools seat in screw head.  
 Sharp corners transfer more torque to the screw and reduce stripping.  
 Precision machined for ease of use and superior fit.



BD12199

BD12137



**Hex End Tips**  
 Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

**Chamfered Hex Tip**  
 For faster insertion and full tool engagement in the screw head

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
mm	mm	mm			
<b>Metric (Long) (Tagged)</b>					
1.5	77	14	1	BD15950	037231159504
2.0	82	16	1	BD15952	037231159528
2.5	88	17	1	BD15954	037231159542
3.0	98	19	1	BD15956	037231159566
4.0	110	22	1	BD15960	037231159603
4.5	114	25	1	BD15962	037231159627
5.0	119	27	1	BD15964	037231159641
6.0	139	21	1	BD15968	037231159689
8.0	152	35	1	BD15972	037231159726
9.0	159	27	1	BD15974	037231159740
10.0	171	39	1	BD15976	037231159764
12.0	220	44	1	BD15980	037231159801
14.0	260	55	1	BD15984	037231159849
17.0	280	61	1	BD15986	037231159863
19.0	295	69	1	BD15988	037231159887
<b>Metric (Short) (Tagged)</b>					
.71	31	6	1	BD15847	037231158477
.89	31	9	1	BD15848	037231158484
1.27	42	13	1	BD15849	037231158491
1.5	44	14	1	BD15850	037231158507
2.0	49	16	1	BD15852	037231158521
2.5	54	17	1	BD15854	037231158545
3.0	61	19	1	BD15856	037231158569
3.5	65	21	1	BD15858	037231158583
4.0	68	22	1	BD15860	037231158606
4.5	73	25	1	BD15862	037231158620
5.0	78	27	1	BD15864	037231158644
5.5	83	29	1	BD15866	037231158668
6.0	88	31	1	BD15868	037231158682
7.0	93	33	1	BD15870	037231158705
8.0	98	35	1	BD15872	037231158729
9.0	102	37	1	BD15874	037231158743
10.0	109	39	1	BD15876	037231158767
11.0	115	42	1	BD15878	037231158781
12.0	122	42	1	BD15880	037231158804
14.0	136	55	1	BD15884	037231158842
17.0	156	61	1	BD15886	037231158866
19.0	175	69	1	BD15888	037231158880
<b>Metric Sets</b>					
<b>9pc Set (Long):</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD12199	037231121990
<b>6pc Set (Short):</b> 1.5, 2, 2.5, 3, 4, 5mm			6	BD12246	037231122461
<b>9pc Set (Short):</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD12299	037231122997
<b>10pc Wallet Set (Short):</b> 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			10	BD00009	9314244000094

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
Inch	mm	mm			
<b>Imperial (Long) (Tagged)</b>					
.028"	66	6	1	BD15900	037231159009
.035"	68	9	1	BD15901	037231159016
.050"	72	13	1	BD15902	037231159023
1/16"	76	14	1	BD15903	037231159030
5/64"	81	15	1	BD15904	037231159047
3/32"	86	16	1	BD15905	037231159054
7/64"	90	18	1	BD15906	037231159061
1/8"	95	19	1	BD15907	037231159078
9/64"	101	20	1	BD15908	037231159085
5/32"	107	21	1	BD15909	037231159092
3/16"	114	24	1	BD15910	037231159108
7/32"	124	26	1	BD15911	037231159115
1/4"	133	29	1	BD15912	037231159122
5/16"	152	32	1	BD15913	037231159139
3/8"	171	35	1	BD15914	037231159146
7/16"	191	38	1	BD15915	037231159153
1/2"	210	41	1	BD15916	037231159160
9/16"	229	44	1	BD15917	037231159177
5/8"	248	48	1	BD15918	037231159184
3/4"	286	54	1	BD15919	037231159191
<b>Imperial (Long) (Packaged)</b>					
7/8"	322	60	1	BD12120	037231121204
1"	359	67	1	BD12121	037231121211
<b>Imperial (Short) (Tagged)</b>					
.028"	31	6	1	BD15800	037231158002
.035"	31	9	1	BD15801	037231158019
.050"	42	13	1	BD15802	037231158026
1/16"	45	14	1	BD15803	037231158033
5/64"	48	15	1	BD15804	037231158040
3/32"	51	16	1	BD15805	037231158057
7/64"	54	18	1	BD15806	037231158064
1/8"	58	19	1	BD15807	037231158071
9/64"	61	20	1	BD15808	037231158088
5/32"	64	21	1	BD15809	037231158095
3/16"	70	24	1	BD15810	037231158101
7/32"	77	26	1	BD15811	037231158118
1/4"	83	29	1	BD15812	037231158125
5/16"	96	32	1	BD15813	037231158132
3/8"	108	35	1	BD15814	037231158149
7/16"	121	38	1	BD15815	037231158156
1/2"	133	41	1	BD15816	037231158163
9/16"	146	44	1	BD15817	037231158170
5/8"	159	48	1	BD15818	037231158187
3/4"	184	54	1	BD15819	037231158194
<b>Imperial Sets</b>					
<b>13pc Set (Long):</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12137	037231121372
<b>7pc Set (Short):</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"			7	BD12245	037231122454
<b>13pc Set (Short):</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12237	037231122379
<b>10pc Wallet Set (Short):</b> 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD00008	9314244000087

# L-Wrenches Ball End



Ball End inserts into a screw at a 25° angle.  
 Ball End saves time by quickly funnelling tool into screw.  
 25° angle allows natural hand and wrist movement.  
 Superior Ball End strength and working angle.  
 Works in hard to reach places.



BD10999


BD10938



**Ball End Tips**  
 25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

**Chamfered Hex Tip**  
 For faster insertion and full tool engagement in the screw head

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
mm	mm	mm			
<b>Metric (Tagged)</b>					
1.27	72	13	1	BD15749	037231157494
1.5	77	14	1	BD15750	037231157500
2.0	82	16	1	BD15752	037231157524
2.5	88	17	1	BD15754	037231157548
3.0	98	19	1	BD15756	037231157562
3.5	100	21	1	BD15758	037231157586
4.0	110	22	1	BD15760	037231157609
4.5	114	25	1	BD15762	037231157623
5.0	119	27	1	BD15764	037231157647
5.5	124	29	1	BD15766	037231157661
6.0	139	31	1	BD15768	037231157685
7.0	140	33	1	BD15770	037231157708
8.0	152	35	1	BD15772	037231157722
9.0	159	37	1	BD15774	037231157746
10.0	171	39	1	BD15776	037231157760
12.0	220	44	1	BD15780	037231157807
14.0	260	55	1	BD15784	037231157845
17.0	280	61	1	BD15786	037231157869
19.0	295	69	1	BD15788	037231157883
<b>Metric Sets</b>					
<b>6pc Set:</b> 1.5, 2, 2.5, 3, 4, 5mm			6	BD10946	037231109462
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD10999	037231109998
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm + Screw Grab Friction Drops 15ml			9	BD14199	037231141998
<b>9pc Set (Extra Long):</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD16099	037231160999
<b>15pc Set:</b> 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm			15	BD10995	037231109950

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
Inch	mm	mm			
<b>Imperial (Tagged)</b>					
.050"	72	13	1	BD15702	037231157029
1/16"	76	14	1	BD15703	037231157036
5/64"	81	15	1	BD15704	037231157043
3/32"	86	16	1	BD15705	037231157050
7/64"	90	18	1	BD15706	037231157067
1/8"	95	19	1	BD15707	037231157074
9/64"	101	20	1	BD15708	037231157081
5/32"	107	21	1	BD15709	037231157098
3/16"	114	24	1	BD15710	037231157104
7/32"	124	26	1	BD15711	037231157111
1/4"	141	29	1	BD15712	037231157128
5/16"	152	32	1	BD15713	037231157135
3/8"	171	35	1	BD15714	037231157142
7/16"	191	38	1	BD15715	037231157159
1/2"	210	41	1	BD15716	037231157166
9/16"	229	44	1	BD15717	037231157173
5/8"	248	48	1	BD15718	037231157180
3/4"	286	54	1	BD15719	037231157197
<b>Imperial Sets</b>					
<b>8pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"			8	BD10932	037231109325
<b>7pc Set:</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"			7	BD10945	037231109455
<b>10pc Set:</b> 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			10	BD10938	037231109387
<b>13pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD10937	037231109370
<b>13pc Set (Extra Long):</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD16037	037231160371

# L-Wrenches ColorGuard™ Ball End



Colour-coded tools can be distinguished at a glance.  
Superior rust protection finish.  
Sizes are stamped on the tool.  
Ball End inserts into screw at a 25° angle.



BD69499


BD69637



**Ball End Tips**  
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Color-coded and superior rust protection finish

**Chamfered Hex Tip**  
For faster insertion and full tool engagement in the screw head

Product Group: Z1501

Product Information		Item #	Barcode
Size	Pieces		
<b>Metric Set</b>			
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD69499	037231694999
<b>Combo Set</b> <b>22pc Set:</b> 9pc Metric & 13pc	22	BD69600	037231696009

Product Information		Item #	Barcode
Size	Pieces		
<b>Imperial Set</b>			
<b>13pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	13	BD69637	037231696375

# L-Wrenches ProHold® Tip Ball End




BD74992



BD74937

Non-magnetic button holds screw tight on the tool every time.  
Super smooth rotational action.  
Tool strength is not compromised by the Prohold® button.



**ProHold® Tips**  
Holds screw tight on the tool every time

Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

**Chamfered Hex Tip**  
For faster insertion and full tool engagement in the screw head

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
mm	mm	mm			
<b>Metric (Tagged)</b>					
<b>1.27</b>	72	13	1	BD75749	037231757496
<b>1.5</b>	77	14	1	BD75750	037231757502
<b>2.0</b>	82	16	1	BD75752	037231757526
<b>2.5</b>	88	17	1	BD75754	037231757540
<b>3.0</b>	98	19	1	BD75756	037231757564
<b>4.0</b>	110	22	1	BD75760	037231757601
<b>5.0</b>	119	27	1	BD75764	037231757649
<b>6.0</b>	139	31	1	BD75768	037231757687
<b>8.0</b>	152	35	1	BD75772	037231757724
<b>10.0</b>	171	39	1	BD75776	037231757762
<b>Metric Sets</b>					
<b>7pc Set (Long):</b> 1.5, 2, 2.5, 3, 4, 5, 6mm			7	BD74992	037231749927
<b>9pc Set (Long):</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD74999	037231749996

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
Inch	mm	mm			
<b>Imperial (Tagged)</b>					
<b>1/16"</b>	76	14	1	BD75703	037231757038
<b>5/64"</b>	81	15	1	BD75704	037231757045
<b>3/32"</b>	86	16	1	BD75705	037231757052
<b>1/8"</b>	95	19	1	BD75707	037231757076
<b>9/64"</b>	101	20	1	BD75708	037231757083
<b>5/32"</b>	107	21	1	BD75709	037231757090
<b>3/16"</b>	114	24	1	BD75710	037231757106
<b>7/32"</b>	124	26	1	BD75711	037231757113
<b>1/4"</b>	141	29	1	BD75712	037231757120
<b>5/16"</b>	152	32	1	BD75713	037231757137
<b>3/8"</b>	171	35	1	BD75714	037231757144
<b>Imperial Sets</b>					
<b>10pc Set (Long):</b> 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			10	BD74938	037231749385
<b>13pc Set (Long):</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD74937	037231749378

# L-Wrenches Stubby Ball End



Fits into tight spaces standard hex keys cannot. Eliminates the need to trim and file the short arm. Tighter inside radius means full smooth entry into screw head. Chamfered short arm eliminates burrs. Ball End inserts into a screw at a 25° angle.



BD16599 BD16538



**Ball End Tips**  
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel

**Stubby Arm**  
Fits into tight spaces where standard hex keys cannot



Environmentally safe finish for better corrosion resistance and grip

Product Group: Z1501

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
mm			
<b>Metric Set</b>			
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD16599	037231165994

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
Inch			
<b>Imperial Set</b>			
<b>10pc Set:</b> 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	10	BD16538	037231165383

# L-Wrenches Stubby Double Ball End




Fits into tight spaces standard hex keys cannot. Extra long length provides for greater torque. Inserts into screw and works at a 15° angle. Standard Bondhus ball end on long arm inserts into screw and works at a 25° angle.



BD67099 BD67037



**Ball End Tips**  
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel

**Stubby Arm**  
Fits into tight spaces where standard hex keys cannot



Environmentally safe finish for better corrosion resistance and grip

Product Group: Z1501


Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
mm			
<b>Metric Set</b>			
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD67099	037231670993

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
Inch			
<b>Imperial Set</b>			
<b>13pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	13	BD67037	037231670375

# L-Wrenches TORX®



Fits all TORX® and Star screws.  
 Broad contact surface provides deep lobe engagement.  
 Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out.



BD31834



**TORX® Tips**  
 Fits all TORX® and Star screws



Up to 20% stronger, with more torque and higher wear resistance than standard steel

**TORX® & Star Tip**  
 Fits all TORX® and Star screws



Environmentally safe finish for better corrosion resistance and grip

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
	mm	mm			
T9	74	16	1	BD31809	037231318093
T10	80	19	1	BD31810	037231318109
T15	84	20	1	BD31815	037231318154
T20	91	20	1	BD31820	037231318208
T25	98	22	1	BD31825	037231318253
T27	106	24	1	BD31827	037231318277

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
	mm	mm			
T30	116	26	1	BD31830	037231318307
T40	125	28	1	BD31840	037231318406
<b>Set</b>					
<b>8pc Set:</b> T9, T10, T15, T20, T25, T27, T30, T40			8	BD31834	037231318345

# L-Wrenches TORX® Tamper Resistant

Fits all TORX® and Star tamper resistant screws.  
 Broad contact surface provides deep lobe engagement.  
 Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out.



BD32434



**Tamper Resistant TORX® Tips**  
 Precision machined tips transfer more torque to the screw and reduces stripping



Up to 20% stronger, with more torque and higher wear resistance than standard steel

**Tamper Resistant TORX® & Tamper Resistant Star Tips**  
 Fits all TORX® and Star tamper resistant screws



Environmentally safe finish for better corrosion resistance and grip

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
	mm	mm			
TR7	61	16	1	BD32407	037231324070
TR8	67	16	1	BD32408	037231324087
TR9	74	16	1	BD32409	037231324094
TR10	80	19	1	BD32410	037231324100
TR15	84	20	1	BD32415	037231324155
TR20	91	20	1	BD32420	037231324209
TR25	98	22	1	BD32425	037231324254

Product Information				Item #	Barcode
Size	O/A Length	Arm Length	Pieces		
	mm	mm			
TR27	106	24	1	BD32427	037231324278
TR30	116	26	1	BD32430	037231324308
TR40	125	28	1	BD32440	037231324407
<b>Set</b>					
<b>8pc Set:</b> TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40			8	BD32434	037231324346

# Multi-Packs L-Wrenches & GorillaGrip® Fold Up



Assembled from our most popular sets.  
 Multiple sets per package.  
 Tip selections include Ball End, Hex End and ProHold® Tip Ball End.  
 Ideal for mechanics and general purpose.



BD14187



BD14189



BD14130



BD20499



BD20199



BD22199

**Product Group: Z1501**

Product Information		Item #	Barcode
Size	Pieces		
<b>16pc Set:</b> L-Wrench Ball End 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 2-8mm (Item # BD12587)	16	BD14187	037231141875
<b>22pc Set:</b> L-Wrench Ball End .050-3/8" (Item # BD10937) + Hex End GorillaGrip® Fold Up 5/64-1/4" (Item # BD12589)	22	BD14189	037231141899
<b>34pc Set:</b> L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 5/64-5/32", 1.5-5mm (Item # BD12550)	34	BD14130	037231141301

Product Information		Item #	Barcode
Size	Pieces		
<b>22pc Set:</b> ProHold® L-Wrench Ball End .050-3/8" (Item # BD74937) + 1.5-10mm (Item # BD74999)	22	BD20499	037231204990
<b>22pc Set:</b> L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm (Item # BD10999)	22	BD20199	037231201999
<b>22pc Set:</b> L-Wrench Hex End .050-3/8" (Item # BD12137) + 1.5-10mm (Item # BD12199)	22	BD22199	037231221997

# GorillaGrip® Fold Up Sets



Patented handle design makes every job faster and easier.  
Durable GorillaGrip® handle is stronger than steel handles.  
Tool user can adjust tool tension.



BD12638      BD12897      BD12591



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Moulded in 90° stop converts the tool into a time saving speed wrench  
Blades open up to 270° from handle. Moulded on stops then blades securely in place



Environmentally safe finish for better corrosion resistance and grip

Product Group: Z1501

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
<b>TORX® GorillaGrip® Fold Up</b>			
<b>8pc Set:</b> T6, T7, T8, T9, T10, T15, T20, T25	8	BD12632	037231126322
<b>8pc Set:</b> T9, T10, T15, T20, T25, T27, T30, T40	8	BD12634	037231126346
<b>TORX® GorillaGrip® Fold Up</b>			
<b>7pc Set:</b> TR7, TR8, TR9, TR10, TR15, TR20, TR25	7	BD12636	037231126360
<b>8pc Set:</b> TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	8	BD12638	037231126384
<b>Ball End GorillaGrip® Fold Up</b>			
<b>5pc Set:</b> 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12894	037231128944
<b>5pc Set:</b> 5, 6, 7, 8, 10mm	5	BD12897	037231128975

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
<b>Hex End GorillaGrip® Fold Up</b>			
<b>7pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6mm	7	BD12592	037231125929
<b>7pc Set:</b> 2, 2.5, 3, 4, 5, 6, 8mm	7	BD12587	037231125875
<b>6pc Set:</b> 3, 4, 5, 6, 8, 10mm	6	BD12595	037231125950
<b>9pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	9	BD12591	037231125912
<b>9pc Set:</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	9	BD12589	037231125899
<b>5pc Set:</b> 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12585	037231125851
<b>12pc Set:</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32", 1.5, 2, 2.5, 3, 4, 5mm	12	BD12550	037231125509

# GorillaGrip® Fold Up Utility & Multi-Packs



BD12522      BD12544



Environmentally safe finish for better corrosion resistance and grip



Up to 20% stronger, with more torque and higher wear resistance than standard steel

Product Group: Z1501

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
<b>Utility GorillaGrip® Fold Up</b>			
<b>5pc Set:</b> PH #1, Slotted 3/16", Hex 4, 5, 6mm	5	BD12540	037231125400

Product Information		Item #	Barcode
<b>Size</b>	<b>Pieces</b>		
<b>Multi Pack GorillaGrip® Fold Up</b>			
<b>16pc Set:</b> 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587)	16	BD12522	037231125226
<b>15pc Set:</b> 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	15	BD12544	037231125448
<b>24pc Set:</b> 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	24	BD12533	037231125332

# T-Handles Ball End



Solid steel handles.  
Welded handle/blade connection.  
Ergonomic handle design.  
Flywheel effect saves time.  
Smooth, non-porous handle coating.  
Handle coating extends along blade.



BD13189

BD13190



**Ball End Tips**  
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



**Sizes Printed On Handles**  
For easy and quick section

**Ergonomic Handle**  
Welded directly to blade for durable and comfortable grip

Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
mm	mm	mm			
<b>Metric (Tagged)</b>					
2.0	150	76	1	BD53252 <sup>†</sup>	037231532529
2.5	172	76	1	BD53254 <sup>†</sup>	037231532543
3.0	196	76	1	BD53256 <sup>†</sup>	037231532567
4.0	220	76	1	BD53160	037231531607
5.0	246	102	1	BD53164	037231531645
6.0	266	102	1	BD53168	037231531683
8.0	285	127	1	BD53172	037231531720
10.0	307	127	1	BD53176	037231531768
<b>Metric Sets</b>					
<b>5pc Set:</b> 4, 5, 6, 8, 10mm			5	BD13148	037231131487
<b>8pc Set:</b> 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13187	037231131876
<b>8pc Set with Stand:</b> 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13189	037231131890


Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
Inch	mm	mm			
<b>Imperial (Tagged)</b>					
3/32"	154	76	1	BD53205 <sup>†</sup>	037231532055
7/64"	173	76	1	BD53206 <sup>†</sup>	037231532062
1/8"	192	76	1	BD53207 <sup>†</sup>	037231532079
9/64"	211	76	1	BD53208 <sup>†</sup>	037231532086
5/32"	231	76	1	BD53109	037231531096
3/16"	250	102	1	BD53110	037231531102
7/32"	262	102	1	BD53111	037231531119
1/4"	275	102	1	BD53112	037231531126
5/16"	289	127	1	BD53113	037231531133
3/8"	300	127	1	BD53114	037231531140
<b>Imperial Sets</b>					
<b>6pc Set:</b> 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			6	BD13146	037231131463
<b>10pc Set:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13138	037231131388
<b>10pc Set with Stand:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13190	037231131906

<sup>†</sup>Hex Tip

# T-Handles Hex End




- Solid steel handles.
- Welded handle/blade connection.
- Ergonomic handle design.
- Flywheel effect saves time.
- Smooth, non-porous handle coating.
- Handle coating extends along blade.



BD13389

BD13390



**Hex End Tips**  
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



**Sizes Printed On Handles**  
For easy and quick section

**Ergonomic Handle**  
Welded directly to blade for durable and comfortable grip

**Product Group: Z1501**

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
mm	mm	mm			
<b>Metric (Tagged) 229mm</b>					
2.0	229	76	1	BD15352	037231153526
2.5	229	76	1	BD15354	037231153540
3.0	229	76	1	BD15356	037231153564
4.0	229	76	1	BD15360	037231153601
5.0	229	102	1	BD15364	037231153649
6.0	229	102	1	BD15368	037231153687
8.0	229	127	1	BD15372	037231153724
10.0	229	127	1	BD15376	037231153762
<b>Set</b>					
<b>6pc Set:</b> 2, 2.5, 3, 4, 5, 6mm			6	BD15348	037231153489
<b>Metric (Tagged) 356mm</b>					
3.0	356	76	1	BD16456	037231164560
4.0	356	76	1	BD16460	037231164607
5.0	356	102	1	BD16464	037231164645
6.0	356	102	1	BD16468	037231164683
8.0	356	127	1	BD16472	037231164720
<b>Metric (Tagged) Graduated Length</b>					
2.0	100	76	1	BD13352	037231133528
2.5	110	76	1	BD13354	037231133542
3.0	120	76	1	BD13356	037231133566
4.0	136	76	1	BD13360	037231133603
5.0	150	102	1	BD13364	037231133641
6.0	173	102	1	BD13368	037231133689
8.0	202	127	1	BD13372	037231133726
10.0	232	127	1	BD13376	037231133764
<b>Metric Sets</b>					
<b>8pc Set:</b> 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13387	037231133870
<b>8pc Set with Stand:</b> 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13389	037231133894

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
Inch	mm	mm			
<b>Imperial (Tagged)</b>					
3/32"	105	76	1	BD13305	037231133054
7/64"	112	76	1	BD13306	037231133061
1/8"	118	76	1	BD13307	037231133078
9/64"	124	76	1	BD13308	037231133085
5/32"	132	76	1	BD13309	037231133092
3/16"	141	102	1	BD13310	037231133108
7/32"	154	102	1	BD13311	037231133115
1/4"	165	102	1	BD13312	037231133122
5/16"	189	127	1	BD13313	037231133139
3/8"	211	127	1	BD13314	037231133146
<b>Imperial Sets</b>					
<b>8pc Set:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			8	BD13332	037231133320
<b>10pc Set with Stand:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13390	037231133900


## T-Handles TORX®



Fits all TORX® and Star screws.  
Solid steel handles.  
Welded handle/blade connection.  
Ergonomic handle design.  
Flywheel effect saves time.  
Smooth, non-porous handle coating.



BD33034



**TORX® Tips**  
Fits all TORX® and  
Star screws



Up to 20% stronger, with  
more torque and higher wear  
resistance than standard steel



Environmentally  
safe finish for better  
corrosion resistance  
and grip

**Sizes Printed  
On Handles**  
For easy and  
quick section

**Ergonomic Handle**  
Welded directly to  
blade for durable and  
comfortable grip

**Product Group: Z1501**

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
	mm	mm			
T40	199	102	1	BD33040	037231330408

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
	mm	mm			
8pc Set: T9, T10, T15, T20, T25, T27, T30, T40			8	BD33034	037231330347

## T-Handles ProHold® TORX®



Fits all TORX® and Star screws.  
Holds screw tight on the tool every time.  
Button is non-magnetic.  
Welded handle/blade connection.



**ProHold® Tips**  
Holds screw tight on  
the tool every time



Up to 20% stronger, with  
more torque and higher wear  
resistance than standard steel



Environmentally  
safe finish for better  
corrosion resistance  
and grip

**Sizes Printed  
On Handles**  
For easy and  
quick section

**Ergonomic Handle**  
Welded directly to  
blade for durable and  
comfortable grip

**Product Group: Z1501**

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
	mm	mm			
TR9	155	76	1	BD74009	037231740092
TR10	161	76	1	BD74010	037231740108
TR15	168	76	1	BD74015	037231740153
TR20	174	76	1	BD74020	037231740207

Product Information				Item #	Barcode
Size	O/A Length	Handle Length	Pieces		
	mm	mm			
TR25	180	76	1	BD74025	037231740252
TR27	187	102	1	BD74027	037231740276
TR30	193	102	1	BD74030	037231740306

# Screwdrivers Ball End



Ball End inserts into screw at a 25° angle.  
Ergonomic non-slip grip handle design.  
Two component handle with tough inner core and cushioned rubber exterior.  
Anti-roll design.

**Non-Slip Grip**  
Generates maximum torque even when wet or oily



BD10699



**Ball End Tips**  
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque



Environmentally safe finish for better corrosion resistance and grip

## Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Shank Length	Pieces		
mm	mm	mm			
<b>Metric (Long) (Packaged)</b>					
2.0	157	102	1	BD10752	037231107529
2.5	171	110	1	BD10754	037231107543
3.0	247	158	1	BD10756	037231107567
4.0	288	179	1	BD10760	037231107604
5.0	308	198	1	BD10764	037231107642
6.0	341	218	1	BD10768	037231107680
8.0	360	237	1	BD10772	037231107727
10.0	382	259	1	BD10776	037231107765
<b>Metric (Standard) (Tagged)</b>					
1.5	120	66	1	BD40650	037231406509
2.0	127	72	1	BD40652	037231406523
2.5	130	69	1	BD40654	037231406547
3.0	171	83	1	BD40656	037231406561
4.0	205	98	1	BD40660	037231406608
5.0	219	109	1	BD40664	037231406646
6.0	260	137	1	BD40668	037231406684
8.0	298	175	1	BD40672	037231406721
10.0	307	184	1	BD40676	037231406769
<b>Metric Sets</b>					
<b>6pc Set:</b> 1.5, 2, 2.5, 3, 4, 5mm			6	BD10686	037231106867
<b>9pc Set:</b> 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD10699	037231106997
<b>8pc Set (Long):</b> 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD10733	037231107338

Product Information				Item #	Barcode
Size	O/A Length	Shank Length	Pieces		
Inch	mm	mm			
<b>Imperial (Standard) (Tagged)</b>					
.050"	104	60	1	BD40602	037231406028
1/16"	118	64	1	BD40603	037231406035
5/64"	122	67	1	BD40604	037231406042
3/32"	132	71	1	BD40605	037231406059
7/64"	136	74	1	BD40606	037231406066
1/8"	168	80	1	BD40607	037231406073
9/64"	171	83	1	BD40608	037231406080
5/32"	201	91	1	BD40609	037231406097
3/16"	204	94	1	BD40610	037231406103
7/32"	230	107	1	BD40611	037231406110
1/4"	249	126	1	BD40612	037231406127
5/16"	265	142	1	BD40613	037231406134
3/8"	287	164	1	BD40614	037231406141
<b>Imperial Set</b>					
<b>13pc Set:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD10637	037231106379

# Screwdrivers TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws. Burr free tool tips help tools seat fully in screw head.

Precision machined tips transfer more torque to the screw and reduces stripping.



**Tamper Resistant TORX® Tips**  
Precision machined tips transfer more torque to the screw and reduces stripping



Up to 20% stronger, with more torque and higher wear resistance than standard steel

**Non-Slip Grip**  
Generates maximum torque even when wet or oily



Environmentally safe finish for better corrosion resistance and grip



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

## Product Group: Z1501

Product Information				Item #	Barcode
Size	O/A Length	Shank Length	Pieces		
	mm	mm			
TR7	169	114	1	BD33807	037231338077
TR8	182	121	1	BD33808	037231338084
TR9	186	124	1	BD33809	037231338091
TR10	189	128	1	BD33810	037231338107
TR15	219	131	1	BD33815	037231338152
TR20	248	138	1	BD33820	037231338206
TR25	253	144	1	BD33825	037231338251
TR27	270	147	1	BD33827	037231338275
TR30	276	153	1	BD33830	037231338305
TR40	282	159	1	BD33840	037231338404

Product Information				Item #	Barcode
Size	O/A Length	Shank Length	Pieces		
	Inch	mm	mm		
<b>Sets</b>					
<b>8pc Set:</b> TR9, T R10, TR15, TR20, TR25, TR27, TR30, TR40			8	BD33834	037231338343


# Wing & Flag Tool TORX®



Fits all TORX® and TORX PLUS® screws.  
 Fits all Star and Star Plus screws.  
 ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip.  
 Broad contact surface provides deep lobe engagement.  
 Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out.




Soft rubber outer coating for maximum comfort and grip



**Multi-Fit**  
 Fits all TORX® and TORX Plus®, Star and Star Plus screws



BD34445



BD34745

Product Group: Z1501

Product Information		Item #	Barcode
Size	Pieces		
<b>7pc TORX® Flag Tools Set:</b> T6, T7, T8, T9, T10, T15, T20	7	BD34445	037231344450

Product Information		Item #	Barcode
Size	Pieces		
<b>7pc TORX® Wing Tools Set:</b> T6, T7, T8, T9, T10, T15, T20	7	BD34745	037231347451

# Hex Pro TORX® & Hex Tip




Fits Inch and Metric Hex, TORX®, and Star screws.  
 Heat treated high quality industrial tool steel.  
 Long handles for extra reach.  
 Matte chrome finish to prevent corrosion.

**Pivot Head**  
 Hex and Star wrenches allow users to pivot around obstacles without removing tool



BD00055

**Engineered Joints**  
 Joint are made as small as possible without weakening the tool



**Patented Forged Hinge Design**  
 Simple, effective with fewer pieces design make Pivot Head Hex and Star wrenches stronger than competitors

Product Group: Z1501

Product Information				Item #	Barcode
Size	Long arm	Short arm	Pieces		
	mm	mm			
<b>Hex Tip</b>					
<b>Metric</b>					
<b>4.0</b>	108	31	1	BD88760	855782887604
<b>5.0</b>	118	33	1	BD88764	855782887642
<b>6.0</b>	138	41	1	BD88768	855782887680
<b>8.0</b>	163	48	1	BD88772	855782887727
<b>10.0</b>	177	51	1	BD88776	855782887765
<b>Imperial</b>					
<b>3/16"</b>	118	33	1	BD88710	855782887109
<b>7/32"</b>	128	36	1	BD88711	855782887116
<b>1/4"</b>	138	41	1	BD88712	855782887123
<b>5/16"</b>	163	48	1	BD88713	855782887130
<b>3/8"</b>	177	51	1	BD88714	855782887147

Product Information				Item #	Barcode
Size	Long arm	Short arm	Pieces		
	mm	mm			
<b>Torx Tip</b>					
<b>T25</b>	118	33	1	BD88725	855782887253
<b>T30</b>	118	33	1	BD88730	855782887307
<b>T40</b>	138	41	1	BD88740	855782887406
<b>T45</b>	163	48	1	BD88745	855782887451
<b>T50</b>	163	48	1	BD88750	855782887505
<b>Sets</b>					
<b>5pc Set:</b> T25, T30, T40, T45, T50			5	BD00055	855782000553
<b>5pc Set:</b> 3/16, 7/32, 1/4, 5/16, 3/8"			5	BD00040	855782000409
<b>5pc Set:</b> 4, 5, 6, 8, 10mm			5	BD00051	855782000515

# Power Bits Ball End



Fits all 1/4" drive bit holders.  
 Ball End inserts into a screw at a 25° angle.  
 Ball End saves time by quickly funnelling tool into screw.  
 Superior Ball End strength and working angle.  
 Works in hard to reach places.



Up to 20% stronger, with more torque and higher wear resistance than standard steel




BD10868

**1/4" Hex Shank**  
 Suitable for impact drivers



Environmentally safe finish for better corrosion resistance and grip



**Ball End Tips**  
 25° working angle for quick funnelling into screw

**Product Group: Z1501**

Product Information			Item #	Barcode
Size	Overall Length	Pieces		
Metric	mm			
2.0	76	10	BD10852	037231108526
2.5	76	10	BD10854	037231108540
3.0	76	10	BD10856	037231108564
4.0	76	10	BD10860	037231108601
5.0	76	10	BD10864	037231108649

Product Information			Item #	Barcode
Size	Overall Length	Pieces		
Metric	mm			
6.0	76	10	BD10868	037231108687
8.0	76	1	BD10872	037231108724
10.0	76	1	BD10876	037231108762
12.0	76	1	BD10880	037231108809