











06A-1 PLATE WHEEL		TEETH	de	dp	D1	App Kg								
 <table border="1"> <thead> <tr> <th>PINIONS</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>TOOTH RADIUS r3</td> <td></td> </tr> <tr> <td>RADIUS WIDTH C</td> <td></td> </tr> <tr> <td>TOOTH WIDTH B1</td> <td>5.3</td> </tr> </tbody> </table>	PINIONS	mm	TOOTH RADIUS r3		RADIUS WIDTH C		TOOTH WIDTH B1	5.3		11	37.5	33.8	8	0.05
	PINIONS	mm												
	TOOTH RADIUS r3													
	RADIUS WIDTH C													
	TOOTH WIDTH B1	5.3												
	12	40.5	36.8	8	0.05									
	13	43.5	39.8	8	0.05									
	14	46.5	42.8	8	0.06									
	15	49.5	45.81	8	0.07									
	16	52.5	48.82	10	0.08									
	17	55.5	51.83	10	0.1									
	18	58.6	54.85	10	0.11									
19	61.6	57.87	10	0.12										
20	64.6	60.89	10	0.13										
21	67.6	63.91	12	0.14										
22	70.6	66.93	12	0.15										
23	73.7	69.95	12	0.17										
24	76.7	72.97	12	0.19										
25	79.7	76	12	0.2										
26	82.7	79.02	12	0.21										
27	85.7	82.04	12	0.22										
28	88.8	85.07	12	0.23										
29	91.8	88.09	12	0.25										
30	94.8	91.12	12	0.27										
31	97.9	94.15	14	0.22										
32	100.9	97.17	14	0.24										
33	103.9	100.2	14	0.25										
34	106.9	103.2	14	0.26										
35	110	106.3	14	0.27										
36	113	109.3	16	0.28										
37	116	112.3	16	0.35										
38	119	115.3	16	0.43										
39	112.5	118.3	16	0.44										
40	125.1	121.4	16	0.45										
45	140.7	136.5	16	0.51										
56	173.8	169.9	20	0.83										
57	176.9	172.9	20	0.86										

08A-1 PLATE WHEEL		TEETH	de	dp	D1	App Kg								
				10	43	41.1	8							
				11	49.9	45.07	10	0.06						
<table border="1"> <thead> <tr> <th>PINIONS</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>TOOTH RADIUS r3</td> <td></td> </tr> <tr> <td>RADIUS WIDTH C</td> <td></td> </tr> <tr> <td>TOOTH WIDTH B1</td> <td>7.2</td> </tr> </tbody> </table>		PINIONS	mm	TOOTH RADIUS r3		RADIUS WIDTH C		TOOTH WIDTH B1	7.2	12	53.9	49.07	10	0.08
PINIONS	mm													
TOOTH RADIUS r3														
RADIUS WIDTH C														
TOOTH WIDTH B1	7.2													
<table border="1"> <thead> <tr> <th>CHAIN</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>PITCH</td> <td>12.7</td> </tr> <tr> <td>INSIDE</td> <td>7.75</td> </tr> <tr> <td>ROLLER <math>\varnothing</math></td> <td>8.51</td> </tr> </tbody> </table>		CHAIN	mm	PITCH	12.7	INSIDE	7.75	ROLLER $\varnothing$	8.51	13	57.9	53.06	10	0.1
CHAIN	mm													
PITCH	12.7													
INSIDE	7.75													
ROLLER $\varnothing$	8.51													
		14	61.9	57.07	10	0.12								
		15	65.9	61.09	10	0.14								
		16	69.9	65.1	12	0.15								
		17	74	69.11	12	0.16								
		18	78	73.14	12	0.2								
		19	82	77.16	12	0.21								
		20	86	81.19	12	0.25								
		21	90.1	85.22	14	0.26								
		22	94.1	89.24	14	0.3								
		23	98.1	93.27	14	0.33								
		24	102.1	97.29	14	0.37								
		25	106.2	101.3	14	0.4								
		26	110.2	105.4	16	0.43								
		27	114.2	109.4	16	0.44								
		28	118.3	113.4	16	0.5								
		29	112.3	11.5	16	0.55								
		30	126.3	121.5	16	0.57								
		31	130.4	125.5	16	0.64								
		32	134.4	129.6	16	0.67								
		33	138.4	133.6	16	0.71								
		34	142.5	137.6	16	0.74								
		35	146.5	141.7	16	0.77								
		36	150.6	145.7	16	0.83								
		37	154.6	149.8	16	0.87								
		38	158.6	153.8	16	0.91								
		39	162.7	157.8	16	0.92								
		40	166.7	161.9	16	1.01								
		42	176.5	170	20	1.13								
		45	188.6	182.1	20	1.43								
		48	200.7	194.2	20	1.46								
		50	208.8	202.3	20	1.8								
		55	229	222.5	20	2.1								
		57	233.1	230.5	20	2.27								
		60	249.2	242.7	20	2.37								
		65	269.4	262.9	25	2.47								
		70	289.6	283.1	25	3.1								
		72	297.1	291.2	25	3.25								
		76	313.9	307.3	25	3.5								

10A-1 PLATE WHEEL		TEETH	de	dp	D1	App Kg																
				11	63.2	56.35	12	0.11														
				12	68.2	61.34	12	0.15														
<table border="1"> <tr> <td><b>PINIONS</b></td> <td><b>mm</b></td> </tr> <tr> <td>TOOTH RADIUS r3</td> <td></td> </tr> <tr> <td>RADIUS WIDTH C</td> <td></td> </tr> <tr> <td>TOOTH WIDTH B1</td> <td>9.1</td> </tr> <tr> <td colspan="2"><b>CHAIN</b></td> </tr> <tr> <td>PITCH</td> <td>5.88</td> </tr> <tr> <td>INSIDE</td> <td>9.65</td> </tr> <tr> <td>ROLLER <math>\varnothing</math></td> <td>10.2</td> </tr> </table>		<b>PINIONS</b>	<b>mm</b>	TOOTH RADIUS r3		RADIUS WIDTH C		TOOTH WIDTH B1	9.1	<b>CHAIN</b>		PITCH	5.88	INSIDE	9.65	ROLLER $\varnothing$	10.2	13	73.2	66.32	12	0.19
<b>PINIONS</b>	<b>mm</b>																					
TOOTH RADIUS r3																						
RADIUS WIDTH C																						
TOOTH WIDTH B1	9.1																					
<b>CHAIN</b>																						
PITCH	5.88																					
INSIDE	9.65																					
ROLLER $\varnothing$	10.2																					
		14	78.2	71.34	12	0.23																
		15	83.2	76.36	12	0.25																
		16	88.3	81.37	12	0.31																
		17	93.3	86.39	12	0.35																
		18	98.3	91.42	14	0.39																
		19	103.3	96.45	14	0.43																
		20	108.4	101.5	14	0.48																
		21	113.4	106.5	16	0.51																
		22	118.4	111.6	16	0.59																
		23	123.5	116.6	16	0.65																
		24	128.5	121.6	16	0.68																
		25	133.6	126.77	16	0.73																
		26	138.6	131.7	20	0.78																
		27	143.6	136.8	20	0.89																
		28	148.7	141.8	20	0.93																
		29	153.7	146.8	20	1.07																
		30	158.8	151.9	20	1.15																
		31	163.8	156.9	20	1.27																
		32	168.9	162	20	1.32																
		33	173.9	167	20	1.42																
		34	178.9	172.1	20	1.45																
		35	184	177.1	20	1.51																
		36	189	182.2	20	1.73																
		37	194.1	187.2	20	1.81																
		38	199.1	192.2	20	1.88																
		39	204.2	197.3	20	2																
		40	209.2	202.3	20	2.02																
		42	220.8	212.4	20	2.26																
		45	236	227.6	20	2.69																
		48	251.1	242.7	20	2.98																
		50	261.2	252.8	20	3.22																
		52	270.4	262.92	20	3.45																
		55	286.5	278.1	20	3.88																
		57	296.6	288.2	25	4.25																
		60	311.7	303.3	25	4.9																
		65	337	328.58	25	5.5																
		70	362.2	353.84	25	6.35																
		72	372.3	363.95	25	6.91																
		76	392.5	384.2	25	9.11																

12A-1 PLATE WHEEL		TEETH	de	dp	D1	App Kg								
				11	7.58	67.61	16	0.36						
				12	81.8	73.6	16	0.42						
<table border="1"> <thead> <tr> <th>PINIONS</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>TOOTH RADIUS r3</td> <td></td> </tr> <tr> <td>RADIUS WIDTH C</td> <td></td> </tr> <tr> <td>TOOTH WIDTH B1</td> <td>11.1</td> </tr> </tbody> </table>		PINIONS	mm	TOOTH RADIUS r3		RADIUS WIDTH C		TOOTH WIDTH B1	11.1	13	87.8	79.59	16	0.48
PINIONS	mm													
TOOTH RADIUS r3														
RADIUS WIDTH C														
TOOTH WIDTH B1	11.1													
<table border="1"> <thead> <tr> <th>CHAIN</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>PITCH</td> <td>19.05</td> </tr> <tr> <td>INSIDE</td> <td>11.68</td> </tr> <tr> <td>ROLLER <math>\varnothing</math></td> <td>12.07</td> </tr> </tbody> </table>		CHAIN	mm	PITCH	19.05	INSIDE	11.68	ROLLER $\varnothing$	12.07	14	93.8	85.61	16	0.52
CHAIN	mm													
PITCH	19.05													
INSIDE	11.68													
ROLLER $\varnothing$	12.07													
		15	99.8	91.63	16	0.6								
		16	105.8	97.65	16	0.68								
		17	111.9	103.7	16	0.77								
		18	117.9	109.7	16	0.85								
		19	123.9	115.8	16	0.95								
		20	130	121.8	16	1.08								
		21	136	127.8	20	1.15								
		22	142	133.9	20	1.24								
		23	148.1	139.9	20	1.33								
		24	154.1	145.9	20	1.47								
		25	160.2	152	20	1.63								
		26	166.2	158	20	1.72								
		27	172.3	164.1	20	1.91								
		28	178.3	170.1	20	1.99								
		29	184.4	176.2	20	2.28								
		30	190.4	182.3	20	2.44								
		31	196.5	188.3	20	2.49								
		32	202.5	194.4	20	2.62								
		33	208.6	200.4	20	2.77								
		34	214.6	206.5	20	2.91								
		35	220.7	212.5	20	3.19								
		36	226.8	218.6	25	3.21								
		37	232.8	224.6	25	3.52								
		38	238.9	230.1	25	3.67								
		39	244.9	236.8	25	3.87								
		40	251	242.8	25	4								
		42	265	254.9	25	4.53								
		45	283.2	273.1	25	5.14								
		46	287.9	279.16	25	5.35								
		48	301.4	291.3	25	5.75								
		50	313.5	303.4	25	6.45								
		55	343.8	333.7	25	7.43								
		57	355.9	345.8	25	8.11								
		60	374.1	364	25	9.19								
		65	404.4	394.29	25	10.65								
		70	434.7	424.6	30	12.45								
		72	446.8	436.74	30	13.22								
		76	471.1	461	30	14.78								
		114	584.5	576.1	30	33.51								

16A-1 PLATE WHEEL		TEETH	de	dp	D1	App Kg								
				11	101.7	90.14	16	0.82						
				12	109.7	98.14	16	0.91						
				13	117.7	106.1	16	1.04						
				14	125.7	114.2	16	1.22						
<table border="1"> <thead> <tr> <th>PINIONS</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>TOOTH RADIUS r3</td> <td></td> </tr> <tr> <td>RADIUS WIDTH C</td> <td></td> </tr> <tr> <td>TOOTH WIDTH B1</td> <td>16.2</td> </tr> </tbody> </table>		PINIONS	mm	TOOTH RADIUS r3		RADIUS WIDTH C		TOOTH WIDTH B1	16.2	15	133.7	122.2	16	1.36
PINIONS	mm													
TOOTH RADIUS r3														
RADIUS WIDTH C														
TOOTH WIDTH B1	16.2													
<table border="1"> <thead> <tr> <th>CHAIN</th> <th>mm</th> </tr> </thead> <tbody> <tr> <td>PITCH</td> <td>25.4</td> </tr> <tr> <td>INSIDE</td> <td>17.02</td> </tr> <tr> <td>ROLLER <math>\varnothing</math></td> <td>15.88</td> </tr> </tbody> </table>		CHAIN	mm	PITCH	25.4	INSIDE	17.02	ROLLER $\varnothing$	15.88	16	141.8	130.2	20	1.54
CHAIN	mm													
PITCH	25.4													
INSIDE	17.02													
ROLLER $\varnothing$	15.88													
		17	149.8	138.2	20	1.81								
		18	157.8	146.3	20	2								
		19	165.9	154.4	20	2.13								
		20	173.9	162.4	20	2.49								
		21	182	170.4	20	2.63								
		22	190.1	178.5	20	2.82								
		23	198.1	186.5	20	3.04								
		24	206.2	194.6	20	3.45								
		25	214.2	202.7	20	3.63								
		26	222.3	210.7	20	3.9								
		27	230.4	218.8	20	4.31								
		28	238.4	226.9	20	4.58								
		29	246.5	234.9	20	4.81								
		30	254.6	243	20	5.22								
		31	262.6	251.1	25	5.56								
		32	270.7	259.1	25	5.9								
		33	278.8	267.2	25	6.24								
		34	286.9	275.3	25	6.58								
		35	294.9	283.4	25	6.92								
		36	303	291.4	25	7.26								
		37	311.1	299.5	25	7.6								
		38	319.2	307.6	25	7.94								
		39	327.2	315.7	25	8.48								
		40	335.3	323.4	25	9.01								
		42	353	339.9	25	10.1								
		45	377.9	364.1	25	11.7								
		57	474.9	461.1	30	18.14								
		76	627	614.65	30	32.14								
		95	781.1	768.2	30	50.08								