# 001 Double Cylinder Deadlatch

The Australian-designed Lockwood 001® Deadlatch offers market-leading performance and reliability for your home and is available in both Knob and Lever versions.

The 001® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt holdback function that allows you to use your door in passage mode.

## Features and Specifications

- Bolt holdback function activated by external key or internal knob
- Can be key locked in holdback position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in trade and display pack versions

## Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

**Restricted Special Keying**
Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

**Retrofitable**
Replace your existing 001 Deadlatch.



## Product Details

| | |
|---|---|
| **Backset** | 60mm |
| **Case** | High purity zinc alloy |
| **Cylinders** | Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels. |
| **Door Thickness** | 30 - 45mm |
| **Finish*** | Satin Chrome Pearl **(SP)**<br>Chrome Plate **(CP)**<br>Brown **(BRN)**<br>Everbrass **(EVB)** |
| **Latch** | Stainless steel 18mm projection |
| **Packers** | 3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb |

*Refer to pages 5 and 7 for product range

## Standards and Compliance

Conforms to Australian Standard (AS4145.2-2008 S$_L$7D8C6)

# 001 Double Cylinder Deadlatch

## Double Cylinder with Knob




Exterior Cylinder

Interior

**Kinetic Defence®**
Bump and pick resistant.

**SafetyRelease™**
Minimises the risk of being locked in.

**LockAlert®**
Interior Indicator shows lock status at a glance.

**Safety Mode**
Securely locked from outside and free from inside.

**Secure Mode**
Securely locked from both inside and outside. For when nobody is home.

**Passage Mode**
Free to enter from outside and free to exit from inside.

**Deadlatch Bolt**
Stainless steel 18mm projection.

**2 Keys Included**
Can be keyed alike to other Lockwood door locks.

**Retrofitable**
Replace your existing 001 Deadlatch.

# 001 Double Cylinder Deadlatch

## 001 - Knob with Open In Strike - Single Pack

| Finish | Trade Pack | Display Pack |
|---|---|---|
| Satin Chrome Pearl | 001-1K1SP | 001-1K1SPDP |
| Chrome Plate | 001-1K1CP | 001-1K1CPDP |
| Brown | — | 001-1K1BRNDP |
| Everbrass | 001-1K1EVB | — |

Suitable for INWARD opening timber framed doors.




## 001 - Knob with Open In Strike - Twin Pack

| Finish | Trade Pack | Display Pack |
|---|---|---|
| Satin Chrome Pearl | 001-1K2SP | 001-1K2SPDP |
| Everbrass | — | 001-1K2EVBDP |

Suitable for INWARD opening timber framed doors. Keyed alike for extra convenience. Pack contains two locksets.




## 001 - Knob with Metal Frame Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-3K1SP |
| Matt Black | 001-3K1MBK |

Suitable for INWARD opening metal framed doors.




## 001 - Knob with Open Out Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-4K1SP |

Suitable for OUTWARD opening timber framed doors.



# 001 Double Cylinder Deadlatch

## Double Cylinder with Lever




Exterior Cylinder

Interior

**Kinetic Defence®**
Bump and pick resistant.

**SafetyRelease™**
Minimises the risk of being locked in.

**LockAlert®**
Interior Indicator shows lock status at a glance.

**Safety Mode**
Securely locked from outside and free from inside.

**Secure Mode**
Securely locked from both inside and outside. For when nobody is home.

**Passage Mode**
Free to enter from outside and free to exit from inside.

**Deadlatch Bolt**
Stainless steel 18mm projection.

**2 Keys Included**
Can be keyed alike to other Lockwood door locks.

**Retrofitable**
Replace your existing 001 Deadlatch.

# 001 Double Cylinder Deadlatch

## 001 - Lever with Open In Strike - Single Pack

| Finish | Trade Pack | Display Pack |
|---|---|---|
| Satin Chrome Pearl | 001-1L1SP | 001-1L1SPDP |
| Chrome Plate | — | 001-1L1CPDP |

Suitable for INWARD opening timber framed doors.



# 002 Single Cylinder Deadlatch

The Australian-designed Lockwood 002 Deadlatch offers market-leading performance and reliability for your home and is available in both Knob and Lever versions.

The 002 Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt holdback function that allows you to use your door in passage mode.

## Features and Specifications

- High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener
- Bolt holdback function activated by external key or internal knob
- Can be keyed alike to other Lockwood door locks

## Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

**Restricted Special Keying**
Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

**Retrofitable**
Replace your existing 001 Deadlatch.



## Product Details

| | |
|---|---|
| **Backset** | 60mm |
| **Case** | High purity zinc alloy |
| **Cylinder** | External 5 pin tumbler mechanism.<br>Brass cylinder and brass barrel. |
| **Door Thickness** | 30 - 45mm |
| **Finish** | Satin Chrome Pearl **(SP)** |
| **Latch** | Stainless steel 18mm projection |
| **Packers** | 3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb |

## Standards and Compliance

Conforms to Australian Standard (AS4145.2 - 1993)



25YEAR MECHANICAL WARRANTY

# 002 Single Cylinder Deadlatch

## Single Cylinder with Knob




Exterior Cylinder

Interior

**Kinetic Defence®**
Bump and pick resistant.

**SafetyRelease™**
Minimises the risk of being locked in.

**2 Keys Included**
Can be keyed alike to other Lockwood door locks.

**Retrofitable**
Replace your existing 001 Deadlatch.

**Deadlatch Bolt**
Stainless steel 18mm projection.

# 002 Single Cylinder Deadlatch

## 002 - Knob with Open In Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-1K1SP |
| **No Cylinder** | |
| Satin Chrome Pearl | 002-1K1SPNC |

Suitable for INWARD opening timber framed doors.




## 002 - Knob with Metal Frame Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-3K1SP |

Suitable for INWARD opening metal framed doors.




## 002 - Knob with Open Out Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-4K1SP |

Suitable for OUTWARD opening timber framed doors.






25YEAR MECHANICAL WARRANTY

# 002 Single Cylinder Deadlatch

## Single Cylinder with Lever






Exterior Cylinder

Interior

**Kinetic Defence®**
Bump and pick resistant.

**SafetyRelease™**
Minimises the risk of being locked in.

**2 Keys Included**
Can be keyed alike to other Lockwood door locks.

**Retrofitable**
Replace your existing 001 Deadlatch™.

**Deadlatch Bolt**
Stainless steel 18mm projection.

# 002 Single Cylinder Deadlatch

## 002 - Lever with Open In Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-1L1SP |
| **No Cylinder** | |
| Satin Chrome Pearl | 002-1L1SPNC |

Suitable for INWARD opening timber framed doors.




## 002 - Lever with Metal Frame Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-3L1SP |

Suitable for INWARD opening metal framed doors.




## 002 - Lever with Open Out Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 002-4L1SP |
| **No Cylinder** | |
| Satin Chrome Pearl | 002-4L1SPNC |

Suitable for OUTWARD opening timber framed doors.



# 001 and 002 Deadlatch - Accessories

## Packer Plate

| Finish | Trade Pack |
|---|---|
| Black | 001-3254BLK |




## Retrofit 31mm Strike

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-3653SP |




## Metal Frame Strike Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-3053SP |
| Chrome Plate | 001-3053CP |




## Outward Opening Strike

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-3253SP |



# 001 Double Cylinder Deadlatch

## Open Out Bolt

| Finish | Trade Pack |
|---|---|
| Stainless Steel | 001-3108 |

* Pack of 5



25YEAR MECHANICAL WARRANTY

# 001 Double Cylinder Deadlatch

The Australian-designed Lockwood 001® Deadlatch offers market-leading performance and reliability for your home.

The 001® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt holdback function that allows you to use your door in passage mode.

## Features and Specifications

- Bolt holdback function activated by external key or internal knob
- Can be key locked in holdback position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in display pack

## Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P

**Restricted Special Keying**
Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

**Retrofitable**
Replace your existing 001 Deadlatch.



## Product Details

| | |
|---|---|
| **Backset** | 60mm |
| **Case** | High purity zinc alloy |
| **Cylinders** | Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels. |
| **Door Thickness** | 30 - 45mm |
| **Finish** | Matt Black **(MBK)** |
| **Latch** | Stainless steel 18mm projection |
| **Packers** | 3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb |

## Standards and Compliance

Conforms to Australian Standard (AS4145.2-2008 S,7D8C6)

# 001 Double Cylinder Deadlatch

## Double Cylinder with Knob




Exterior Cylinder

Interior

**Kinetic Defence®**
Bump and pick resistant.

**SafetyRelease™**
Minimises the risk of being locked in.

**LockAlert®**
Interior Indicator shows lock status at a glance.

**Safety Mode**
Securely locked from outside and free from inside.

**Secure Mode**
Securely locked from both inside and outside. For when nobody is home.

**Passage Mode**
Free to enter from outside and free to exit from inside.

**Deadlatch Bolt**
Stainless steel 18mm projection.

**2 Keys Included**
Can be keyed alike to other Lockwood door locks.

**Retrofitable**
Replace your existing 001 Deadlatch.

# 001 Double Cylinder Deadlatch

## 001 - Knob with Open In Strike - Single Pack

| Part Number | Finish |
|---|---|
| **001-1K1MBKDP** | Matt Black |
| **001-1K1MBK** | Matt Black |

Suitable for INWARD opening timber framed doors.




## 001 - Knob with Metal Frame Strike - Single Pack

| Finish | Trade Pack |
|---|---|
| Satin Chrome Pearl | 001-3K1SP |
| Matt Black | 001-3K1MBK |

Suitable for INWARD opening metal framed doors.