



The Paradigm® 005 Double Cylinder Deadbolt is the premium security solution with its innovative safety features. The contemporary styling can be combined with any lever or entrance handle to create an elegant security solution, ideal for residential and architectural applications.

Key Features

- Three function modes with DualSelect® provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Safety Release™ automatically unlocks internal knob upon key entry from outside
- LockAlert® indicator shows lock status at a glance
- Available in round or square rose


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Retrofitable

Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Product Details		
Backset	60 to 70mm adjustable stainless steel bolt	
Bolt	High security, cut resistant stainless steel bolt	
Cylinder	5 pin tumbler mechanism. Brass cylinder and brass barrel	
Door Thickness	32–48mm 32–36mm doors require a spacer (Included)	
Finishes	Chrome Plate (CP) Satin Chrome Pearl (SP) Satin Chrome Brushed (SC) Everbrass (EVB) Satin Stainless Steel (SSS)*	
Keying	Supplied individually keyed with two keys per lock, 78,000 key combinations, Key blank KB2015P	
Materials	High purity zinc alloy. Stainless steel version features 304 grade satin stainless steel rose, turn knob and trim	
Strike	Box strike with concealed crossgrain door frame strengthening screw	


*Satin Stainless Steel version only available in round rose.


Standards	and Compliance
SL8	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008)
K 5	(Key Security) Australian Lock Standard AS4145.2 - 2008)

Round Rose











Exterior

Interior

*32–36mm door thickness requires spacer ring (included)



Kinetic Defence® Bump and pick resistant.



Counterbalance Bolt

Proportionally distributes the load between the door and door frame.



DualSelect®

Turn the key for safety mode. Turn the key further to select secure mode.



2 Keys Included

Can be keyed alike to other Lockwood door locks.



SafetyRelease™

Minimises the risk of being locked in.



Retrofitable

Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Anti-Corrosion

Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



LockAlert®

Interior Indicator shows lock status at a glance.



Safety Mode

Securely locked from outside and free from inside.



Secure Mode

Securely locked from both inside and outside. For when nobody is home.




Passage Mode


Free to enter from outside and free to exit from inside.


Square Rose











Exterior

Interior

*32–36mm door thickness requires spacer ring (included)



Kinetic Defence®

Bump and pick resistant.



Counterbalance Bolt

Proportionally distributes the load between the door and door frame.



DualSelect®

Turn the key for safety mode. Turn the key further to select secure mode.



2 Keys Included

Can be keyed alike to other Lockwood door locks.



SafetyRelease™

Minimises the risk of being locked in.



Retrofitable

Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



LockAlert®

Interior Indicator shows lock status at a glance.



Safety Mode

Securely locked from outside and free from inside.



Secure Mode

Securely locked from both inside and outside. For when nobody is home.




Passage Mode

Free to enter from outside and free to exit from inside.

Ordering Procedure–Lever Sets

Sample part number 005/B1CPDP is made up of several sections. Choose your product by selecting an option from each section.

Paradigm® 005 Double Cylinder Deadbolt



Packaging Ke	ying
DP	
Packaging	
Universal Pack	DP
Trade Pack	
Special Keying-Reside	ntial
Special Keying-Reside Keyed Alike 5P	ntial 5KA
	5KA
Keyed Alike 5P	
Keyed Alike 5P Keyed Alike 6P	5KA 6KA



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz

