

Lockwood Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.

Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix

Fixing bolts are available for timber, aluminium or glass doors.

Any full set can be converted into a half set using a concealed fix or disk fix kit.

Product Details

Dimensions	Refer to next couple of pages for product dimensions.
Materials	Stainless Steel Construction: Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments.
Finishes	Satin Stainless Steel (SSS) Matt Black (MBK)* Powder Coated (PC)*

** Available on selected models. Refer to page 27 for further details.*

Standards and Compliance



Disabled Access - AS1428.1

Entrance Handles

141 Series

Dimensions

	A	B1	B2	C	D	E
141x300SSS	300mm	22mm	40mm	45mm	450mm	25mm
141x450SSS	450mm	22mm	40mm	45mm	600mm	25mm
141x600SSS	600mm	22mm	40mm	45mm	750mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



141X600SSS

142

Dimensions

	A	B	C	D	E
142x300SSS	300mm	32mm	45mm	450mm	25mm
142x450SSS	450mm	32mm	45mm	600mm	25mm
142x600SSS	600mm	32mm	45mm	750mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



142X600SSS

143

Dimensions

	A	B1	B2	C	D
143x300SSS	300mm	30mm	15mm	35mm	315mm
143x450SSS	450mm	30mm	15mm	35mm	465mm
143x600SSS	600mm	30mm	15mm	35mm	615mm


Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Disabled Accessible AS1428.1



143X600SSS

Entrance Handles

145

Dimensions

	A	B	C	D	E
145x225SSS	225mm	25mm	45mm	300mm	19mm
145x375SSS	375mm	25mm	45mm	450mm	19mm
145x525SSS	525mm	25mm	45mm	600mm	19mm


Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



145x525SSS

146

Dimensions

	A	B	C	D	E	F
146x450SSS	450mm	25mm	60mm	475mm	60mm	25mm
146x600SSS	600mm	25mm	60mm	625mm	60mm	25mm



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146x600SSS

147

Dimensions

	A	B	C	D	E
147x450SSS	450mm	19mm	45mm	600mm	19mm


Fixing

Timber 2 x 62mm M8 Bolts - 8.5mm hole

Glass 2 x 32mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



147x450SSS

Entrance Handles

148

Dimensions

	A	B	C	D	E	F
148x450SSS	450mm	25mm	44mm	475mm	103mm	70mm
148x600SSS	600mm	25mm	44mm	625mm	103mm	70mm



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



148X600SSS

148 Half Set

Dimensions

	A	B	C	D	E	F
148x450HSSS	450mm	25mm	44mm	475mm	103mm	70mm
148x600HSSS	600mm	25mm	44mm	625mm	103mm	70mm



Fixing

Timber 2 x Disk Fixings with 70mm M8 Thread - 8.5mm hole

Glass 2 x Disk Fixings with 30mm M8 Thread - 13mm hole



Disabled Accessible AS1428.1



148X600HSSS

151

Dimensions

	A	B	C	D	E	F
151Cx300SSS	300mm	32mm	70mm	38mm	332mm	200mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



151CX300SSS

Entrance Handles

192


Dimensions

	A	B	C	D
192x450SSS	450mm	32mm	85mm	482mm
192x600SSS	600mm	32mm	85mm	632mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



192X600SSS

231

Dimensions

	A	B	C	D	E	F
231Cx300SSS	300mm	32mm	70mm	38mm	332mm	140mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



231CX300SSS

Entrance Handles

Ordering Procedure

Sample part number 141X300SSS is made up of several sections.
Choose your product by selecting an option from each section.

Design		Centre to Centre		Finish
141	X	300		SSS

Design		Centre to Centre		Finish	
141 Style	141	300mm Centres	300	Satin Stainless Steel	SSS
142 Style	142	141, 142, 143, 151, 231			
143 Style	143	450mm Centres	450		
145 Style	145	141, 142, 143, 146, 147, 148, 192			
146 Style	146	600mm Centres	600		
147 Style	147	141, 142, 143, 146, 148, 192			
148 Style	148	225mm Centres (145 Style Only)	225		
151 Style	151C	375mm Centres (145 Style Only)	375		
192 Style	192	525mm Centres (145 Style Only)	525		
231 Style	231C				

Design		Centre to Centre		Finish	
141 Style	141	600mm Centres	600	Matt Black	MBK
143 Style	143	141, 143,		Powdercoated	PC


Entrance Handle Accessories

Lockwood Entrance Handles can be supplied with a number of supplementary accessories that allow for the flexibility to convert back to back fixing full sets to disk fix or concealed fix half sets. All available options listed suit 10-12mm thick glass doors and 50mm thick timber and aluminium doors unless otherwise specified.

Standard Full Set

Back to Back Fix Accessories


Part Number	Timber Fixing	Glass Fixing
SP-1EHM8	2 x 80mm M8 Screws	2 x 40mm M8 Screws
SP-2EHM6S	2 x 62mm M6 Spigot Screws	2 x 32mm M6 Spigot Screws
SP-3EHM8S	2 x 70mm M8 Spigot Screws	2 x 30mm M8 Screws



Half Set Options


Concealed Fix Accessories

Part Number	Timber Fixing	Glass Fixing
SP-4EHCF	2 x Ø15mm Spigots 2 x 45mm M6.3 (14G) Screws	N/A
SP-5EHCF	2 x Ø10mm Spigots 2 x 38mm M4.5 (8G) Screws	N/A



Disk Fix Accessories

Part Number	Timber Fixing	Glass Fixing
SP-6EHDFM8	2 x 70mm M8 Disk Fit Screw	2 x 30mm M8 Disk Fit Screw
SP-7EHDFM6	2 x 70mm M6 Disk Fit Screw	2 x 30mm M6 Disk Fit Screw



Entrance Handle Accessories Reference Guide

Please refer to the below table for a guide on which accessories need to be ordered to achieve the desired fixing arrangement.

Handle Style	Full Set Back to back	Half Set Concealed Fix	Half Set Disk Fix
141	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8
142	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8
143	SP-2EHM6S*	SP-5EHCF	SP-7EHDFM6
145	SP-3EHM8S*	SP-4EHCF	SP-7EHDFM6
146	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8
147	SP-3EHM8S	SP-4EHCF	SP-7EHDFM6
148	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8*
151	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8
192	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8
231	SP-1EHM8*	SP-4EHCF	SP-6EHDFM8

Notes:

The screw packs marked with a * are the standard bolts that are supplied with the Entrance Handles.
Each full set can be converted into 1 x Concealed Fix Half Set and 1 x Disk Fit Half Set only

Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles offers a high quality solution to the requirements of both residential and commercial markets.

Packaging For Various Doors

Comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors

Product Details


Materials

Stainless Steel Construction: Constructed of 304 grade stainless steel, suitable for use in external environments

Standards and Compliance



Disabled Access - AS1428.1



Entrance Handles

141 Series

Dimensions

	A	B1	B2	C	D	E
141x300MBK	300mm	22mm	40mm	45mm	450mm	25mm
141x600MBK	600mm	22mm	40mm	45mm	750mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



141X600MBK

142

Dimensions

	A	B	C	D	E
142x300MBK	300mm	32mm	45mm	450mm	25mm
142x450MBK	450mm	32mm	45mm	600mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



142X450MBK

143

Dimensions

	A	B1	B2	C	D
143x450MBK	450mm	30mm	15mm	35mm	465mm
143x600MBK	600mm	30mm	15mm	35mm	615mm


Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Disabled Accessible AS1428.1



143X600MBK

Entrance Handles

145

Dimensions

	A	B	C	D	E
145x225MBK	225mm	25mm	45mm	300mm	19mm


Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



145X225MBK

146

Dimensions

	A	B	C	D	E	F
146x450MBK	450mm	25mm	60mm	475mm	60mm	25mm
146x600MBK	600mm	25mm	60mm	625mm	60mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146X600MBK