

Lockwood Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.

Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors

Product Details


Dimensions	Refer to next couple of pages for product dimensions.
Materials	Stainless Steel Construction: Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments.
Finishes	Satin Stainless Steel (SSS) Matt Black (MBK)* Powder Coated (PC)*

* Available on selected models. Refer to page 27 for further details.

Standards and Compliance



Disabled Access - AS1428.1



Entrance Handles

141 Series

Dimensions

	A	B1	B2	C	D	E
141x300SSS	300mm	22mm	40mm	45mm	450mm	25mm
141x450SSS	450mm	22mm	40mm	45mm	600mm	25mm
141x600SSS	600mm	22mm	40mm	45mm	750mm	25mm



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



141X600SSS

142

Dimensions

	A	B	C	D	E
142x300SSS	300mm	32mm	45mm	450mm	25mm
142x450SSS	450mm	32mm	45mm	600mm	25mm
142x600SSS	600mm	32mm	45mm	750mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



142X600SSS

143

Dimensions

	A	B1	B2	C	D
143x300SSS	300mm	30mm	15mm	35mm	315mm
143x450SSS	450mm	30mm	15mm	35mm	465mm
143x600SSS	600mm	30mm	15mm	35mm	615mm



Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Disabled Accessible AS1428.1



143X600SSS

Entrance Handles

145

Dimensions

	A	B	C	D	E
145x225SSS	225mm	25mm	45mm	300mm	19mm
145x375SSS	375mm	25mm	45mm	450mm	19mm
145x525SSS	525mm	25mm	45mm	600mm	19mm


Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



145X525SSS

146

Dimensions

	A	B	C	D	E	F
146x450SSS	450mm	25mm	60mm	475mm	60mm	25mm
146x600SSS	600mm	25mm	60mm	625mm	60mm	25mm



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146X600SSS

147

Dimensions

	A	B	C	D	E
147x450SSS	450mm	19mm	45mm	600mm	19mm


Fixing

Timber 2 x 62mm M8 Bolts - 8.5mm hole

Glass 2 x 32mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



147X450SSS

Entrance Handles

151



Dimensions

	A	B	C	D	E
151x300SSS	300mm	32mm	80mm	332mm	200mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



151X300SSS

192


Dimensions

	A	B	C	D
192x450SSS	450mm	32mm	85mm	482mm
192x600SSS	600mm	32mm	85mm	632mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



192X600SSS

231


Dimensions

	A	B	C	D	E
231x300SSS	300mm	32mm	85mm	332mm	140mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



231X300SSS

Entrance Handles

Ordering Procedure

Sample part number 141X300SSS is made up of several sections.
Choose your product by selecting an option from each section.

Design	Centre to Centre	Finish
141	X 300	SSS

Design	Centre to Centre	Finish
141 Style 141	300mm Centres 300 141, 142, 143, 151, 231	Satin Stainless Steel SSS
142 Style 142		
143 Style 143	450mm Centres 450 141, 142, 143, 146, 147, 192	
145 Style 145		
146 Style 146	600mm Centres 600 141, 142, 143, 146, 192	
147 Style 147		
151 Style 151	225mm Centres (145 Style Only) 225	
192 Style 192	375mm Centres (145 Style Only) 375	
231 Style 231	525mm Centres (145 Style Only) 525	

Design	Centre to Centre	Finish
141 Style 141	600mm Centres 600	Matt Black MBK
143 Style 143	141, 143,	Powdercoated PC



ASSA ABLOY

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

**25YEAR
MECHANICAL
WARRANTY**

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved

