



Synergy 3570 Series Mortice Locks

Synergy 3570 Series Cylinder Mortice Locks

Application

A wide range of security cylinder mortice locks and latches suitable for heavy duty use in industrial and commercial buildings, institutions, clubs, schools, hospitals, hotels and similar buildings.

Features and Specifications

Synergy Series Cylinder Mortice Locks are made from quality materials to meet high durability and strength requirements.

Case and Cover Plates

- High purity zinc alloy material cases and stainless steel cover plates
- Brass plates provided for plated finishes available

Backset

- 60mm standard backset
- Extended backsets 89 and 127mm are available (Refer to Ordering Procedure)

Latchbolts

Latchbolts are 15mm, stainless steel. Deadlatching is achieved by an auxiliary stainless steel latchbolt. This auxiliary bolt retracts when the main latchbolt is withdrawn when the door is closed.

Deadbolts

Deadbolts are 19mm, stainless steel.

Springs

High grade spring steel material, corrosion protected.

Cylinder Retaining Pin

Hard-drawn spring steel wire, corrosion protected.

Door Thickness

- Synergy Series locks - 32mm to 50mm
- 3579 Series SCEC Locks - 35.50mm

Components to facilitate use on suit thicker doors are available on application.

Door Clearance

To ensure correct functioning of the deadlatching mechanism and security for all locks, the clearance between the door and the frame should be 3mm. The deadlatching will operate up to 8mm door clearance, however door clearances over 5mm are not recommended.

Aluminium Doors

Aluminium door accessory packs and aluminium fix locks are available upon request. Specify SP3570-419 for mounting tabs accessory pack.

Security

All Synergy Series Cylinder Mortice Locks conform with Level S7 (Physical Security) Australian Lock Standard (AS-4145.2008). Level S8 (Physical Security) is available upon request.

Durability

All Synergy Series Cylinder Mortice Locks conform with level D8 (Durability) Australian Lock Standard (AS 4145.2008).

Fire Rating

Lockwood Synergy Series Mortice Locks have been successfully tested up to four hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS 1905.1-2005, Part 1: Fire Resistant Doorsets.

Cylinder

Bump resistant five pin tumbler mechanism. Standard Lockwood oval shaped brass cylinders and brass barrels.

Functions require the use of different cams and adaptors.

Keying

Standard Keying

- Supplied individually keyed with two keys per lock
- 78000 key combinations

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication and can also include specially designed keying systems such as master key systems. This allows for different levels of mechanical access control.

Please refer to assaabloy.com.au for keying systems or contact your local sales office or customer service for specific information.

Standard Finishes

Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB

Extended Cylinders

Modular Cylinder Extensions are available for thicker doors.

Rebate

Rebate kits to suit 13mm standard rebate are available.

Electric Strikes

Lockwood Synergy Series Mortice Locks are compatible with most electric strikes. Refer to assaabloy.com.au for further details.

S7 HIGH SECURITY

D8 DURABILITY

FIRE RATED

3570 Series Standard Backset

1. Hub Selection

A patent protected cam operated hub setting mechanism accessible through the lock body from the outside.

2. Latch Bolt

Reversible for both left and right hand doors opening in or opening out without disassembly.

Standard deadlatch configuration, except for passage latch function.

Separate auxiliary bolt moves into lock case simultaneously with latch bolt.

Bolt – stainless steel fire rated to 4 hours as standard. Electric strike compatible.

3. Strike

Universal stainless steel strike suitable for 4 hour fire rating applications.

4. Door Thickness

Standard applications 32 to 50mm.

5. Backsets

60mm standard, 89mm and 127mm available.

6. Cylinder/Adaptor Retention

“Slip Pin” Cylinder/Adaptor fixing method, which allows attachment to the case by inserting a non-threaded cylindrical pin through the front of the lock case.

7. Multi-Function Lock

Lock is designed to significantly reduce stock line items.

8. Case Assembly

High purity zinc alloy case and backplate.

9. Cylinder Assembly


Five pin tumbler mechanism. Standard Lockwood oval shaped, brass cylinders and brass barrels.

10. Kick-Off Selection

A removable screw mechanism selects kick-off (screw fitted) or no kick-off (screw removed).

11. Faceplate

Stainless steel faceplate supplied in square end (standard) and optional round end.



Synergy 3570 Nightlatches





Description

Various latching functions operated by a key outside and by a turnknob or key inside. The nightlatch locks automatically when the door is closed.

For all nightlatch functions specify the primary lock. This lock can then be easily adapted to suit function required.

Product Details	
Furniture	Compatible with most Lockwood cylinder escutcheons, turnknobs and plate furniture. Refer to lockweb.com.au for further details.
Latch	Deadlatch only.
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.

Synergy 3570 Nightlatches



Synergy 3570 Nightlatches

Part Number	3570	4570	5570
Dimension A	60	89	127
Dimension B	84	113	151

Note: 3572SC Primary Lock can be used to achieve 3570 functions.

Synergy 3570 Nightlatches

Nightlatch


Part Number	Description
3570XTR	Right hand
3570XTL	Left hand

Description

Cylinder and Turnknob. Reversible.

Outside: Opened by key.

Inside: Opened by turnknob.



Nightlatch

Communicating Door Latch


Part Number	Description
3570XX	Non-handed.

Description

Double Cylinder. Reversible.

Outside: Opened by key.

Inside: Opened by key.



Communicating Door Latch


Exit Door Latch

Part Number	Description
3570-TR	Right hand
3570-TL	Left hand

Description

Turnknob inside. Reversible.

Inside: Opened by turnknob.



Exit Door Latch

Cylinder Latch


Part Number	Description
3570X-R	Right hand
3570X-L	Left hand

Description

Single Cylinder. Reversible.

Lockset may be installed with cylinder either inside or outside.

Outside/Inside: Opened by key.



Cylinder Latch

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4570XX, or if 127mm lock is required, substitute 3 for 5 i.e. 5570XX

Synergy 3571 Deadbolts




Description

Various deadlocking functions operated generally by a key outside and by a turnknob or key inside. Locked by key or turnknob when the door is closed.

For all deadlock functions specify primary lock (3571SC). This lock can then be easily adapted to suit function required.

Product Details	
Backset	60mm standard backset 89 and 12mm extended backsets available on application.
Bolt	19mm stainless steel bolt.
Furniture	Compatible with most Lockwood cylinder escutcheons, turnknobs and plate furniture. Refer to lockweb.com.au for further details.
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.

Synergy 3571 Deadbolts



Synergy 3571 Deadbolts

Part Number	3571	4571	5571
Dimension A	60	89	127
Dimension B	84	113	151

Synergy 3571 Deadbolts

Cylinder and Turn Deadbolt


Part Number 3571WT

Description

Cylinder and Turnknob. Reversible.

Outside: Locked or unlocked by key.

Inside: Locked or unlocked by turnknob.



Cylinder and Turn Deadbolt

Double Cylinder Deadbolt


Part Number 3571YY

Description

Double Cylinder. Reversible.

Outside: Locked or unlocked by key.

Inside: Locked or unlocked by key.



Double Cylinder Deadbolt


Exit Door Deadbolt

Part Number 3571-T

Description

Turnknob Inside. Reversible.

Inside: Locked or unlocked by turnknob.



Exit Door Deadbolt

Single Cylinder Deadbolt


Part Number 3571Y

Description

Single Cylinder. Reversible.

Lockset may be installed with cylinder either inside or outside.

Outside/Inside: Locked or unlocked by key.



Single Cylinder Deadbolt

Synergy 3571 Deadbolts

Escape Deadbolt


Part Number	Description
3571DEL	Left Hand
3571DER	Right Hand

Description

Cylinder and Escape Lever.

Outside: Locked or unlocked by key.

Inside: Unlocked only by escape turn. Inside turn will not lock door.



Escape Deadbolt

Note: Specially machined lock case cannot be made up from 3571 primary lock and cannot be reversed.

Through Fix Privacy Deadbolt


Part Number	3571PT
-------------	--------

Description

Emergency Turnknob Escutcheon. Turnknob. Reversible.

Outside: Operated by coin or screwdriver in emergency situation by operating the slotted emergency turn button.

Inside: Locked or unlocked by turn knob.



Through Fix Privacy Deadbolt

Note: Requires specially machined lockcase. Furniture must be ordered separately.

Synergy 3572 Vestibule Lock





Description

These locks have various latching functions which can be operated by key or handle outside and by turnknob, key or handle inside. For ease of selection specify primary lock. This lock can then be easily adapted to suit function required. These locks have various latching functions which can be operated by key or by a handle inside.

Product Details	
Backset	Available in 60, 89 and 127mm backsets.
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Daintree, Aquileart, Artefact Series II and Ovation Series. Refer to lockweb.com.au for further details.
Latch	Deadlatch only.
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.

Synergy 3572 Vestibule Lock



Synergy 3572 Vestibule Lock

Part Number	3572	4572	5572
Dimension A	60	89	127
Dimension B	84	113	151

Synergy 3572 Vestibule Lock

Storeroom Locking Latch


Part Number	Description
3572X-R	Right hand
3572X-L	Left hand

Description

Cylinder Outside. Reversible.

Outside: Opened by key. Handle is always rigid.

Inside: Opened by handle at all times.



Storeroom Locking Latch

Single Action Escape Latch


Part Number	Description
3572X-R	Right hand
3572X-L	Left hand

Description

Cylinder Outside. Reversible.

Outside: Opened by key.

Inside: Opened by handle at all times.



Single Action Escape Latch

Classroom and Office Locking Latch


Part Number	Description
3572Z-R	Right hand
3572Z-L	Left hand

Description

Cylinder Outside. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle.

Inside: Opened by handle at all times.



Classroom and Office Locking Latch

Synergy 3572 Vestibule Lock

Anti-lockout Privacy Escape Latch

Part Number	Description
3572EAR	Right hand
3572EAL	Left hand


Description

Cylinder and Escape Lever.

Outside: Opened by handle except when handle is made inoperative by turnknob from inside. Handle may be unlocked from outside by coin or screwdriver by operating the slotted emergency button.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Antilockout: Closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Privacy Escape Latch

Anti-lockout Entry Door Lock

Part Number	Description
3572XAR	Right hand
3572XAL	Left hand


Description

Cylinder and Turnknob. Handed.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by key from outside or turnknob from inside.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Anti-lockout: Latching the bolt by key, closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Entry Door Lock

Notes: a) Latchbolt can be retracted by key if handle has been rendered inoperative.

b) Specially machined lock case, cannot be made up from 3572 primary lock.

Synergy 3572 Vestibule Lock

Classroom and Office Locking/Latching Latch

Part Number	Description
-------------	-------------

3572M-R	Right hand
---------	------------


3572M-L	Left hand
---------	-----------

Description

Locking/Latching Cylinder Outside. Handed.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle.

Inside: Open by handle at all times.



Classroom and Office Locking/
Latching Latch

Note: Lock contains special adaptor to enable latch bolt to be retracted by key if handle has been rendered inoperative.

Anti-lockout Vestibule Set

Part Number	Description
-------------	-------------

3572WAR	Right hand
---------	------------

3572WAL	Left hand
---------	-----------


Description

Cylinder and Turnknob. Handed.

Outside: Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle.

Inside: Open by handle at all times. Turnknob locks or unlocks outside handle

Anti-lockout: Closing the door or operation of inside handle will 'kick-off' the locking feature, allowing the outside handle to become operative.



Anti-lockout Vestibule Set

Synergy 3572 Vestibule Lock

Vestibule Set

Part Number	Description
3572XTR	Right hand
3572XTL	Left hand


Description

Cylinder and Turnknob. Reversible.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by turnknob inside.

Inside: Opened by handle at all times. Turn knob locks or unlocks outside handle.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 45722-R, or if 127mm lock is required, substitute 3 for 5 i.e. 55722-R



Vestibule Set

Exit Door Latch


Part Number	Description
3572R	Right hand
3572L	Left hand

Description

Exit Function Only. Reversible.

Outside: Handle is always rigid.

Inside: Opened by handle at all times.



Exit Door Lock

Synergy 3572 Vestibule Lock

Exterior and Exit Door Lock


Part Number	Description
3572XZR	Right hand
3572XZL	Left hand

Description

Exit Function Only. Reversible.

Outside: Opened by key at all times. Opened by handle except when handle is made inoperative by key from inside.

Inside: Opened by handle at all times. Key locks or unlocks outside handle.



Double Cylinder Escape Lock

Exterior and Exit Door Lock


Part Number	Description
3572-ZR	Right hand
3572-ZL	Left hand

Description

Cylinder Inside. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from inside.

Inside: Opened by handle at all times. Key locks or unlocks outside handle.



Single Cylinder Exit Door Lock

Synergy 3572 Vestibule Lock

Exterior and Exit Door Lock

Part Number	Description
3572-TR	Right hand
3572-TL	Left hand


Description

Cylinder and Escape Lever.

Outside: Opened by handle except when handle is made inoperative by turnknob from inside.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4572Z-R, or if 127mm lock is required, substitute 3 for 5 i.e. 5572Z-R



Exit Door Lock

Synergy 3573 Sliding Door Deadbolt






Description

Various deadlocking functions operated generally by key outside and by turnknob or key inside. Locked by key or turnknob when door is closed.

For sliding door deadlock functions specify primary lock (3573SC). This lock can then be easily adapted to suit function required.

Product Details	
Backset	60mm standard backset 89 and 127mm extended backsets available on application.
Bolt	Deadlock.
Furniture	Compatible with most Lockwood cylinder escutcheons, turnknobs and plate furniture. Refer to lockweb.com.au for further details.
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.

Synergy 3573 Sliding Door Deadbolt



Synergy 3573 Sliding Door Deadbolt

Part Number	3573	4573	5573
Dimension A	60	89	127
Dimension B	84	113	151

For installations requiring a self latching strike, order 3573SCLS for special lock and strike kit.

Synergy 3573 Sliding Door Deadbolt

Sliding Door Deadlock


Part Number 3573WT

Description

Exit Function Only. Reversible.

Outside: Locked or unlocked by key.

Inside: Locked or unlocked by turnknob.



Sliding Door Cylinder and Turn Deadbolt

Sliding Glass Door Deadlock

Part Number 3573YY


Description

Double Cylinder. Reversible.

Outside: Locked or unlocked by key.

Inside: Locked or unlocked by key.

Note: Recommended for glass doors.



Sliding Double Cylinder Deadbolt


Exit Sliding Door Deadbolt

Part Number 3573-T

Description

Turnknob Inside. Reversible.

Inside: Locked or unlocked by turnknob.



Exit Sliding Door Deadbolt


Lockup Shop Sliding Door Deadlock

Part Number 3573Y -

Description

Single Cylinder. Reversible.

Outside: Locked or unlocked by key.



Single Cylinder Sliding Door Deadbolt

Synergy 3573 Sliding Door Deadbolt

Sliding Door Escape Deadlock

Part Number	Description
3573DEL	Left hand
3573DER	Right hand

Description

Cylinder and Escape Lever.

Outside: Locked or unlocked by key.

Inside: Unlocked only by escape turn. Inside turn will not lock door..

Sliding Door Through Fix Privacy Latch


Part Number	3573PT
-------------	--------

Description

Emergency Turnknob Escutcheon. Turnknob. Reversible.


Outside: Locked or unlocked by coin or screwdriver.

Inside: Locked or unlocked by turnknob.



Sliding Door Escape Deadbolt

Note: Specially machined lock case. Cannot be made up from 3573 primary lock and cannot be reversed.



Sliding Door Through Fix Privacy Bolt

Note: Requires specially machined lock case. Furniture must be ordered separately.

Synergy 3574 Combination Latches



Description

Various latching functions operated generally by outside or inside handles, except when locked by key outside or by key or turnknob inside.


For ease of selection specify primary lock (3572SC). This lock can then be easily adapted to function required.

Note: Passage set available with plain latch only (3574SC).

Product Details

Backset	Available in 60, 89 and 127mm backsets.
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Daintree, Aquileart, Artefact Series II and Ovation Series. Refer to lockweb.com.au for further details.
Latch	Deadlatch for locking functions. Plain latch for passage function.
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB) Other finishes on application.

Synergy 3574 Combination Latches



Synergy 3574 Combination Latches

Part Number	3572	4572	5572
Dimension A	60	89	127
Dimension B	84	113	151

Synergy 3574 Combination Latches

3574 Combination Latches

Office Locking Latch


Part Number	Description
3574WTR	Right hand
3574WTL	Left hand

Description

Cylinder and turnknob. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from outside or by turnknob from inside. Key locks or unlocks both handles.

Inside: Opened by handle except when handle is made inoperative by key from outside or turnknob from inside. Turnknob locks or unlocks both handles.



Glass Door Locking Latch


Part Number	3574ZZ
-------------	--------

Description

Double Cylinder. Non-handed.

Outside: Opened by handle except when handle is made inoperative by key from either side. Key from either side locks or unlocks both handles.

Inside: Opened by handle except when handle is made inoperative by key from either side. Key from either side locks or unlocks both handles.



Synergy 3574 Combination Latches

Glass Door Locking Latch


Part Number	Description
3574Z-R	Right hand
3574Z-L	Left hand

Description

Cylinder and outside. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks both handles.

Inside: Opened by handle except when handle is made inoperative by key from outside.



Passage Latch


Part Number	3574
-------------	------

Description

No locking function. Non-handed. Plainlatch only.

Outside: Opened by handle.

Inside: Opened by handle.




Synergy 3574 Combination Latches

Privacy Latch

Part Number	Description
-------------	-------------

3574ETR	Right hand
---------	------------

3574ETL	Left hand
---------	-----------



Description

Emergency button and turnknob. Reversible..

Outside: Opened by handle except when handle is made inoperative by emergency turnknob from outside or turnknob from inside. Emergency turnknob locks or unlocks both handles.


Inside: Opened by handle except when handle is made inoperative by emergency turnknob from outside or turnknob from inside. Emergency turnknob locks or unlocks both handles.

Glass Door Locking Latch

Part Number	Description
-------------	-------------

3574XZR	Right hand
---------	------------

3574XZL	Left hand
---------	-----------



Description

Cylinder outside. Reversible.

Outside: Opened by key at all times.

Opened by handle except when handle is made inoperative by key from inside. Key retracts latchbolt.

Inside: Opened by handle except when handle is made inoperative by key from inside. Key locks or unlocks both handles.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4572Z-R, or if 127mm lock is required, substitute 3 for 5 i.e. 5572Z-R

Synergy 3577 Dual Entry Deadlatch



Description

Designed to enable emergency services to enter specific areas by second cylinder without giving access to all locksets in the building and the ability to lockout keys with restricted access at certain times.

Product Details


Furniture

Select from Lockwood 1800, 2800 or Artefact Series II ranges. Refer to lockweb.com.au for further details.

Standard Finishes

Satin Chrome Brushed (**SC**)
Chrome Plate (**CP**)
Polished Brass (**PB**)
Other finishes on application.

Synergy 3577 Dual Entry Deadlatch



Synergy 3577Dual Entry Deadlatch

Part Number	3577	4577	5577
Dimension A	60	89	127
Dimension B	84	113	151

Note: Can be made using 3572SC and SP3577-5619 Lower Cylinder Accessory pack. Cylinders must be ordered separately.

Dual Entry Deadlatch


Part Number	Description
3577X-R	Right hand
3577X-L	Left hand

Description

Two Cylinders Outside.

Outside: Opened by key, cylinders are keyed to differ.

Inside: Opened by handle at all times.



Synergy 3577 Dual Entry Deadlatch

Dual Entry/Key Lockout Deadlatch

Part Number	Description
-------------	-------------

3577Z-R	Right hand
---------	------------


3577Z-L	Left hand
---------	-----------

Description

Two Cylinders Outside.

Outside: Opened by bottom key. Top key locks and unlocks bottom key.

Inside: Opened by handle at all times.



Dual Entry/Key Lockout Latching Latch

Part Number	Description
-------------	-------------

3577M-R	Right hand
---------	------------

3577M-L	Left hand
---------	-----------

Description


Two Cylinders Outside.

Outside: Opened by bottom key when made operative by top key.

Top key locks or unlocks bottom key and retracts latch.

Inside: Opened by handle at all times.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4577XR, or if 127mm lock is required, substitute 3 for 5 i.e. 5577XR



Key Entry Privacy Lock

Part Number	Description
-------------	-------------

3577-TR	Right hand
---------	------------

3577-TL	Left hand
---------	-----------


Description

Cylinder Outside.

Outside: Opened by bottom key except when locked out by turnknob from inside.

Inside: Opened by handle at all times. Turnknob locks out outside key.

Anti-lockout: Closing the door or operation of inside handle will "kick-off" the locking feature, allowing the outside key to become operative.



Synergy 3578 Holdback Deadlatches




Description

A deadlatching lockset for applications where latch holdback is required such as high use doors and toilet doors.

Product Details	
Furniture	Compatible with most Lockwood rose and plate furniture including Brass Door Furniture, Daintree, Aquileart, Artefact Series II and Ovation series. Refer to lockweb.com.au for further details.
Latch	Deadlatch
Standard Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Polished Brass (PB)

Standards and Compliance	
	Holdback Deadlatches are non-fire rated.

Synergy 3578 Holdback Deadlatches




Synergy 3578 Holdback Deadlatches

Part Number	3578	4578	5578
Dimension A	60	89	127
Dimension B	84	113	151

Synergy 3578 Holdback Deadlatches

Classroom and Office Locking/Latching Latch with Holdback

Part Number	Description
3578Z-R	Right hand
3578Z-L	Left hand



Description


Cylinder Outside. Reversible.

Outside: Opened by handle except when handle is made inoperative by key from outside. Key locks or unlocks outside handle.

Inside: Open by handle at all times. Holdback: Latchbolt held back when latch depressed and key rotated 360°.

Holdback Vestibule Set

Part Number	Description
3578WTR	Right hand
3578WTL	Left hand



Description

Cylinder and Turnknob. Handed.

Outside: Opened by handle except when handle is made inoperative by key from outside or turnknob from inside. Key locks or unlocks outside handle.

Inside: Opened by handle at all times. Turnknob locks or unlocks outside handle.

Holdback: Latchbolt held back when latch depressed and key or turnsnib rotated 90°.

Note: Part numbers shown above are for 60mm backset lock, if 89mm is required substitute 3 for 4 i.e. 4578Z-R, or if 127mm lock is required, substitute 3 for 5 i.e. 5578Z-R

Synergy 3579 Series Mortice Locks and Deadbolts

SCEC Endorsed (Secure Area)



Description

For use in high security government, institutional and commercial projects. The 3579 Series Mortice Lock has been successfully SCEC endorsed for secure area applications.

Features and Specifications

- All handing type features of the lock including hub selection, anti-lockout screw and reversible latch are accessible without removing the plates.
- 570 oval type cylinders and retaining pin can be used (cylinder must also be appropriately SCEC endorsed)
- 2 x 1.2mm stainless steel plates fixed through the lock provide increased strength to the cylinder and latch areas of the lock
- Available with all 3570, 3571, 3572 and 3574 functions

To achieve secure area rating, the 3579 Mortice Lock must also:

- Be fitted with a SCEC endorsed 570 oval cylinder which also secure area rated, e.g ABLOY PROTEC. Visit assaabloy.com.au
- Be fitted with full plate furniture including Lockwood 1800 Series and Artefact Series II

Product Details

Furniture

Select from the Lockwood 1800, 2800 or Artefact Series II plate furniture ranges to maintain compliance with SCEC Secure Area ratings.

Available in Nightlatch Deadbolt, Vestibule Set and Combination lock configurations - refer to relevant previous pages within the catalogue for further function detail.

Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in SCEC Secure Area Endorsed Keying System, ABLOY PROTEC (cylinder not included). For information on ABLOY PROTEC visit assaabloy.com.au

Standard Finishes

Satin Chrome Brushed (SC)
Chrome Plate (CP)
Polished Brass (PB)



Standards and Compliance



The Lockwood 3579 Series Cylinder Mortice Lock has been successfully fire tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 - 2005, Part 1: Fire Resistant Doorsets.

Synergy 3579 Series Mortice Locks and Deadbolts

SCEC Endorsed (Secure Area)



Synergy 3579 Series Mortice Locks and Deadbolts SCEC Endorsed (Secure Area)

Deadbolt 35791

Deadlatch 35792


Synergy Series - Accessories

Short/Extended Lipped Strikes

Standard Finishes

Chrome Plate	CP
Satin Stainless Steel	SS
Polished Brass	PB

To order, add finish code to part number.



Dimension "A"

25.4mm	32mm	43.5mm	47.5mm
3772-STK25	3772-STK32	3772-STK43	3772-STK47

Fire Rated (4hr) Rebate Kits


Finishes

Stainless Steel	SS
Chrome Plate	CP
Polished Brass	PB

Description

Rebate kits to suit standard 13mm rebate.

To order, add finish code to part number.



Lip Length "A"	Rebate Kit Part Number
32mm	3772-RK32
46mm	3772-RK46


Deadlock Rebate Kits (3571/3573)

Rebate Kit Part Number 3571 - 2902

Standard Finishes

Chrome Plate	CP
Satin Chrome Brushed	SC
Polished Brass	PB

To order, add finish code to part number.




STRIKE

Synergy Series - Accessories

Holdback Cylinder

Part Number	Right Hand	Part Number	Left Hand
3570-2402CP	Chrome Plate	3570-2452CP	Chrome Plate
3570-2402SC	Satin Chrome Brushed	3570-2452SC	Satin Chrome Brushed
3570-2402PB	Polished Brass	3570-2452PB	Polished Brass




Description

- For use with 3570 Series locks only
- Special latching cylinders with levers that enable the latchbolt to be held in retracted position
- To apply Holdback: Insert key into cylinder and retract bolt with one full turn of key, hold bolt depressed with finger and withdraw key
- To release Holdback: Insert key into cylinder, rotate key one full turn and withdraw key


Mortice Lock Sprindles

Part Number	Pack Size	Length "A"	Door Thickness	
			Min	Max
SP3570-5018	10	33mm	32	50
SP3570-5228	10	45mm	50	75
SP3570-5238	0	58mm	75	100
SP3570-5258	10	108mm	100	200
SP3570-5328	10	125mm	200	240




Synergy Series - Accessories


Single Cylinder Assemblies




"X" CAM
570-2




"Y" CAM
571-2




"Z" CAM
572-2




"W" CAM
575-2



"M" CAM
575-52




"XAL" CAM
3572-6118
(cam only)
Included in "XA"
lock assembly




"XAR" CAM
3572-6218
(cam only)
Included in "XA"
lock assembly


Double Cylinder Assemblies




"X" CAMS
570-701



"Y" CAMS
571-701




"X" CAM AND "Z" CAM
574-701




"Z" CAMS
575-701


Adaptors




SP3570-5050
Nightlatch Turn Adaptor




SP3570-6050
Nightlatch Turn Adaptor
(for Case Fix Turns)




SP3571-5050
Deadlock Turn Adaptor




SP3571-6050
Deadlock Turn Adaptor
(for Case Fix Turns)




SP3572-5250
Standard Turn Adaptor



SP3572-6250
Standard Turn Adaptor
(for Case Fix Turns)



SP3572-5350
(RH)
Anti-Vandal Turn Adaptor



SP3572-5450
(LH)
Anti-vandal Turn Adaptor

Synergy Series Cam and Adaptors Function Chart

Synergy Series Cam and Adaptors Function Chart

Synergy Series	Function Description	Primary Lock	Cylinder(s)	Turn Adaptor	Outside Cylinder Cam	Inside Cylinder Cam
3570SC	<i>Nightlatch Primary Lock</i>	3570SC	-	-		
3570-T#SC	Nightlatch - turn only	3570SC	-	SP3570-5050		
3570X-#SC	Nightlatch - single cyl	3570SC	570-2SC	-	X	
3570XT#SC	Nightlatch - cyl & turn	3570SC	570-2SC	SP3570-5050	X	
3570XX#SC	Nightlatch - double cyl	3570SC	570-701SC	-	X	X
3571SC	<i>Deadlock Primary Lock</i>	3571SC	-	-		
3571DE#SC	<i>Escape Deadlock</i>	3571DE#SCNCYL	571-2SC	(SP3571-6050)*	Y	
3571-T#SC	Exit Door Deadlock	3571SC	-	SP3571-5050		
3571PT	<i>Privacy Deadlock (Through Fix)</i>	3571PTSC	-	(SP3571-5050)*		
3571WT#SC	Cylinder and Turn Deadlock	3571SC	571-2SC	SP3571-5050	Y	
3571Y-#SC	Single Cylinder Deadlock	3571SC	571-2SC	-	Y	
3571YY#SC	Double Cylinder Deadlock	3571SC	571-701SC	-	Y	Y
3572SC	<i>Multi-function Primary Lock</i>	3572SC	-	-		
3572#SC	Exit Door Latch	3572SC	-	-		
3572EA#SC	Escape Privacy Latch - Antilockout	3572SC	-	SP3572-5250		
3572M-#SC	Anti-Vandal Latch	3572SC	575-52SC	SP3572-5350 (RH), SP3572-5450 (LH)	M	
3572-T#SC	Exit Door Lock - turn only	3572SC		SP3572-5250		
3572WA#SC	Escape Office Lock - Antilockout	3572SC	575-2SC	SP3572-5250	W	
3572WT#SC	Escape Office Lock	3572SC	575-2SC	SP3572-5250	W	
3572X-#SC	Storeroom Lock	3572SC	570-2SC		X	
3572XA#SC	<i>Entry Door Lock - Anti-vandal</i>	3572XA#SCNCYL	570-302LHSC, 570-302RHSC	(SP3572-5250)*	XAL/XAR	
3572XT#SC	Entry Door Lock	3572SC	570-2SC	SP3572-5250	X	
3572XZ#SC	Double Cylinder Escape Lock	3572SC	574-701SC		X	Z
3572-Z#SC	Single Cylinder Exit Door Lock	3572SC	572-2SC			Z
3572Z-#SC	Classroom Lock	3572SC	572-2SC		Z	
3573SC	<i>Sliding Door Deadlock Primary Lock</i>	3573SC				
3573DE#SC	<i>Sliding Door Escape Deadlock</i>	3573DE#SCNCYL	571-2SC	(SP3571-6050)*	Y	
3573PTSC	<i>Sliding Door Privacy Lock (Through Fix)</i>	3573PTSC		(SP3571-5050)*		
3573-TSC	Sliding Exit Door Deadlock	3573SC		SP3571-5050		
3573WTSC	Sliding Door Cylinder and Turn Deadlock	3573SC	575-2SC	SP3571-5050	W	
3573Y-#SC	Single Cylinder Sliding Door Deadlock	3573SC	571-2SC		Y	
3573YY#SC	Double Cylinder Sliding Door Deadlock	3573SC	571-701SC		Y	Y
3574SC	<i>Passage Latch</i>	3574SC				
3574#SC	Passage Latch	3574SC				
3574ET#SC	Privacy Latch	3572SC		SP3572-5250		
3574WT#SC	Office Lock	3572SC	575-2SC	SP3572-5250	W	
3574XX#SC	Double Cylinder Override Lock	3572SC	570-701SC		X	X
3574XZ#SC	Glass Entry Door Lock	3572SC	574-701SC		X	Z
3574-Z#SC	Single Cylinder Glass Door Lock	3572SC	572-2SC			Z
3574Z-#SC	Single Cylinder Glass Entry Door Lock	3572SC	572-2SC		Z	
3574ZZ#SC	Double Cylinder Glass Door Lock	3572SC	572-701SC		Z	Z
3577SC	<i>Dual Entry Primary Lock</i>	3577SC~				
3577EA#SC	Key Entry Privacy Lock	3577SC~	577-2SC	SP3572-5250		
3577M#	Dual Entry Lock - Key Lockout	3577SC~	575-52SC and 577-2SC	SP3572-5350 (RH), SP3572-5450 (LH)	M	
3577X#	Dual Entry Lock	3577SC~	570-2SC and 577-2SC		X	
3578SC	<i>Holdback Primary Lock</i>	3578SC				
3578M-#SC	Anti-Vandal Latch - Holdback	3578SC	575-52SC	SP3572-5350 (RH), SP3572-5450 (LH)	M	
3578WT#SC	Escape Office Lock - Holdback	3578SC	575-2SC	SP3572-5250	W	
3578Z-#SC	Classroom Lock - Holdback	3578SC	572-2SC		Z	
3578XZ#SC	Double Cylinder Lock - Holdback	3578SC	574-701SC		X	Z

Items in Italics are Primary locks and can be purchased from ASSA ABLOY: #= Left (L) or Right (R) handing, *= included with Primary Lock, ^= cam only, included with Primary lock, ~ can be ordered as 3572SC and SP3577-5619. Cylinders must be ordered separately.

Synergy Series Cylinder Mortice Locks Functioning Matrix

Functioning Matrix

Sample part number 3574WTRSCAF is made up of seven elements.

The description of this part number is an office locking combination latch with cylinder and turn, right handing, satin chrome brushed, for aluminium fix. Choose your product by selecting an option from each element.


Backset	Platform	Function	Sub Function	Handing	Finish	Options
3	57	4	WT	R	SC	AF

Backset	Sub Function	Handing	Options
60mm 3	e.g. Outside W Inside T	Right Handed R	Aluminium Fix AF
89mm 4		Left Handed L	Latching strike (3573 only) LS
127mm 5			

Platform	Finish
Standard (Intruder Resistant) 57	Chrome Plate CP
SCEC Secure Area* 579	Satin Chrome Brushed SC
	Polished Brass PB

Functions
Nightlatch 0
Deadlock 1
Vestibule Lock 2
Sliding Door Lock 3
Combination Lock 4
Dual Entry Lock 7
Hold Back Lock 8

Sub Function
Locking Cylinder with W Cam W
Latching Cylinder with X Cam X
Locking Cylinder with Y Cam Y
Locking Cylinder with Z Cam Z
Locking Cylinder with M Cam M
Emergency Button E
Turnbutton Adaptor T
No Sub Function -
Antilockout A



*Secure Area only available in Nightlatch, Deadlock, Vestibule and Combination configuration. Must be used in conjunction with SCEC Secure Area rated cylinder (e.g. ABLOY PROTEC) and furniture (e.g. Lockwood 1800 Series).

Code

1. Backset: Nominate backset as required, for example 3 = 60mm backset.

2. Function: Select function, for example 574 = Combination Lock

3. Sub Function: Determine sub function requirements for both exterior and interior.

For example:

Exterior – Locking function required – specify W (cylinder).

Interior – turnknob function required – specify T (turnbutton adaptor).

4. Handing: If applicable refer to door handing chart to determine left or right hand, for example R.

5. Finish: Select appropriate finish, e.g. SC. Other finishes available on application.

6. Options: Where additional options are needed, specify as required, For example AF = Aluminium Fix.