General Door Hardware







General Door Hardware



CYL4® is a patented innovation that allows ASSA ABLOY window locks and patio bolts to be keyed to door locks that use the most common key type (C4), thus providing customers with the added convenience of having to use only one key around the home.

Most Australian door locks are operated by a C4 key. Traditional window locks are incompatible with a C4 key. Therefore homeowners are required to carry at least one key for their door locks, and a different key (or keys) for their window locks.

The introduction of ASSA ABLOY's unique CYL4® technology has revolutionised home locking security. Our CYL4® window lock and chainwinder ranges incorporate the patented CYL4® cylinder which is quickly and easily keyed alike to your customer's 5 pin C4 door key.



The ASSA ABLOY Key Gauge, provided in the CYL4® Keying Kit, allows fast and accurate determination of the key code.



The patented CYL4® cylinder has been designed to retain its wafers when the key is removed. This makes re-keying the CYL4® cylinder quick and easy for retailers and locksmiths alike.







There are 10 CYL4® wafers numbered 0-9, that cover the 10 depths of a C4 key. Six wafers are arranged in pairs to match the first 3 cuts of the customer's key.



Using the CYL4® Keying Kit, you can re-key any ASSA ABLOY CYL4® window lock or patio bolt to the customer's C4 key in just a few minutes. EASY!

Contents







Flush Bolts

page 6



Safety Latch

page 7



Timber Door Hinges

page 8

CYL4® Patio Bolt

Application / Description

Premium high security CYL4® Patio Bolt with concealed fixing.

Features and Specifications

- CYL4® One Key Security Can be matched to most door locks for one key convenience
- High security, robust construction, resists attack
- Solid zinc diecast metal body
- Concealed fixing for security and style
- Key to lock, key to unlock
- Strong 9.5mm steel bolt
- 49mm bolt extension
- Bolt engages without locking for safety
- Reversible bolt for left or right handed installation
- Stainless steel ferrule for timber applications
- Allows door to be bolted in closed or venting positions - (Sliding door applications)
- Flat steel keeper for use when bolt doesn't engage door frame
- Extended (78mm bolt extension) versions available
- Single and Twin Keyed Alike display packs available

Available in Display and Trade Packs.

Keying

- CYL4® cylinder Can be Keyed Alike to all door locks that use a 5 pin or 6 pin key with a C4 profile, and to CYL4® window locks.
- Or 5 disc wafer cylinder Can be Keyed Alike to other Whitco 5 disc products
- Two Whitco keys included

Polyester powder coated finishes	
Silver	11
Mahogany	12
White	16
Black	17
Primrose	19

These finishes are an indicative representation, actual product finishes may vary.

Non Standard Finishes

Other finishes are not available.




















ch Gara





CYL4® Patio Bolt

Ordering		
Display Pack - Includes 2x Stainless Steel Ferrules, 4mm Packer and Flat Keeper		
Single Pack - CYL4 Cylinder	W22061••	
Twin Pack - Keyed Alike - CYL4 Cylinder	W22068••	
Trade Pack - Includes 2x Stainless Steel Ferrules, 4mm Packer and Flat Keeper		
CYL4 Cylinder - Keyed Alike	W22063••C4	
5 Disc Wafer Cylinder - Keyed Alike	W22063••D5	
No Cylinder	W2207017	
CYL4 Cylinder with Extended Bolt – Keyed Alike	W2207517C4	
5 Disk Wafer Cylinder with Extended Bolt – Keyed Alike	W2207517D5	
Angle Keepers - Zinc plated steel	W2206701	

•• Denotes finish. See price list for available pack / finish combinations







W2206701

Flush Bolts

Application / Description

Zinc diecast steel insert flush bolts for aluminium application.

Features and Specifications

- Suitable for left or right hand closing doors
- Concealed fixing and operation when edge mounted
- Easy to use slide operation
- Smooth action


Available in Trade Pack only.

Non Standard Finishes

Other finishes are not available.

Ordering	
Trade Pack	
20 mm body width / 150 mm throw	W203817





W203817



Safety Latch

Application / Description

Polymer self-latching catch with external release mechanism for sliding door applications.

Features and Specifications

- Nylon polymer construction
- Automatic self-latching action
- External push-button release
- Complete with fixing screws
- Australian made

Available in Display Pack only.

Plated and polyester powder coated finishes

Black 17


Non Standard Finishes

Other finishes are not available.









Timber Door Hinges

Application / Description

Fast fix hair line steel timber door hinge.

Features and Specifications

- Popular size
- Suited to medium weight doors
- Steel fixed pin construction
- Made to Whitco specifications

Available in Trade Pack only.


Non Standard Finishes

Other finishes are not available.











Whitco®

Whitco protects millions of Australian homes and offers the largest range of security and hardware products for residential doors and windows in Australia. With our proud heritage, and by offering a wide variety of locks at affordable prices, Whitco has become one of Australia's most trusted brands.

The Whitco brand is an integral part of ASSA ABLOY Australia Pty Limited, the market leader in the lock and security products industry in Australia.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia 1300 LOCK UP (1300 562 587) whitco.com.au

New Zealand Telephone +64 94157111 assaabloy.co.nz

ASSA ABLOY Australia Pty Ltd

235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

info.au@assaabloy.com assaabloy.com.au

ASSA ABLOY New Zealand Ltd

6 Armstrong Road Albany, North Shore City, 0632 New Zealand

info.nz@assaabloy.com assaabloy.co.nz

An ASSA ABLOY Group brand

made to ensure that the information contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing tinformation on specific products, as ASSA ABLOY reserves the right to make any changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the