

DANGEROUS POISON

Available to authorised persons only. Keep out of reach of children.



Contains 660 g/kg magnesium phosphide developing 330 g/kg phosphine (PH₂) for the effective control of storage pests. Contents: 166 pellets Net weight: 100g

Registered to: PHARMOCHEM COMPANY

6 Cebel Place, Albany, AUCKI AND P O Box 302 555, AUCKLAND 0751

Registered pursuant to the ACVM Act 1997 No P3380 See www.foodsafetv.govt.nz for registration conditions

Manufactured by:

Sandhya Organic Chemicals Private Limited, India.

Approved pursuant to the HSNO Act 1996, HSR001634 See www.epa.govt.nz for controls

SPILLAGE Wear appropriate protective clothing. Sweep up spillage avoiding dust generation and store in a gas-tight container for further disposal. Keep away from water. Check with local authorities and dispose of spillage in a safe and acceptable way. Inform the Fire Service immediately, and then local health protection officers at your District Health Board or hospital. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

DIRECTIONS FOR USE OF MAGELIME FUMIGATION PELLETS IN CONTROL OF RABBITS

BY LAW: This Product must only be used as specified on the label. Estimate size of burrow in cubic metres (m3) and apply pellets at a rate of 2q phosphine (PH₁)/m³ (or 10 pellets/m³). sealing all entrances to burrow. Where possible collect all carcasses and dispose of them by either burning or burying below 500mm (wherever feasible).

DANGER

PRECAUTIONS

In contact with water releases flammable gases which may ignite spontaneously. Fatal if inhaled or absorbed. Eve irritant, Causes damage to organs/systems, Very toxic to aquatic life. Hazardous to terrestrial vertebrates.

Do not breathe dust or fumes/gas. Do not get on skin. When handling tablets wear protective clothing/boots, water proof gloves, eye protection. Use only outdoors or in well-ventilated place MAGFUME releases poisonous gas. MAGFUME to be used only by authorized personnel well instructed on its use and familiar with the precautionary measures to be observed. Store in original container, tightly closed, away from food stuffs and under lock and key. Do not open container except for immediate usage. Always open in open air. Protect from moisture, open flames or heat. Keep away from liquid water. Do not breathe dust or fumes. Poisonous if swallowed. Do not get on skin. When handling pellets wear waterproof gloves. Keep available a gas mask with proper filter against phosphine for emergency cases. Rinse, crush and bury empty container.

SYMPTOMS OF POISONING:

Pressing sensation in the chest, nausea and diarrhea.

FIRSTAID

If any of the described symptoms of poisoning appear, the affected person must immediately be taken into the open air, laid down in a comfortable position and be kept quiet and warm. Get immediate medical assistance. In case of slight poisoning. patient will recover rapidly, i.e. with in1-2 hours. Affected person should not resume work during the next 24 hours. Repeated exposures within short intervals can be dangerous, but no chronic poisoning is possible. Begin artificial respiration if the victim is not breathing. Use mouth-to nose rather than mouth-to-mouth. For advice. contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately

NOTE TO THE PHYSICIAN:

For severe poisoning administration of a cardiac tonic and a drug to stimulate blood circulation is recommended. Under some circumstances blood transfusion or infusion. of isotonic solutions of sodium chloride or glucose into blood system are indicated. Pulmonary oedema and convulsions may occur. Absolute rest is essential.

Date of Manufacture

Expiry Date Ratch No.









