WARNING

WARNING

May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONS:

Do not breathe dust. Wear overalls and waterproof gloves when applying bait. Wash hands and exposed skin after use and before meals and after work.

Do not eat, drink or smoke whilst using this product. Store locked up in original packaging, away for foodstuffs and animals. Avoid contamination of any water supply with baits or empty packaging. Dispose of unused bait and empty packaging safely, e.g. to landfill.

ACTIVE INGREDIENT:

Contains 0.5 g/kg Pindone

In the form of a bait

PINDONE

PELLETS

FOR THE CONTROL OF POSSUMS & RATS

For use In Bait Stations Only for the control of Possums & Rats



Registered pursuant to the

ACVM Act 1997: No. V4396

See www.foodsafety.govt.nz for registration conditions.

Approved substance under the HSNO Act 1997: HSR001604

See www.epa.govt.nz for Controls.

Hazard Classifications: Specific target organ toxicity (repeated exposure) Category 2, Designed for biocidal action.

Batch Number:

Expiry date:

NET CONTENTS: 2kg, 10kg, 25kg, 500 kg

PINDONE PELLETS –POSSUMS & RATS

WARNING
KEEP OUT OF REACH OF CHILDREN

DISPOSAL:

Use bait according to label or dispose of by burying in approved landfill. Ensure packaging is completely empty before disposal . Recycle through an approved recovery scheme e.g. Agrecovery. Otherwise, crush and bury in an approved landfill. If no landfill is available bury the bag below 500mm in a disposal pit specially marked for this purpose, clear of waterways, desirable vegetation and roots. Empty packaging and product should not be burnt.

FIRST AID:

If swallowed do NOT induce vomiting. For advice, contact The National Poisons Centre, telephone 0800 POISON (0800 764 766) or a doctor immediately.

STOCK and DOMESTIC ANIMALS:

Ensure livestock and domestic animals cannot access baits. Do not return stock to treated areas until all baits have been removed from the area. Where practical minimize non-target animals from consuming poisoned carcasses either by collecting carcasses and disposing then by burning or burying below 500 mm of soil (wherever feasible), or by limiting their access to the baiting site until carcasses are unlikely to be edible or contain residues.

TREATMENT OF DOMESTIC ANIMALS:

Vitamin K1 is an effective antidote against accidental poisoning of domestic animals by Pindone.

DIRECTIONS FOR USE:

POSSUMS: Use bait stations placed out of the reach of stock and refill at four day intervals maintaining an uninterrupted supply. Bait stations should be placed along bush borders at intervals of no more than 100 metres and preferably at 50 metre intervals. In bush situations bait stations should be placed at 100 metre intervals. Stations should be sited in all areas of possum sign, e.g. scratchings and droppings, near den sites and preferred food sources, and at the foot of leading ridges where possums prefer to travel and bush/pasture margins. Ideally a suitable bait station will have the ability to hold 2 kilograms of pellets.

RATS: Bait stations should be placed at intervals of no more than 100 metres and preferably at 50 metre intervals.

Low infestation: Place 150 grams into a bait station and maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Medium to high infestations: Place 1 to 2 kilograms into a suitable tamper-resistant rat bait station and maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

NOPESTS Multifeeder and Pied Piper bait stations are suitable for use when baiting with pellets and are readily available from Key Industries Ltd.

By Law

1. The product must only be used in baitstations.
2. This product must only be used asspecified on the label.



01/11/2023

Registered and Distributed in New Zealand by: Key Industries Ltd, 15 d Paul Matthews Road, Rosedale, Auckland 0632.

Phone +64 9 917 1791 (office hours) Emergency Tel 0800 CHEMCALL (0800 243 622) (24 hours)

Website www.keyindustries.co.nz Email sales@keyindustries.co.nz

Add Agrecovery logo



MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND

01/11/2023

WARNING

PINDONE

PELLETS

WARNING
May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONS:

Keep out of reach of children.

Do not breathe dust. Wear overalls and waterproof gloves when applying bait. Wash hands and exposed skin after use and before meals and after work.

Do not eat, drink or smoke while using this product. Store locked up in original packaging, away for foodstuffs and animals. Avoid contamination of any water supply with baits or empty packaging. Dispose of unused bait and empty packaging safely, e.g. to landfill.

ACTIVE INGREDIENT:

Contains 0.5 g/kg Pindone

In the form of a bait

FOR THE CONTROL OF

POSSUMS & RATS

For use as broadcast or aerial application



01/11/2023

Registered pursuant to the

ACVM Act 1997: No. V4396

See www.foodsafety.govt.nz for registration conditions.

Approved substance under the HSNO Act 1996: HSR001604

See www.epa.govt.nz for Controls.
Hazard Classifications: Specific target organ toxicity (repeated exposure) Category 2,
Designed for biocidal action.

Batch Number:

Expiry date:

NET CONTENTS: 2 kg 10 kg ,

25 kg, 500 kg

WARNING

PINDONE PELLETS

FOR THE CONTROL OF POSSUMS AND RATS

For use as broadcast or aerial application

KEEP OUT OF REACH OF CHILDREN

WARNING: May cause damage to organs through prolonged or repeated exposure.

DISPOSAL:

Use bait according to label or dispose of by burying in approved landfill. Ensure bag is completely empty before disposal . Recycle bag through an approved recovery scheme e.g. Agrecovery. Otherwise, bury bag in an approved landfill. If no landfill is available bury the bag below 500mm in a disposal pit specially marked for this purpose, clear of waterways, desirable vegetation and roots. Empty bags and product should not be burnt.

FIRST AID:

If exposed or if you feel unwell: Contact the National Poisons Centre, telephone 0800 POISON (0800 764 766) or a doctor immediately.

STOCK and DOMESTIC ANIMALS:

Ensure livestock and domestic animals cannot access baits. Do not return stock to treated areas until 4 weeks after laying the Pindone Pellet bait. Where practical minimize non-target animals from consuming poisoned carcasses either by collecting carcasses and disposing then by burning or burying below 500 mm of soil (wherever feasible), or by limiting their access to the baiting site until carcasses are unlikely to be edible or contain residues.

TREATMENT OF DOMESTIC ANIMALS:

Vitamin K1 is an effective antidote against accidental poisoning of domestic animals by Pindone.

DIRECTIONS FOR USE:

Apply 3 to 4 kilograms of pellets per hectare per feed. Two feeds are required, four days apart.
Through the area where possums or rats are being targeted; lightly broadcastpellets by hand or air.

By Law

1. The product must be sold only to or used by a person holding an Approved Use for Pindone Certificate
2. This product must only be used as specified on the label.
3. Signs must be posted in public areas to notify members of the public that this product has been applied in the area—see conditions set under relevant legislation for more details.
4. If the product is applied aerially public notification is required– see the conditions set under relevant legislation for more details.

Note: Additional permissions may be required depending on the method of use and location of the product.



01/11/2023

Registered and Distributed in New Zealand by: KEY Industries Ltd. 15 d Paul Matthews Road, Rosedale, Auckland 0632. PO Box 65-070 Mairangi Bay, Auckland 0754

Phone 0800 539 463 Website www.keyindustries.co.nz Email sales@keyindustries.co.nz



MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND

01/11/2023