

# Safety Data Sheet (SDS)

# **Cement-Off™ Concrete Dissolver**

Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

Titan Laboratories 2935 Irving Blvd., #209 Dallas, TX 75247

**Contact:** Titan Laboratories

Phone: 800-475-3300 // 214-638-1200

Email: \_info@titanlabs.net Web: www.titanlabs.net

Product Name: Cement Off™ Concrete Dissolver

Revision Date: January 3, 2022

Version: 1.2 SDS Number: 620

Common Name: Mild Acid Cleaner

CAS Number: MIXTURE

Chemical Family: Mild Acid Cleaner Chemical Formula: \*\*\* PROPRIETARY \*\*\*

**Emergency Phone:** +1-800-255-3924

#### 2. HAZARDS IDENTIFICATION



Health = 2, Fire = 0, Reactivity = 0 H2/F0/PH0





GHS Signal Word: DANGER

#### GHS Hazard Pictograms:







GHS Classifications: Health, Acute toxicity, 4 Oral Health, Skin corrosion/irritation, 1 C

# Safety Data Sheet (SDS)

# **Cement-Off™ Concrete Dissolver**

Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 2

Health, Specific target organ toxicity - Single exposure, 3 Environmental, Hazards to the aquatic environment - Chronic, 2

#### GHS Phrases:

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H411 - Toxic to aquatic life with long lasting effects

#### **GHS Precautionary Statements:**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplementary first aid instructions on this label).

P332+313 - If skin irritation occurs: Get medical advice/attention.

P337+313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage. Hazardous to the aquatic environment.

P403+233 - Store in a well ventilated place. Keep container tightly closed.

P405 - Store locked up.

P412 - Do not expose to temperatures exceeding 49 °C/120 °F

P501 - Dispose of contents/container to an approved waste disposal plant.

**Environmental Hazards:** Not to be expected if handled and used properly. Environmental hazard assignment applies only to large volume spills of product. When this product is used at the doses recommended by Titan Laboratories, it attributes minimal to no environmental hazards, acute or chronic, to the aquatic environment.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

| CAS #   | Dorsontago | Chemical Name                             |
|---------|------------|---|
| CAS #   | Percentage | Chemical Name                             |
| N/A     | >78%       | Proprietary, non-hazardous, non-regulated |
| 79-14-1 | <20%       | Acetic acid, hydroxy-                     |
| None    | <2%        | Trade Secret*                             |

<sup>\*</sup>The specific chemical identities of the ingredients of this mixture labeled as "Trade Secret" are considered to be proprietary and are withheld in accordance with the provisions of 29CFR1910.1200 Sect. (i) Trade Secrets.

#### 4. FIRST AID MEASURES

**Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Take off contaminated clothing and shoes immediately. Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. If reddening develops and/or persists, obtain medical attention.

**Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses is present and easy to do so. Get immediate medical attention.

# Safety Data Sheet (SDS)

Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 3

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Give 3-4 glasses of water or milk to dilute stomach contents. Never give anything by mouth to an unconscious person. Get immediate medical attention.

#### Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed: No data available.

## 5. FIRE FIGHTING MEASURES

| Flammability       | Not flammable     |
|--------------------|-------------------|
| Flash Point        | DNA               |
| Flash Point Method | DNA               |
| Burning Rate       | No data available |
| Autoignition Temp  | No data available |
| LEL                | DNA               |
| UEL                | DNA               |

#### **Extinguishing Media:**

Water Spray Carbon Dioxide Alcohol-Resistant Foam Dry Chemical

#### Special Hazards Arising From the Substance or Mixture:

Carbon Oxides Sodium Oxides Sulfur Oxides

Advice for Firefighters: Firefighters should wear full-face, positive-pressure respirators.

**Further Information:** If incinerated, may release toxic fumes. Use water spray to cool unopened containers. See Section 7 for more information on safe handling. See Section 8 for more information on personal protection equipment. See Section 13 for disposal information.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Keep from contacting skin or eyes. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### **Environmental Precautions:**

Prevent further release (leakage/spillage) if safe to do so. Do not allow product to enter drains.

Do not allow to drain to environment.

#### Methods and Materials for Containments and Cleaning Up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Neutralizing agent like Sodium Bicarbonate may also be used to absorb/neutralize any spilled material. Place contaminated material into suitable, closed containers for disposal.

Dispose of contaminated material according to Section 13.

After spillage has been collected, area may be flushed with water or wet-brushed. Ensure adequate ventilation.

**Reference to Other Sections:** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for information on proper disposal.

# Safety Data Sheet (SDS)

Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 4

## 7. HANDLING AND STORAGE

**Handling Precautions:** Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Use approved, original containers only. Keep containers closed when not in use. Do not expose containers to open flame, excessive heat, or direct sunlight. Do not puncture or drop containers. Handle with care and avoid spillage on the floor. Keep material out of reach of children. Keep material away from incompatible materials. Wash thoroughly after handling. Ensure adequate ventilation.

**Storage Requirements:** Keep container tightly closed. Avoid inhalation of vapors or mist upon opening container. Store in a well-ventilated place. Do not store at temperatures exceeding 49 °C/120 °F. Do not store in direct sunlight. Store away from strong bases, strong oxidizing agents, strong reducing agents, Alkali metals and Alkali salts.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

#### **Personal Protective Equip:**

Eye/face protection: When using material use safety goggles, gloves and apron according to HMIS PP, C. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

*Skin protection:* Handle with gloves made from Neoprene, Nitrile or Burma rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

Body Protection: Chemically resistant gloves, apron and safety goggles are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Respiratory protection: Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.

#### Control of environmental exposure:

Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters: Contains no substances with occupational exposure limit values.

**Biological occupational exposure limits:** Contains no substances with biological occupational exposure limits values.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor Threshold: Not determined Particle Size: Not determined

Spec Grav./Density: 1.087 g/ml (9.07 lbs/gal)

Viscosity: Not determined Sat. Vap. Conc.: Not determined Boiling Point: 100 °C (212 °F)

Flammability: (solid, gas): Not flammable Partition Coefficient: Not determined Vapor Pressure: (mm Hg @ 25 °C): 20

**pH:** @ 1%: 3.5

Evap. Rate: (N-Butyl Acetate = 1): > 1.0

**Molecular weight:** MIXTURE **Decomp Temp:** Not determined

# Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 5

Odor: Slight, detergent-like Molecular Formula: MIXTURE

Solubility: 100%

Softening Point: Not determined

Percent Volatile: DNA Heat Value: Not determined

Freezing/Melting Pt.: Not determined

Flash Point: DNA

Octanol: Not determined

Vapor Density: (air = 1): Not determined

VOC: DNA

Bulk Density: Not determined

Auto-Ignition Temp: Not determined

**UFL/LFL:** Not determined

## 10. STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Incompatibilities, flames, ignition sources.

Materials to Avoid: Strong bases, strong oxidizing agents, strong reducing agents, Alkali metals and Alkali salts.

Hazardous Decomposition: Carbon Oxides, Sodium Oxides and Sulfur Oxides.

Hazardous Polymerization: Will not occur.

# 11. TOXICOLOGICAL INFORMATION

Component(s): Acetic acid, hydroxy-; Trade Secret

CAS No(s): 79-14-1; None

**Acute Toxicity:** 

LD50 Oral - Rat: 438 mg/kg

LC50 Inhalation - Rat: 3.6 mg/l (4 h)

Skin Corrosion/Irritation: Rabbit skin - Corrosive.

Serious Eye Damage/Eye Irritation: Rabbit eyes - Severe eye irritation.

**Respiratory or Skin Sensitization:** May cause respiratory irritation.

Germ Cell Mutagenicity: No data available.

#### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive Toxicity:** Oral - Rat: Effects on Embryo or Fetus; Fetotoxicity (stunted fetus); Developmental Abnormalities (Musculoskeletal system).

# Safety Data Sheet (SDS)

# **Cement-Off™ Concrete Dissolver**

Titan Laboratories, Inc.

SDS #620 /January 3, 2022

Page 6

Specific Target Organ Toxicity - Single Exposure: Respiratory system - May cause respiratory irritation.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: No data available.

Additional Information:

Component: Acetic acid, hydroxy-; RTECS: MC5250000

## 12. ECOLOGICAL INFORMATION

Component(s): Acetic acid, hydroxy-; Trade Secret

**CAS No(s):** 79-14-1; None

**Toxicity:** 

Toxicity to fish:

LC50 - Danio rerio (Zebra Fish): 5,000 mg/l (96 h)

LC50 - Oncorhynchus mykiss (Rainbow Trout): 3.2 - 5.6 mg/l (96 h) Mortality NOEC - Oncorhynchus kisutch (Coho Salmon): 3.1

mg/I (72 h) Mortality LOEC - Oncorhynchus kisutch (Coho Salmon): 5.6 mg/I (72 h)

Toxicity to daphnia and other aquatic invertebrates:

Mortality NOEC - Daphnia: 4.0 mg/l (7 d)

#### Persistence and Degradability:

No data available.

#### Bioaccumulative potential:

Bioaccumulation - Lepomis macrochuris: 64 µg/l (28 d) Bioconcentration dactor (BCF): 220

#### **Mobility in Soil:**

No data available.

#### Results of PBT and vPvB assessment:

Not required/conducted.

#### Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 3265, Class: 8, Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid)

DOT (US)

UN Number: 3265

Class: 8

Packing Group: III ERG #: 153

Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid) Marine Pollutant: No

Poison Inhalation Hazard(s): No

# Safety Data Sheet (SDS)

Titan Laboratories, Inc.

SDS #620 /January 3, 2022 Page 7

**IMDG** 

UN Number: 3265

Class: 8

Packing Group: III EMS-No: F-A, S-B

Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid) Marine Pollutant: No

**IATA** 

UN Number: 3265

Class: 8

Packing Group: III ERG #: 153

Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid) Marine Pollutant: No



# 15. REGULATORY INFORMATION

#### COMPONENT / (CAS/PERC) / CODES

\*Acetic acid, hydroxy- (79141 <20%) NJHS, PA, SARA311/312, TSCA

\*Trade Secret (25155300 <2%) CERCLA, CSWHS, MASS, NJHS, PA, TSCA

#### REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund cleanup substance

CSWHS = Clean Water Act Hazardous substances

MASS = MA Massachusetts Hazardous Substances List

NJHS = NJ Right-to-Know Hazardous Substances

PA = PA Right-To-Know List of Hazardous Substances

SARA311/312 = SARA 311/312 Toxic Chemicals TSCA = Toxic Substances Control Act

TSCA = Toxic Substances Control Act

#### 16. OTHER INFORMATION

#### Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Titan Laboratories believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Titan Laboratories' control, Titan Laboratories makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.