

## **Safety Data Sheet**

## **SOFT CARE INSTANT HAND SANITISER - FRAGRANCE FREE**

**Revision:** 2025-07-10 **Version:** 01.2

## SECTION 1: Identification of the substance/mixture and supplier

## 1.1 Product identifier

Product name: SOFT CARE INSTANT HAND SANITISER - FRAGRANCE FREE

#### 1.2 Recommended use and restrictions on use

Identified uses:

Hand sanitiser

Restrictions of use:

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited Unit 8, 55 Newton Road, Wetherill Park, NSW, 2164 1-7 Bell Grove, Braeside, VIC 3195 Telephone: 1800 647 779 (toll free)

Email: aucustserv@solenis.com Website: diversey.com.au

### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Flammable liquids, Category 2 Eye irritation, Category 2

## 2.2 Label elements





Signal word: Danger

## Hazard statements:

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

### Prevention statement(s):

P210 - Keep away from flames and hot surfaces. No smoking.

P233 - Keep container tightly closed.

## Response statement(s):

P370 + P378 - In case of fire: Use chemical powder to extinguish.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

## Storage statement(s):

P403 + P235 - Store in a well-ventilated place. Keep cool.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

## 2.3 Other hazards

No other hazards known.

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
ethanol	64-17-5	200-578-6	>= 70

#### [4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: If skin irritation occurs: Get medical advice or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**Consider personal protective equipment as indicated in subsection 8.2. **First aid facilities:**Eyewash facilities should be considered in a workplace where necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

## 5.2 Special hazards arising from the substance or mixture

No special hazards known.

## 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### 5.4 Hazchem code

- •2YE
- •2 Alcohol resistant foam is the preferred firefighting medium but, if it is not available, fine water spray can be used. •3 Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.
- Y Full fire kit and breathing apparatus. Contain.
- E People should be warned to stay indoors with all doors and windows closed, but evacuation may need to be considered.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area.

## 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders).

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Measures to prevent fire and explosions:

Keep away from flames and hot surfaces. No smoking. Take precautionary measures against static discharges.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

## Advice on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Take off immediately all contaminated clothing. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
ethanol	1000 ppm 1880 mg/m <sup>3</sup>		

Biological limit values, if available:

### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

Appropriate organisational controls:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Personal protective equipment

**Eye / face protection:**No special requirements under normal use conditions.

Hand protection: Not applicable.

**Body protection:**No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Method / remark

Physical state: Liquid
Colour: Clear , Colourless
Odour: Product specific
Odour threshold: Not applicable

**pH:** ≈ 6.5 (neat) ISO 4316

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Flammable.
Flash point (°C): ≈ 21 °C closed cup

Sustained combustion: Not determined
(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Not relevant to classification of this product

Flammability (solid, gas): Not applicable to liquids

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined

Relative density: ≈ 0.87 (Approximately) (20 °C)

Relative vapour density: Not determined.
Particle characteristics: No data available.

Solubility in / Miscibility with water: Fully miscible

Partition coefficient: n-octanol/water No information available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Kinematic viscosity: Not determined

**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

## 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

## 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Mixture data: .

#### Eye irritation and corrosivity

Result: Eye irritant 2A Method: Classified according to Safe Work Australia Hazardous Chemical Information System (HCIS)

Substance data, where relevant and available, are listed below:.

## **Acute toxicity**

 Ingredient(s)
 Endpoint (mg/kg)
 Value (mg/kg)
 Species (mg/kg)
 Method (mg/kg)
 Exposure (mg/kg)

 ethanol
 LD 50
 5000
 Rat
 OECD 401 (EU B.1)

Acute dermal toxicity

	Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Ī	ethanol	LD 50	> 10000	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC 50	> 1800	Rat	Non guideline test	4

Irritation and co
-------------------

Skin	irritation	and	COTTC	civit

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			

## Sensitisation

Sensitisation by skin contact

ochishisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanol	Not sensitising			

Sensitisation by inhalation

ĺ	Ingredient(s)	Result	Species	Method	Exposure time
	ethanol	No data available	•		

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) $\underline{\text{Mutagenicity}}$

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
ethanol	No data available		No data available	

Carcinogenicity

Carolingcriticity	
Ingredient(s)	Effect
ethanol	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
ethanol			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				

Sub-chronic dermal toxicity

cas chieffic definial textory						
Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
ethanol		No data				
		available				

Sub-chronic inhalation toxicity

Cab childring initialation toxioity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data				
		available				

Chronic toxicity

Childric toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
ethanol			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
ethanol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)	
ethanol	No data available	

## **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC 50	8150	Alburnus alburnus	Method not given	96

Aquatic short-term toxicity - crustacea

 riquatio orient term textory ordetacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC 50	5012	Daphnia	Method not given	48
			maana Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC 50	675	Scenedesmus	Method not given	72
			quadricauda		
			Not specified		

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
ethanol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanol	EC <sub>0</sub>	6500	Pseudomonas	Method not given	16 hour(s)
			putida		İ

## Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				

Aquatic long-term toxicity - crustacea

requality form toxicity of detacoa						
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

## Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

#### Biodegradation

Ready biodegradability - aerobic conditions

Ready blodegradability - aerobic conditions							
Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation		
		method					
ethanol	Activated sludge,	Oxygen depletion	> 60% in 10 day(s)	OECD 301B	Readily biodegradable		
	aerobe				1		

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow

articles become in betainer rates (legition)							
Ingredient(s)	Value	Method	Evaluation	Remark			
ethanol	-0.31	Weight of evidence	No bioaccumulation expected				

Bioconcentration factor (BCF)

Ingredient(s)	Value Species		Method	Evaluation	Remark
ethanol	0.5		Weight of evidence	No bioaccumulation expected	

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Adsorption/Desorption to soil or sediment								
	Ingredient(s)	Adsorption coefficient	Desorption coefficient	Method	Soil/sediment type	Evaluation		
		Log Koc	Log Koc(des)					
	ethanol	No data available						

## 12.5 Other adverse effects

No other adverse effects known.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** 

**Recommendation:** Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

## SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA

**14.1 UN number or ID number:** 1170 **14.2 UN proper shipping name:** 

Ethanol solution (ethyl alcohol solution) , mixture

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: II
14.5 Environmental hazards:
Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information: Hazchem code: •2YE

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.8 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard

for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classification Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by

Safework Australia.

Inventory listing(s)

Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are

exempt.

## SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**SDS code:** MS3100373 **Version:** 01.2 **Revision:** 2025-07-10

## Additional information:

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including:

frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

## Abbreviations and acronyms:

- DNEL Derived No Effect Limit
- AUH Non GHS hazard statement

- PNEC Predicted No Effect Concentration
   ATE Acute Toxicity Estimate
   LD50 Lethal Dose, 50% / Median Lethal dose
   LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level

- NOAEL No observed adverse effect level
   STOT-RE Specific target organ toxicity (repeated exposure)
   STOT-SE Specific target organ toxicity (single exposure)
   EC No. European Community Number
   OECD Organisation for Economic Cooperation and Development

**End of Safety Data Sheet**