According to Regulation (EU) No 830/2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: VECTAIR AIROMA MYSTIQUE
Product code	: 1252129

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Professional use. (SU22). Air care products (PC3). Airfreshener.

1.3. Details of the supplier of the safety data sheet

Distributor	Hygiene Systems Australia Pty Ltd
	Unit 1, 2 Logistics street, Yatala, Qld, 4207
Telephone Emergency telephone	0738018500 0450697282

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

ADG Classification	: F+, H222 Extremely flammable : Xi, H317 May cause an allergic skin reaction.
CLP classification (1272/2008/EC)	: Aerosols, category 1. Eye irritation, category 2. Specific target organ toxicity after single exposure, category 3.
Remarks	: The classification of this product is based on the non-aerosolised form of the mixture (on basis of section 1.1.3.7. of Regulation (EC) No 1272/2008).

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms :



Signal word	: Danger	
H- and P-phrases	: H222	Extremely flammable aerosol.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness.
	H229	Pressurised container: May burst if heated.
	EUH208	Contains May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
	P251	Do not pierce or burn, even after use.
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

According to Regulation (EU) No 830/2015

	P211 P261 spray P403	Do not spray on an open flame or other ignition source. Avoid breathing spray. Store in a well-ventilated place.
Additional labelling	: * Contains Butyl allergic reactior : Contains: Propa	
2.3. Other hazards		
Human health hazards	reaction. Expos	eye irritation. May cause drowsiness or dizziness. May produce an allergic ure to high vapour concentrations may result in a narcotic effect. Use only as onal misuse by deliberately concentrating and inhaling contents can be harmful or
Physical/chemical hazards	naked flame or	hable. Keep away from sources of ignition — No smoking. Do not spray on a any incandescent material. Do not spray near fire, sources of heat or live electrical osol may explode from internal pressure build-up when exposed to temperatures C.
Environmental hazards		n PBT or vPvB substances in concentrations higher than 0,1%. Not classified as ording to statutory EC-Directives.
Other information	: Keep out of read	th of children. Caution: Do not breathe spray. Use only in well-ventilated areas. Intervals for a short period only. Ventilate well after use. Harmful to house pets.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Substand	ce name	Concentration (w/w) (%)		EC number	REACH nr.	OE
Butane	Flam. Gas 1; Press. Gas H220; H280	25 - < 50	106-97-8	203-448-7	01-2119474691-32	#
Propane	Flam. Gas 1; Press. Gas H220; H280	10 - < 20	74-98-6	200-827-9	01-2119486944-21	#
Ethanol	Flam. Liq. 2; Eye Irrit. 2 H225; H319	10 - < 20	64-17-5	200-578-6	01-2119457610-43	#
Propan-2	-ol Flam. Liq. 2; Eye Irrit. 2; STOT SE 3 H225; H319; H336	5 - < 10	67-63-0	200-661-7	01-2119457558-25	#
Propane-	1,2-diol 	1 - < 5	57-55-6	200-338-0	01-2119456809-23	#
Isobutane	e Flam. Gas 1; Press. Gas H220; H280	1 - < 5	75-28-5	200-857-2	01-2119485395-27	#
Hexyl cinı	namal Skin Sens. 1B; Aquatic Chronic 2; Aquat H317; H400; H411	0,1 - < 1 ic Acute 1	101-86-0	202-983-3	01-2119533092-50	
Linalool		0,1 - < 1	78-70-6	201-134-4	01-2119474016-42	

According to Regulation (EU) No 830/2015

Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B H315; H319; H317				
Coumarin Acute Tox. 4; Skin Sens. 1B; STOT RE 2 H302; H317; H373	0,1 - < 1	91-64-5	202-086-7	
Butylphenyl methylpropional Aquatic Chronic 2; Skin Irrit. 2; Skin Sens H302; H315; H317; H411; H361f	< 0,1 1; Acute Tox. /	80-54-6 4; Repr. 2	201-289-8	01-2119485965-18

Reference is made to chapter 16 for full text of each relevant H phrase. Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

First aid measures

alu measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
	Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
Ingestion	: Aerosol/mist: Ingestion is unlikely to occur.
	Skin contact Eye contact

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
Skin contact	: May produce an allergic reaction. May cause dry skin and redness.
Eye contact	: Irritant. May cause redness and pain.
Ingestion	: Aerosol/mist: Ingestion is unlikely to occur.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: Waterjet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50		
	°C. Do not expose emergency personnel to overheated aerosol containers. Water may be used to cool container and prevent explosion of the aerosol.	
Hazardous thermal decomposition products	: Carbon monoxide may be evolved if incomplete combustion occurs.	

5.3. Advice for firefighters

Special protective	: Fight a fire where aerosols are involved from a protected position. Use adequate respiratory
equipment for fire-fighters	equipment in case of insufficient ventilation.

According to Regulation (EU) No 830/2015

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe vapours and/or spray. Keep away from sources of ignition — No smoking. Build up of highly flammable gasses involves an explosion risk. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Collect cans in an approved container. Do not pierce aerosols. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : For guidance on selection of personal protective equipment see section 8. For guidance on disposal of spilled material see section 13.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Important: Pressurized container; protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Keep away from sources of ignition — No smoking. Do not spray on a naked flame or any incandescent material. Do not spray near fire, sources of heat or live electrical equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe spray. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage

: Keep frost-free, in a cool (< 35°), dry and well-ventilated place. Protect from sunlight and keep away from heat.

Recommended packaging : Not applicable.

Directive 2012/18/EU : P3a - Flammable aerosols Qualifying quantity (tonnes) : 150 (net) - lower-tier Qualifying quantity (tonnes) : 500 (net) - upper-tier

7.3. Specific end use(s)

Use

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

: Use only as directed.

8.1. Control parameters

*

SAFETY DATA SHEET According to Regulation (EU) No 830/2015

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Occupational exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments
		(mg/m3)	(mg/m3)	
Butane	GB	1450	1810	-
Butane		300	900	MAC RU
Propane		1800	-	
Ethanol	GB	1920	-	-
Ethanol		260	1900	Mac: NL
Propan-2-ol	GB	999	1250	-
Propane-1,2-diol	GB	474	-	Total Vapour and Particulates
Propane-1,2-diol		79	117	OEL: NO
Isobutane		1900	2400	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-ter	m	DNEL, long-term		
	exposure					
		Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Dermal				343 mg/kg bw/day	
	Inhalation	1900 mg/m3			950 mg/m3	
Propan-2-ol	Dermal				888 mg/kg bw/day	
	Inhalation				500 mg/m3	
Propane-1,2-diol	Inhalation			10 mg/m3	168 mg/m3	
Hexyl cinnamal	Dermal	0,525 mg/kg		0,525 mg/kg bw/	18,2 mg/kg bw/day	
		bw		day		
	Inhalation	6,28 mg/m3			0,078 mg/m3	
Linalool	Dermal		5 mg/kg bw		2,5 mg/kg bw/day	
	Inhalation		16,5 mg/m3		2,8 mg/m3	
Coumarin	Dermal				0,79 mg/kg bw/day	
	Inhalation				5,52 mg/m3	
Butylphenyl methylpropional	Dermal	0,41 mg/kg bw	20 mg/kg bw		3,33 mg/kg bw/day	
	Inhalation	0,29 mg/m3	0,29 mg/m3	0,048 mg/m3	0,048 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-te	DNEL, short-term		DNEL, long-term	
	exposure					
		Local effect	Systemic effect	Local effect	Systemic effect	
Ethanol	Dermal				206 mg/kg bw/day	
	Inhalation	950 mg/m3			114 mg/m3	
	Oral				87 mg/kg bw/day	
Propan-2-ol	Dermal				319 mg/kg bw/day	
	Inhalation				89 mg/m3	
	Oral				26 mg/kg bw/day	
Propane-1,2-diol	Inhalation			10 mg/m3	50 mg/m3	
Hexyl cinnamal	Dermal	0,0787 mg/kg		0,0787 mg/kg	9,11 mg/kg bw/day	
		bw		bw/day		
	Inhalation	4,71 mg/m3			0,019 mg/m3	
	Oral	_			0,056 mg/kg bw/day	
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg	1,25 mg/kg bw/day	
	Inhalation		4,1 mg/m3	bw/day	0,7 mg/m3	
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day	
Coumarin	Dermal				0,39 mg/kg bw/day	
	Inhalation				1,38 mg/m3	
	Oral				0,39 mg/kg bw/day	
Butylphenyl methylpropional	Dermal	0,41 mg/kg bw	20 mg/kg bw		1,67 mg/kg bw/day	

Occupational exposure limits

According to Regulation (EU) No 830/2015

	Inhalation 0,0 Oral	7 mg/m3 0,07 mg/m3 0,041 mg/kg bw	0,012 mg/m3	0,012 mg/m3 0,007 mg/kg bw/day
Predicted no-effect concentration ((PNEC):			
Chemical name	Route of exposure	Fresh water	Marine water	
Ethanol	Water Sediment Intermittent water STP Soil	0,96 mg/l 3,6 mg/kg	0,79 mg/l 2,9 mg/kg	2,75 mg/l 580 mg/l 0,63 mg/kg
Propan-2-ol	Oral Water Sediment Intermittent water STP	140,9 mg/l 552 mg/kg	140,9 mg/l 552 mg/kg	0,72 mg/kg food 140,9 mg/l 2251 mg/l
Propane-1,2-diol	Soil Oral Water Sediment Intermittent water	260 mg/l 572 mg/kg	26 mg/l 57,2 mg/kg	28 mg/kg 160 mg/kg food 183 mg/l
Hexyl cinnamal	STP Soil Oral Water Sediment Intermittent water	0,03 mg/l 47,7 mg/kg	0,003 mg/l 4,77 mg/kg	20000 mg/l 50 mg/kg 1133 mg/kg food 0,03 mg/l
Linalool	STP Soil Oral Water Sediment Intermittent water STP	0,2 mg/l 2,22 mg/kg	0,02 mg/l 0,222 mg/kg	10 mg/l 9,51 mg/kg 6,6 mg/kg food 2 mg/l 10 mg/l
Coumarin	Soil Oral Water Sediment Intermittent water	0,019 mg/l 0,15 mg/kg	0,0019 mg/l 0,015 mg/kg	0,327 mg/kg 7,8 mg/kg food 0,014 mg/l
Butylphenyl methylpropional	STP Soil Oral Water Sediment Intermittent water STP Soil	0,0020 mg/l 0,0584 mg/kg	0,0002 mg/l 0,0058 mg/kg	6,4 mg/l 0,018 mg/kg 30,7 mg/kg food 0,0204 mg/l 1,049 mg/l 0,0463 mg/kg

8.2. Exposure controls

Engineering measures Hygienic measures : Comply with standard precautionary measures for working with chemicals. : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection

: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: butyl. Indication of permeation breakthrough time: not known.

Respiratory protectio	on : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. ± 0,5 mm. Indication of permeation breakthrough time: not known.
Eye protection	: Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.
Thermal hazards	: Aerosol may explode from internal pressure build-up when exposed to temperatures exceeding 50 °C.
Environmental exposure controls	: Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH Solubility in water Partition coefficient (n- octanol/water)	 : Aerosol. : Colourless. : Perfumed. : Notknown. : Not applicable. : Soluble. : Not known. 	Almost waterfree product.
Flash point	: Not applicable.	Not measurable.
Flammability (solid, gas)	: Extremelyflammable.	
Auto ignition temperature	: Not applicable.	Aerosol container explodes before reaching the auto-ignition point.
Boiling point/boiling range	: Not known.	Not measurable.
Melting point/melting range	e∶<0 °C	
Explosive properties	:	Pressurised container: May burst if heated.
Explosion limits (in air)	: Not known.	Lower explosion limit in air (%): 1,3 (Butane)
	:	Upper explosion limit in air (%): 19 Ethanol
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature		Ŭ
Viscosity (20°C)	: Notknown.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 310000 Pa	
Vapour density (20°C)	: >1	(air = 1)
Relative density (20°C)	: 0.619g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)
-1		

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	: See sub-sections below.
10.2. Chemical stabili	ity
Stability	: Stable under normal conditions.
10.3. Possibility of ha	azardous reactions
Reactivity	: No other hazardous reactions known.

10.4. Conditions to avoid

Replaces issue dated

According to Regulation (EU) No 830/2015

Conditions to avoid : Keep away from sources of ignition and sources of heat. See section 7.

10.5. Incompatible materials

Materials to avoid : Not applicable.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product. Inhalation

IIIIIC	lialion	
	Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.
	Corrosion/irritation	: May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: Not classified - based on available data, the classification criteria are not met.
	Carcinogenicity	: Not classified - based on available data, the classification criteria are not met.
	Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skir	contact	
	Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
	Corrosion/irritation	: Slight irritation possible. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: May produce an allergic reaction.
	Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye	contact	
	Corrosion/irritation	: Irritant.
Inge	estion	
U	Acute toxicity	: Aerosol/mist: Ingestion is unlikely to occur. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/ kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause hampered eyesight.
	Corrosion/irritation	: Aerosol/mist: Ingestion is unlikely to occur. May cause a feeling of sickness, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
	Carcinogenicity	: Aerosol/mist: Ingestion is unlikely to occur. Not classified - based on available data, the classification criteria are not met.
	Mutagenicity	: Aerosol/mist: Ingestion is unlikely to occur. Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Ethanol	Skin irritation	Non-irritant	OECD 404	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOEL (carcinogenicity,	13 mg/m3		
	inh.)			

NOEL (carcinogenicity, oral)> 4400 mg/kg bw/dEye irritationIrritantOECLD50 (oral)10470 mg/kg bwOECNOAEL (development, oral)6400 mg/kg bw/d	CD 478 Mouse Mouse CD 405 Rabbit
oral) Eye irritation Irritant OEC LD50 (oral) 10470 mg/kg bw OEC NOAEL (development, 6400 mg/kg bw/d oral)	
Eye irritation Irritant OEC LD50 (oral) 10470 mg/kg bw OEC NOAEL (development, oral) 6400 mg/kg bw/d OEC	CD 405 Rabbit
LD50 (oral) 10470 mg/kg bw OEC NOAEL (development, 6400 mg/kg bw/d oral)	CD 405 Rabbit
NOAEL (development, 6400 mg/kg bw/d oral)	
oral)	CD 401 Rat
Skin consideration INOT SENSITIZING UEC.	
-	CD 406 Guinea pig
	CD 415 Rat Rat
NOAEL (inhalation) 23000 mg/m3	Rabbit
LD50 (dermal) 15800 mg/kg bw	CD 408 Rat
	CD 403 Rat
· · · · · · · · · · · · · · · · · · ·	CD 403 Rat
	CD 403 Rat
	CD 402 Rabbit
NOAEL (oral) 870 mg/kg bw/d	Rat
	CD 476
NOEL (carcinogenicity, 12500 mg/m3	Mouse
inh.)	
	D 474 Mouse
	CD 451 Rat
	CD 471
	CD 406 Guinea pig
	CD 416 Rat
oral)	
NOAEL (development, 400 mg/kg bw/d	Rat
oral)	
NOAEL (fertility, oral) 407 mg/kg bw/d	Rat
Eye initiation	CD 405 Rabbit
	CD 404 Rabbit
	D 474
	D 476
	d across Rat
estimate	CD 402 Rabbit
	CD 402 Rabbit
	CD 403 Rat
	CD 471 Salmonella typhimurium
	D 429 Mouse
	CD 404 Rabbit
Skin intraction	CD 421 Rat
oral)	
Eye irritation Non-irritant	Rabbit
NOAEL (dermal) 25 mg/kg bw/d	Rat
Linalool Skin irritation Mildly irritant	Human
LD50 (oral) 2790 mg/kg bw	Rat
	D 475 Mouse
Skin irritation Irritant OEC	CD 404 Rabbit
	CD 471 Salmonella typhimurium
Skin sensitisation 12650 ug/cm2 OEC	D 429 Mouse
	CD 421 Rat
NOAEL (development, 365 mg/kg bw/d OEC	CD 421 Rat
oral)	_
LD50 (dermal) 5610 mg/kg bw OEC	CD 402 Rabbit
LC50 (inhalation) > 3200 mg/m3	Mouse
	CD 407 Rat
NOAEL (dermal) 250 mg/kg bw/d OEC	CD 411 Rat

According to Regulation (EU) No 830/2015

1	Eye irritation	Irritant	OECD 405	Rabbit
Coumarin	Skin sensitisation	> 12500 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	> 115 mg/kg bw/d		Mouse
	Eye irritation	Non-irritant		Rabbit
	LD50 (oral)	680 mg/kg bw		Rat
	NOAEL (oral)	> 138,3 mg/kg bw/d		Mouse
	Skin irritation	Non-irritant		Rabbit
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	> 105 mg/kg bw/d	OECD 474	Mouse
	NOEL (carcinogenicity)	Not carcinogenic		
	- estimate			
Butylphenyl methylpropional	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
	LD50 (oral)	1390 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant		Rabbit
	NOAEL (oral)	25 mg/kg bw/d		Rat
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
	NOAEL (fertility, oral)	25 mg/kg bw/d		Rat
	NOAEL (development,	4 mg/kg bw/d	OECD 414	Rat
	oral)			

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Calculated LC50 (fish): 227 mg/l. Calculated EC50 (waterflea): 562 mg/l. Contains < 1 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains substances that are potentially bioaccumulating (Log Pow > 3).

12.4. Mobility in soil

Mobility : Not applicable.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

VOC-content (EC) : 603g/l

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

According to Regulation (EU) No 830/2015

Product residues	: Recyclable metal container. Do not puncture or burn even after use. Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	: Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 1950

14.2. UN proper shipping name

Transport name : AEROSOLS

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

Class	: 2
Classification code	: 5F
Packaging group	: -
Danger label	: 2,1
	:

Other information : Not intended for carriage by inland waterways in tank-vessels.

IMDG (sea)	
Class	: 2
Packaging group	: -
EmS (fire / spill)	: F - D / S - U
Marine pollutant	: No
IATA (air)	
Class	: 2.1

14.6. Special precautions for user

Other information	: Warning: Gases.	
EMS Number:	: F-D,S-U	
Stowage Code	: SW1 protected from sources of heat.	
	: SW22 for AEROSOLS with a maximum capacity of 1 litre: category B. For WASTE AEROSOLS: Category C, clear of living quarters	
Segregation Code	: SG69 For Aerosols with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Marpol	: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.	

Product name	: Vectair Airoma Mystique			Page 11/13
Date of issue	: 04-08-2017	Replaces issue dated	: 07-04-2015	CHESSOL SDS

According to Regulation (EU) No 830/2015

14.8. Transport / Additional information:

ADG	
Limited Quantities (LQ)	: 1L
Exempted Quantities (EQ)	: Code:E0
	Not permitted as Excepted Quantity
Transport Category	: 2
Tunnel restriction code	: D
IMDG Limited Quantities (LQ) Excepted Quantities (EQ)	:1L : Code:E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	: UN1950 AEROSOLS,2.1

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations	: Regulation (EC) No 830/2015 (REACH), Regulation (EC) No 1272/2008 (CLP), 75/324/EEC	
	(aerosols) and other regulations.	
15.2. Chemical safety assessment		

Chemical safety : Not applicable. assessment

According to Regulation (EU) No 830/2015

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 830/2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

*

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of hazard classes mentioned in section 3:

lext of nazard classes	menuoned in section 3.
Flam. Gas 1	: Flammable gas, category 1.
Press. Gas	: Compressed gas.
Flam. Liq. 2	: Flammable liquid, category2.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1	: Skin sensitization, category 1.
Repr. 2	: Reproductive toxicity, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

d risk assessment
d risk assessment
d risk assessment
d risk assessment
Page 13/13
CHESSOL SDS

According to Regulation (EU) No 830/2015

Number format

: "," used as decimal separator.