



33A SAINT DAVID ST
FITZROY VIC 3065

T: +61 3 9419 5666 F: +61 3 9419 6292

E: mes@mes.net.au

MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services)
Medical Emergency: **131126** (Poisons information)

Akua Liquid Pigment Inks

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Akua Liquid Pigment Inks
OTHER NAMES:	Akua Kolor
APPLICATION OF SUBSTANCE:	Monoprinting ink
MANUFACTURED BY:	Speedball Art Products, LLC 2226 Speedball Road Statesville, NC 28677 USA
CONTACT NUMBERS:	Phone: 704-978-4166 Fax: 1-704-838-1472

2. HAZARDOUS INFORMATION	
Skin Sensitization - Category 1. May Cause an allergic skin reaction	
MANUFACTURER'S CODE:	540300, 540301, 540302, 540304, 540305, 540306, 540307, 540308, 540309, 540311, 540312, 540312, 540315, 540317, 540318, 540319, 540320, 540321, 540323, 540324, 540350, 540351, 540352, 540353
UN NUMBER:	N/A
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	N/A
HAZCHEM CODE:	N/A
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	N/A
HAZARD CATEGORY:	N/A
CLASS:	N/A

3. COMPOSITION / INFORMATION ON INGREDIENTS	
Benzisothiazolinone: 0.12% Cas #: 2634-33-5	

4. FIRST AID MEASURES	
GENERAL:	N/A

4. FIRST AID MEASURES	
INHALATION:	Avoid breathing dust/fume/gas/mist/vapours/spray; seek fresh air.
EYE CONTACT:	Carefully flush for 15 minutes. If irritation occurs, contact a physician.
SKIN CONTACT:	Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention.
INGESTION:	N/A

5. FIRE FIGHTING MEASURES	
EXTINGUISHING MEDIA:	N/A
DO NOT USE:	N/A
DEGREE OF FIRE RISK:	Not combustible, not explosive.
RECOMMENDATIONS:	N/A

6. ACCIDENTAL RELEASE MEASURES	
Clean up in accordance with regulations. Absorb spillage with non-combustible, absorbent material.	

7. HANDLING AND STORAGE	
HANDLING:	Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.
STORAGE:	N/A

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
ENGINEERING MEASURES:	Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.
<i>PERSONAL PROTECTION</i>	
RESPIRATORY PROTECTION:	N/A
HAND PROTECTION:	N/A
EYE PROTECTION:	Wear safety goggles where spills or splashing may occur.
SKIN PROTECTION:	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Coloured liquid
FLASH POINT:	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	N/A
VAPOUR PRESSURE:	N/A
VAPOUR DENSITY:	N/A
SPECIFIC GRAVITY:	N/A
SOLUBILITY IN WATER:	N/A
MELTING POINT:	N/A

10. STABILITY AND REACTIVITY

Stable, non reactive.

11. TOXICOLOGICAL INFORMATION

N/A

12. ECOLOGICAL INFORMATION

No harmful effects known other than those associated with suspended inert solids in water.

13. DISPOSAL CONSIDERATIONS

Dispose of all waste material in accordance with all applicable federal, state and local regulations.

14. TRANSPORT INFORMATION

N/A

15. REGULATORY INFORMATION

N/A

16. OTHER INFORMATION

The information provided on this sheet is based on our knowledge of the product concerned at the date of issue. It is provided in good faith. Users should also bear in mind that risks may arise when a product is put to uses other than those for which it is destined.